



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: GA10302002-003
Harvest/Lot ID: FCZ104-210225-01
Batch#: CF-SAT10-100820-2
Seed to Sale# FCZ104-210225-01
Batch Date: 02/25/21
Sample Size Received: 67.5 gram
Total Amount: 1033
Retail Product Size: 0.45
Ordered: 03/02/21
Sampled: 03/02/21
Completed: 03/08/21
Sampling Method: SOP.T.20.010

Mar 08, 2021 | Liberty Health Sciences, FL

18770 N CR 225
Gainesville, FL, 32609, US



PASSED

Pages 1 of 1

PRODUCT IMAGE



Glass Jar

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0%

/Capsule : 9.152 mg



Total CBD

0%

/Capsule : 0.096 mg



Total Cannabinoids

0%

Total Cannabinoids/Capsule : 10.173 mg

%
mg/g
LOD

	CBDV	CBD	CBGA	CBG	CBD	THCV	CBN	D9-THC	D8-THC	CBC	THCA
	0.001	0.002	0	0.106	0.021	0.025	0.053	2.033	0	0.02	
	0.001	0.001	0.001	0.001		0.001	0.001		0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
2338

Weight:
1.5015g

Extraction date:
N/A

Extracted by:
N/A

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : GA023198POT
Instrument Used : GA-HPLC-001 2030C Plus (Carl)
Analysis Date : 03/03/21 10:27:10

Reviewed On : 03/03/21 17:42:45
Batch Date : 03/02/21 10:20:07

Dilution : 20
Reagent : 021121.32; 022421.R04; 022221.R29
Consumables : 282066106; VAV-09-1020 Lot# 947.077; 6970145500298; 190624060; 16466-042
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
 Lab Director

State License # CMTL-0001
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164


 Signature
 03/08/21