



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest/Lot ID: 7668750985495734
Batch #: ID1000-LR-STPA LR.5 (H)
Harvest Date: 02/13/26
Production Method: Ice/Water
Total Amount: 829 units
Cultivation Facility: Lake Wales
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 0190023508590029

Lab ID: MI60216005-010
Sampled: 02/16/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 02/19/26
Manifest #: 1686523696883423

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License #: M00007CULPROLakeWales001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
73.4%

Total THC : 367 mg



Total CBD
0.224%

Total CBD : 1.12 mg



Total Cannabinoids
86.8%

Total Cannabinoids/Container : 434 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	1.11	82.4	ND	0.255	ND	0.326	2.63	ND	ND	ND	0.0530	ND
mg/unit	5.57	412	ND	1.28	ND	1.63	13.2	ND	ND	ND	0.265	ND
LOD	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
LOQ	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
3335, 1665, 585, 5181

Weight:
0.098g

Extraction date:
02/17/26 11:14:32

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : MI095811POT

Instrument Used : DA-LC-003

Analyzed Date : 02/18/26 09:53:57

Batch Date : 02/17/26 09:34:51

Dilution : 400

Reagent : 021626.R09; 102725.04; 021626.R06

Consumables : 947.110; 04402004; 040724CH01; 0000214700

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/19/26
Laboratory License #: 900013



Kaycha Labs
.....
MPX STPA Live Rosin 0.5 g
Strain: Strawpaya
Matrix: Derivative
Classification: High THC
Type: Live Rosin

**Pages 2 of 7**

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60216005-010

Batch #: ID1000-LR-STPA LR.5 (H)
Harvest/Lot ID: 7668750985495734
Seed to sale: 0190023508590029

Ordered: 02/16/26
Sampled: 02/16/26
Completed: 02/19/26

PASSED



Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: Weight: Extraction date: Analysis Method : N/A Analytical Batch : N/A Instrument Used : N/A Analyzed Date : 02/18/26 09:53:56						Extracted by: Batch Date : N/A	



Terpenes

TESTED

ANALYTES		LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
TOTAL TERPENES		0.00700	0.0200		TESTED	5.60	28.0
LIMONENE		0.00700	0.0200		TESTED	2.05	10.3
BETA-MYRCENE		0.00700	0.0200		TESTED	0.663	3.32
BETA-CARYOPHYLLENE		0.00700	0.0200		TESTED	0.595	2.98
GUAIOL		0.00700	0.0200		TESTED	0.427	2.13
BETA-PINENE		0.00700	0.0200		TESTED	0.334	1.67
LINALOOL		0.00700	0.0200		TESTED	0.289	1.45
ALPHA-HUMULENE		0.00700	0.0200		TESTED	0.205	1.02
FENCHYL ALCOHOL		0.00700	0.0200		TESTED	0.189	0.944
ALPHA-TERPINEOL		0.00700	0.0110		TESTED	0.180	0.899
ALPHA-PINENE		0.00700	0.0200		TESTED	0.172	0.858
FARNESENE		0.00100	0.00100		TESTED	0.122	0.610
BORNEOL		0.0130	0.0400		TESTED	0.0733	0.367
CAMPHENE		0.00700	0.0200		TESTED	0.0620	0.310
CARYOPHYLLENE OXIDE		0.00700	0.0200		TESTED	0.0596	0.298
ALPHA-BISABOLOL		0.00700	0.0200		TESTED	0.0492	0.246
ALPHA-TERPINOLENE		0.00700	0.0200		TESTED	0.0424	0.212
GERANIOL		0.00700	0.0200		TESTED	0.0387	0.193
SABINENE HYDRATE		0.00700	0.0200		TESTED	0.0254	0.127
FENCHONE		0.00700	0.0200		TESTED	0.0225	0.112
3-CARENE		0.00700	0.0200		TESTED	ND	ND
CAMPHOR		0.00700	0.0200		TESTED	ND	ND
CEDROL		0.00700	0.0200		TESTED	ND	ND
EUCALYPTOL		0.00700	0.0200		TESTED	ND	ND
GERANYL ACETATE		0.00700	0.0200		TESTED	ND	ND
HEXAHYDROTHYMOL		0.00700	0.0200		TESTED	ND	ND
ISOBORNEOL		0.00700	0.0200		TESTED	ND	ND
ISOPULEGOL		0.00700	0.0200		TESTED	ND	ND
NEROL		0.00700	0.0200		TESTED	ND	ND
OCIMENE		0.00700	0.0200		TESTED	ND	ND
PULEGONE		0.00700	0.0200		TESTED	ND	ND
SABINENE		0.00700	0.0200		TESTED	ND	ND
VALENCENE		0.00700	0.0200		TESTED	ND	ND
ALPHA-CEDRENE		0.00500	0.0160		TESTED	ND	ND
ALPHA-PHELLANDRENE		0.00700	0.0200		TESTED	ND	ND
ALPHA-TERPINENE		0.00700	0.0200		TESTED	ND	ND
CIS-NEROLIDOL		0.00300	0.00800		TESTED	ND	ND
GAMMA-TERPINENE		0.00700	0.0200		TESTED	ND	ND
TRANS-NEROLIDOL		0.00500	0.0160		TESTED	ND	ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
02/19/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
MPX STPA Live Rosin 0.5 g
Strain: Strawpaya
Matrix: Derivative
Classification: High THC
Type: Live Rosin



Certificate of Analysis

Pages 3 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60216005-010

Batch #: ID1000-LR-STPA LR.5 (H)
Harvest/Lot ID: 7668750985495734
Seed to sale: 0190023508590029

Ordered: 02/16/26
Sampled: 02/16/26
Completed: 02/19/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
Analyzed by: 4531, 585, 5181	Weight: 0.2171g	Extraction date: 02/17/26 11:24:35			Extracted by: 4531	
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch : MI095808TER						
Instrument Used : DA-GCMS-004						
Batch Date : 02/17/26 09:27:07						
Analyzed Date : 02/18/26 12:14:34						
Dilution : 10						
Reagent : 081925.04						
Consumables : 947.110; 04312111; 2240626; 0000355309						
Pipette : DA-065						
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.						



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	ND	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	ND	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	ND	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	ND	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	ND	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/19/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
MPX STPA Live Rosin 0.5 g
Strain: Strawpaya
Matrix: Derivative
Classification: High THC
Type: Live Rosin



Certificate of Analysis

Pages 4 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60216005-010

Batch #: ID1000-LR-STPA LR.5 (H)
Harvest/Lot ID: 7668750985495734
Seed to sale: 0190023508590029

Ordered: 02/16/26
Sampled: 02/16/26
Completed: 02/19/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	ND	
NALED	ppm	0.0100	0.0500	0.25	PASS	ND	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CAPTAN	ppm	0.0700	0.350	0.7	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	ND	

Analyzed by: 3379, 585, 5181	Weight: 0.2407g	Extraction date: 02/17/26 11:40:51	Extracted by: 3379
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI095817PES

Instrument Used : DA-LCMS-005 (PES)

Batch Date : 02/17/26 09:47:19

Analyzed Date : 02/18/26 10:46:59

Dilution : 250

Reagent : 020426.R03; 021626.R13; 021326.R12; 021326.R13; 102025.R21; 020426.R01; 012026.01

Consumables : 927.100; 030125CH01; 6698360-03

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 5181	Weight: 0.2407g	Extraction date: 02/17/26 11:40:51	Extracted by: 3379
--------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI095821VOL

Instrument Used : DA-GCMS-011

Batch Date : 02/17/26 09:50:18

Analyzed Date : 02/18/26 10:45:57

Dilution : 250

Reagent : 021626.R13; 012026.01; 012326.R14; 012326.R15

Consumables : 927.100; 030125CH01; 6698360-03; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/19/26
Laboratory License #: 900013



Certificate of Analysis

Pages 5 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60216005-010

Batch #: ID1000-LR-STPA LR.5 (H)
Harvest/Lot ID: 7668750985495734
Seed to sale: 0190023508590029

Ordered: 02/16/26
Sampled: 02/16/26
Completed: 02/19/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	ND	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	ND	
2-PROPANOL	ppm	50.0	250	500	PASS	ND	
ACETONE	ppm	75.0	375	750	PASS	ND	
ACETONITRILE	ppm	6.00	30.0	60	PASS	ND	
BENZENE	ppm	0.100	0.500	1	PASS	ND	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	ND	
CHLOROFORM	ppm	0.200	1.00	2	PASS	ND	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	ND	
ETHANOL	ppm	500	2500	5000	PASS	ND	
ETHYL ACETATE	ppm	40.0	200	400	PASS	ND	
ETHYL ETHER	ppm	50.0	250	500	PASS	ND	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	ND	
HEPTANE	ppm	500	2500	5000	PASS	ND	
METHANOL	ppm	25.0	125	250	PASS	ND	
N-HEXANE	ppm	25.0	125	250	PASS	ND	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	ND	
PROPANE	ppm	500	2500	5000	PASS	ND	
TOLUENE	ppm	15.0	75.0	150	PASS	ND	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	ND	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	ND	

Analyzed by: 4444, 585, 5181 Weight: 0.023g Extraction date: 02/17/26 11:03:53 Extracted by: 4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI095827SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 02/18/26 09:49:04

Batch Date : 02/17/26 10:48:05

Dilution : 1
Reagent : 061323.02
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/19/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
MPX STPA Live Rosin 0.5 g
Strain: Strawpaya
Matrix: Derivative
Classification: High THC
Type: Live Rosin



Certificate of Analysis

Pages 6 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License #: M00007CULPROLakeWales001

Sample: MI60216005-010

Batch #: ID1000-LR-STPA LR.5 (H)
Harvest/Lot ID: 7668750985495734
Seed to sale: 0190023508590029

Ordered: 02/16/26
Sampled: 02/16/26
Completed: 02/19/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4520, 585, 5181	Weight: 1.1305g	Extraction date: 02/17/26 10:59:58				Extracted by: 4892,3621	
Analysis Method : SOP.T.40.056C Analytical Batch : MI095819MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 02/19/26 09:29:57 Dilution : 10 Reagent : 101525.42; 010526.R34; 092525.05 Consumables : 7586005007 Pipette : N/A Batch Date : 02/17/26 09:49:46							
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.							

Analyzed by: 3621, 3390, 585, 5181	Weight: 0.842g	Extraction date: 02/17/26 11:01:21				Extracted by: 4892,3621	
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI095818TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 02/19/26 15:25:14 Batch Date : 02/17/26 09:49:10 Dilution : 10 Reagent : 010526.06; 111425.45; 010626.R20 Consumables : N/A Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	ND	
Analyzed by: 3379, 585, 5181	Weight: 0.2407g	Extraction date: 02/17/26 11:40:51				Extracted by: 3379	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI095820MYC Instrument Used : DA-LCMS-005 (MYC) Analyzed Date : 02/18/26 09:40:37 Batch Date : 02/17/26 09:50:09 Dilution : 250 Reagent : 020426.R03; 021626.R13; 021326.R12; 021326.R13; 102025.R21; 020426.R01; 012026.01 Consumables : 927.100; 030125CH01; 6698360-03 Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.49	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/19/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
MPX STPA Live Rosin 0.5 g
Strain: Strawpaya
Matrix: Derivative
Classification: High THC
Type: Live Rosin



Certificate of Analysis

Pages 7 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60216005-010

Batch #: ID1000-LR-STPA LR.5 (H)
Harvest/Lot ID: 7668750985495734
Seed to sale: 0190023508590029

Ordered: 02/16/26
Sampled: 02/16/26
Completed: 02/19/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4797, 585, 5181	Weight: 0.98g	Extraction date: 02/17/26 13:05:45				Extracted by: 4797	
Analysis Method : SOP.T.40.019 Analytical Batch : MI095833WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 02/17/26 15:05:35 Batch Date : 02/17/26 12:04:56 Dilution : N/A Reagent : 091525.03 Consumables : PS-14 Pipette : N/A							



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	ND	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	ND	
MERCURY	ppm	0.0200	0.100	0.2	PASS	ND	
LEAD	ppm	0.0200	0.100	0.5	PASS	<0.100	
Analyzed by: 1022, 585, 5181	Weight: 0.285g	Extraction date: 02/17/26 10:56:44				Extracted by: 5122	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI095815HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 02/18/26 10:47:48 Batch Date : 02/17/26 09:40:05 Dilution : 50 Reagent : 012626.R24; 020326.R11; 020926.R04; 021726.R01; 020926.R02; 020926.R03; 020526.01; 020326.R12; 061323.01 Consumables : 031425CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-215							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Filtration/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTRATION AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	ND	
Analyzed by: 4797, 585, 5181	Weight: 1g	Extraction date: 02/17/26 12:11:13				Extracted by: 4797,585	
Analysis Method : SOP.T.40.090 Analytical Batch : MI095834FIL Instrument Used : Filtration/Foreign Material Microscope Analyzed Date : 02/17/26 14:56:15 Batch Date : 02/17/26 12:05:04 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/19/26
Laboratory License #: 900013