



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest/Lot ID: 8428831809944946
Batch #: ID1859 GMO CRT.5 (H)
Harvest Date: 02/21/26
Production Method: Other - Not Listed
Total Amount: 2546 units
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 8212695914743357

Lab ID: MI60224007-005
Sampled: 02/23/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 02/26/26
Manifest #: 7423713523516138

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
90.0%
Total THC : 450 mg



Total CBD
0.202%
Total CBD : 1.01 mg



Total Cannabinoids
94.2%
Total Cannabinoids/Container : 471 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	90.0	ND	0.202	ND	ND	1.65	ND	0.322	0.602	ND	1.43	ND
mg/unit	450	ND	1.01	ND	ND	8.25	ND	1.61	3.01	ND	7.15	ND
LOD	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
LOQ	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100
%	%	%	%	%	%	%	%	%	%	%	%	%
Qualifier												

Analyzed by:
4640, 1665, 585, 1440, 5150

Weight:
0.1042g

Extraction date:
02/24/26 14:04:53

Extracted by:
5150,4640

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : MI096084POT

Instrument Used : DA-LC-003

Analyzed Date : 02/25/26 21:41:24

Batch Date : 02/24/26 10:17:12

Dilution : 400

Reagent : 022326.R01; 012226.23; 021626.R06

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/26/26
Laboratory License #: 900013



Certificate of Analysis

Pages 2 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60224007-005

Batch #: ID1859 GMO CRT.5 (H)
Harvest/Lot ID: 8428831809944946
Seed to sale: 8212695914743357

Ordered: 02/23/26
Sampled: 02/23/26
Completed: 02/26/26

PASSED



Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:	Extracted by:				
Analysis Method : N/A							
Analytical Batch : N/A							
Instrument Used : N/A							
Analyzed Date : 02/26/26 09:10:18							



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.00700	0.0200	TESTED	4.03	20.2		
LIMONENE	0.00700	0.0200	TESTED	0.964	4.82		
BETA-MYRCENE	0.00700	0.0200	TESTED	0.744	3.72		
BETA-CARYOPHYLLENE	0.00700	0.0200	TESTED	0.697	3.48		
ALPHA-BISABOLOL	0.00700	0.0200	TESTED	0.318	1.59		
ALPHA-HUMULENE	0.00700	0.0200	TESTED	0.227	1.13		
LINALOOL	0.00700	0.0200	TESTED	0.166	0.830		
BETA-PINENE	0.00700	0.0200	TESTED	0.126	0.630		
FENCHYL ALCOHOL	0.00700	0.0200	TESTED	0.113	0.567		
ALPHA-PINENE	0.00700	0.0200	TESTED	0.0943	0.471		
ALPHA-TERPINEOL	0.00700	0.0200	TESTED	0.0911	0.456		
TRANS-NEROLIDOL	0.00500	0.0160	TESTED	0.0911	0.455		
CARYOPHYLLENE OXIDE	0.00700	0.0200	TESTED	0.0697	0.349		
BORNEOL	0.0130	0.0400	TESTED	0.0550	0.275		
CAMPHENE	0.00700	0.0200	TESTED	0.0356	0.178		
ALPHA-TERPINOLENE	0.00700	0.0200	TESTED	0.0345	0.172		
ISOBORNEOL	0.00700	0.0200	TESTED	0.0337	0.169		
ISOPULEGOL	0.00700	0.0200	TESTED	0.0330	0.165		
GUAIOL	0.00700	0.0200	TESTED	0.0312	0.156		
CIS-NEROLIDOL	0.00300	0.00800	TESTED	0.0296	0.148		
FENCHONE	0.00700	0.0200	TESTED	0.0287	0.144		
GAMMA-TERPINENE	0.00700	0.0200	TESTED	0.0271	0.135		
ALPHA-TERPINENE	0.00700	0.0200	TESTED	0.0227	0.113		
3-CARENE	0.00700	0.0200	TESTED	ND	ND		
CAMPHOR	0.00700	0.0200	TESTED	ND	ND		
CEDROL	0.00700	0.0200	TESTED	ND	ND		
EUCALYPTOL	0.00700	0.0200	TESTED	ND	ND		
FARNESENE	0.00700	0.0200	TESTED	ND	ND		
GERANIOL	0.00700	0.0200	TESTED	ND	ND		
GERANYL ACETATE	0.00700	0.0200	TESTED	ND	ND		
HEXAHYDROTHYMOL	0.00700	0.0200	TESTED	ND	ND		
NEROL	0.00700	0.0200	TESTED	ND	ND		
OCIMENE	0.00700	0.0200	TESTED	ND	ND		
PULEGONE	0.00700	0.0200	TESTED	ND	ND		
SABINENE	0.00700	0.0200	TESTED	ND	ND		
SABINENE HYDRATE	0.00700	0.0200	TESTED	ND	ND		
VALENCENE	0.00700	0.0200	TESTED	ND	ND		
ALPHA-CEDRENE	0.00500	0.0160	TESTED	ND	ND		
ALPHA-PHELLANDRENE	0.00700	0.0200	TESTED	ND	ND		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/26/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
Black Label GMO Cart 0.5 g
Strain: GMO
Matrix: Derivative
Classification: High THC
Type: Distillate



Certificate of Analysis

Pages 3 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60224007-005

Batch #: ID1859 GMO CRT.5 (H)
Harvest/Lot ID: 8428831809944946
Seed to sale: 8212695914743357

Ordered: 02/23/26
Sampled: 02/23/26
Completed: 02/26/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
Analyzed by: 4531, 585, 1440	Weight: 0.2177g	Extraction date: 02/24/26 15:54:43			Extracted by: 4531	
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch : MI096112TER						
Instrument Used : DA-GCMS-009						
Batch Date : 02/24/26 13:54:36						
Analyzed Date : 02/26/26 09:10:21						
Dilution : 10						
Reagent : 112625.51						
Consumables : 947.110; 04312111; 2240626; 0000355309						
Pipette : DA-065						
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.						



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	ND	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	ND	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	ND	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	ND	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	ND	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/26/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
Black Label GMO Cart 0.5 g
Strain: GMO
Matrix: Derivative
Classification: High THC
Type: Distillate



Certificate of Analysis

Pages 4 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60224007-005

Batch #: ID1859 GMO CRT.5 (H)
Harvest/Lot ID: 8428831809944946
Seed to sale: 8212695914743357

Ordered: 02/23/26
Sampled: 02/23/26
Completed: 02/26/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	ND	
NALED	ppm	0.0100	0.0500	0.25	PASS	ND	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CAPTAN	ppm	0.0700	0.350	0.7	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	ND	

Analyzed by: 3379, 585, 1440	Weight: 0.2403g	Extraction date: 02/24/26 13:47:14	Extracted by: 3379,450
---------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI096086PES

Instrument Used : DA-LCMS-003 (PES)

Batch Date : 02/24/26 10:42:50

Analyzed Date : 02/25/26 11:00:00

Dilution : 250

Reagent : 021826.R14; 021826.R15; 102025.R21; 021826.R12; 012026.01; 021926.R16; 021926.R15

Consumables : 927.100; 030125CH01; 6698360-03

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 1440	Weight: 0.2403g	Extraction date: 02/24/26 13:47:14	Extracted by: 3379,450
--------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI096089VOL

Instrument Used : DA-GCMS-011

Batch Date : 02/24/26 10:44:26

Analyzed Date : 02/25/26 10:58:55

Dilution : 250

Reagent : 021826.R15; 012026.01; 021026.R22; 021026.R23

Consumables : 927.100; 030125CH01; 6698360-03; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/26/26
Laboratory License #: 900013



Certificate of Analysis

Pages 5 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60224007-005

Batch #: ID1859 GMO CRT.5 (H)
Harvest/Lot ID: 8428831809944946
Seed to sale: 8212695914743357

Ordered: 02/23/26
Sampled: 02/23/26
Completed: 02/26/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	ND	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	ND	
2-PROPANOL	ppm	50.0	250	500	PASS	ND	
ACETONE	ppm	75.0	375	750	PASS	ND	
ACETONITRILE	ppm	6.00	30.0	60	PASS	ND	
BENZENE	ppm	0.100	0.500	1	PASS	ND	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	ND	
CHLOROFORM	ppm	0.200	1.00	2	PASS	ND	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	ND	
ETHANOL	ppm	500	2500	5000	PASS	ND	
ETHYL ACETATE	ppm	40.0	200	400	PASS	ND	
ETHYL ETHER	ppm	50.0	250	500	PASS	ND	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	ND	
HEPTANE	ppm	500	2500	5000	PASS	ND	
METHANOL	ppm	25.0	125	250	PASS	ND	
N-HEXANE	ppm	25.0	125	250	PASS	ND	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	ND	
PROPANE	ppm	500	2500	5000	PASS	ND	
TOLUENE	ppm	15.0	75.0	150	PASS	ND	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	ND	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	ND	

Analyzed by:
4444, 585, 1440

Weight:
0.0253g

Extraction date:
02/24/26 14:21:36

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI096115SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 02/25/26 10:05:16

Batch Date : 02/24/26 14:17:10

Dilution : 1
Reagent : 061323.02
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/26/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
Black Label GMO Cart 0.5 g
Strain: GMO
Matrix: Derivative
Classification: High THC
Type: Distillate



Certificate of Analysis

Pages 6 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60224007-005

Batch #: ID1859 GMO CRT.5 (H)
Harvest/Lot ID: 8428831809944946
Seed to sale: 8212695914743357

Ordered: 02/23/26
Sampled: 02/23/26
Completed: 02/26/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4520, 585, 1440	Weight: 1.152g	Extraction date: 02/24/26 12:27:57				Extracted by: 4520	
Analysis Method : SOP.T.40.056C Analytical Batch : MI096087MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 02/26/26 10:05:19 Dilution : 10 Reagent : 101525.33; 101525.39; 101525.52; 021126.R10; 012125.19 Consumables : 7588002022; 7588002033; 7588002038 Pipette : N/A Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.							
Batch Date : 02/24/26 10:43:37							

Analyzed by: 4520, 4892, 585, 1440	Weight: 1.1564g	Extraction date: 02/24/26 12:28:04				Extracted by: 4892	
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI096090TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 02/26/26 13:48:39 Dilution : 10 Reagent : 010526.08; 021226.34; 010626.R20 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
Batch Date : 02/24/26 10:44:50							



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	ND	
Analyzed by: 3379, 585, 1440	Weight: 0.2403g	Extraction date: 02/24/26 13:47:14				Extracted by: 3379,450	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI096088MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 02/25/26 10:28:56 Dilution : 250 Reagent : 021826.R14; 021826.R15; 021826.R43; 021926.R17; 102025.R21; 021826.R12; 012026.01 Consumables : 927.100; 030125CH01; 6698360-03 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
Batch Date : 02/24/26 10:44:19							



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.27	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/26/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
Black Label GMO Cart 0.5 g
Strain: GMO
Matrix: Derivative
Classification: High THC
Type: Distillate



Certificate of Analysis

Pages 7 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60224007-005

Batch #: ID1859 GMO CRT.5 (H)
Harvest/Lot ID: 8428831809944946
Seed to sale: 8212695914743357

Ordered: 02/23/26
Sampled: 02/23/26
Completed: 02/26/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4056, 585, 1440	Weight: 0.371g	Extraction date: 02/24/26 16:41:25				Extracted by: 4056	
Analysis Method : SOP.T.40.019 Analytical Batch : MI096109WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : 02/25/26 09:32:19 Batch Date : 02/24/26 12:16:16 Dilution : N/A Reagent : 091525.03 Consumables : PS-14 Pipette : N/A							



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	ND	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	ND	
MERCURY	ppm	0.0200	0.100	0.2	PASS	ND	
LEAD	ppm	0.0200	0.100	0.5	PASS	ND	
Analyzed by: 1022, 585, 1440	Weight: 0.2392g	Extraction date: 02/24/26 12:55:56				Extracted by: 1022,5122	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI096080HEA Instrument Used : DA-ICPMS-005 Analyzed Date : 02/25/26 11:04:25 Batch Date : 02/24/26 09:19:04 Dilution : 50 Reagent : 022026.R15; 020326.R11; 021726.R01; 020526.01; 020326.R12; 061323.01; 022426.R03; 022426.R01; 022426.R02 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-215							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Filtration/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTRATION AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	ND	
Analyzed by: 4571, 585, 1440	Weight: 1g	Extraction date: 02/25/26 13:00:29				Extracted by: 4571	
Analysis Method : SOP.T.40.090 Analytical Batch : MI096161FIL Instrument Used : Filtration/Foreign Material Microscope Analyzed Date : 02/25/26 14:46:50 Batch Date : 02/25/26 12:56:58 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
02/26/26
Laboratory License #: 900013