



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest/Lot ID:** 2878041318724023  
**Batch #:** 260212.BLKCH2:1.0300  
**Harvest Date:** 03/02/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 1241 units  
**Cultivation Facility:** Auburndale  
**Processing Facility:** Auburndale  
**Retail Product Size:** 61.6131 gram  
**Retail Serving Size:** 3 gram  
**Servings:** 20  
**Seed To Sale #:** 5171095005168740

**Lab ID:** MI60303002-001  
**Sampled:** 03/02/26  
**Sample Size:** 8 units  
**Completed:** 03/06/26  
**Manifest #:** 8465349054644176

### INSA

1250 Hobbs Rd  
Auburndale, FL, 33823, US  
**License #:** M00016CULPROAuburndale001



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**NOT TESTED**



### Cannabinoid

### TESTED



**Total THC**  
**0.182%**  
Total THC : 112 mg



**Total CBD**  
**0.312%**  
Total CBD : 192 mg



**Total Cannabinoids**  
**0.505%**  
Total Cannabinoids/Container : 311 mg

|         | D9-THC  | THCA    | CBD     | CBDA    | D8-THC  | CBG     | CBGA    | CBN     | THCV    | CBDV    | CBC     | THCVA   |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| %       | 0.182   | ND      | 0.312   | ND      | ND      | <0.0100 | ND      | <0.0100 | <0.0100 | ND      | 0.0112  | ND      |
| mg/unit | 112     | ND      | 192     | ND      | ND      | <6.16   | ND      | <6.16   | <6.16   | ND      | 6.92    | ND      |
| LOD     | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 |
| LOQ     | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  |
| %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       |

Qualifier

Analyzed by:  
3335, 1665, 585, 1440

Weight:  
3.144g

Extraction date:  
03/03/26 13:20:14

Extracted by:  
3335

**Analysis Method:** SOP.T.40.031, SOP.T.30.031

**Analytical Batch:** MI096360POT

**Instrument Used:** DA-LC-008

**Analyzed Date:** 03/05/26 09:47:50

**Batch Date:** 03/03/26 10:15:07

**Dilution:** 40

**Reagent:** 021626.R07; 102725.04; 021626.R04

**Consumables:** 947.110; 04402004; 040724CH01; 0000214700

**Pipette:** DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/06/26  
**Laboratory License #:** 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
.....  
CHEW-Black Cherry 2:1-100mg  
Strain: No Strain  
Matrix: Edible  
Classification: High THC  
Type: Soft Chew



# Certificate of Analysis

Pages 2 of 7

## INSA

1250 Hobbs Rd  
Auburndale, FL, 33823, US  
License # : M00016CULPROAuburndale001

Sample: MI60303002-001

Batch #: 260212.BLKCH2:1.0300  
Harvest/Lot ID: 2878041318724023  
Seed to sale: 5171095005168740

Ordered: 03/02/26  
Sampled: 03/02/26  
Completed: 03/06/26

**PASSED**



## Label Claim Verification

**PASSED**

| ANALYTES                          |         | UNIT             | LOD | LOQ              | LIMIT         | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|---------|------------------|-----|------------------|---------------|-----------|--------|-----------|
| Analyzed by:                      | Weight: | Extraction date: |     |                  | Extracted by: |           |        |           |
| Analysis Method : N/A             |         |                  |     |                  |               |           |        |           |
| Analytical Batch : N/A            |         |                  |     |                  |               |           |        |           |
| Instrument Used : N/A             |         |                  |     |                  |               |           |        |           |
| Analyzed Date : 03/05/26 09:47:55 |         |                  |     | Batch Date : N/A |               |           |        |           |



## Pesticide

**PASSED**

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 30    | PASS      | ND     |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.3   | PASS      | ND     |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 1.5   | PASS      | ND     |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| FENOXYCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FENPYROXIMATE                       | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| FIPRONIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FLONICAMID                          | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| FLUDIOXONIL                         | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| HEXYTHIAZOX                         | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| IMAZALIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| IMIDACLOPRID                        | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| KRESOXIM-METHYL                     | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| MALATHION                           | ppm  | 0.0100 | 0.0500 | 2     | PASS      | ND     |           |
| METALAXYL                           | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| METHIOCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/06/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
.....  
CHEW-Black Cherry 2:1-100mg  
Strain: No Strain  
Matrix: Edible  
Classification: High THC  
Type: Soft Chew



# Certificate of Analysis

Pages 3 of 7

## INSA

1250 Hobbs Rd  
Auburndale, FL, 33823, US  
License # : M00016CULPROAuburndale001

Sample: MI60303002-001

Batch #: 260212.BLKCH2:1.0300  
Harvest/Lot ID: 2878041318724023  
Seed to sale: 5171095005168740

Ordered: 03/02/26  
Sampled: 03/02/26  
Completed: 03/06/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | ND     |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CAPTAN                         | ppm  | 0.0700 | 0.350  | 3     | PASS      | ND     |           |
| CHLORDANE                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 1     | PASS      | ND     |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 1     | PASS      | ND     |           |

Analyzed by:  
3379, 585, 1440

Weight:  
0.8519g

Extraction date:  
03/03/26 12:33:27

Extracted by:  
3379,450

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI096361PES

Instrument Used : DA-LCMS-005 (PES)

Batch Date : 03/03/26 10:15:19

Analyzed Date : 03/04/26 10:31:39

Dilution : 250

Reagent : 022426.R24; 012026.01; 022526.R28; 022626.R13; 022626.R12; 022426.R23; 022526.R01

Consumables : 927.100; 030125CH01; 6698360-03

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:  
450, 585, 1440

Weight:  
0.8519g

Extraction date:  
03/03/26 12:33:27

Extracted by:  
3379,450

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI096363VOL

Instrument Used : DA-GCMS-001

Batch Date : 03/03/26 10:16:50

Analyzed Date : 03/04/26 10:23:34

Dilution : 250

Reagent : 022426.R24; 012026.01; 021026.R22; 021026.R23

Consumables : 927.100; 030125CH01; 221021DD; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/06/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
.....  
CHEW-Black Cherry 2:1-100mg  
Strain: No Strain  
Matrix: Edible  
Classification: High THC  
Type: Soft Chew



# Certificate of Analysis

Pages 4 of 7

## INSA

1250 Hobbs Rd  
Auburndale, FL, 33823, US  
License # : M00016CULPROAuburndale001

Sample: MI60303002-001

Batch #: 260212.BLKCH2:1.0300  
Harvest/Lot ID: 2878041318724023  
Seed to sale: 5171095005168740

Ordered: 03/02/26  
Sampled: 03/02/26  
Completed: 03/06/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | UNIT | LOD   | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------------|------|-------|-------|-------|-----------|--------|-----------|
| 1,1-DICHLOROETHENE   | ppm  | 0.800 | 4.00  | 8     | PASS      | ND     |           |
| 1,2-DICHLOROETHANE   | ppm  | 0.200 | 1.00  | 2     | PASS      | ND     |           |
| 2-PROPANOL           | ppm  | 50.0  | 250   | 500   | PASS      | ND     |           |
| ACETONE              | ppm  | 75.0  | 375   | 750   | PASS      | ND     |           |
| ACETONITRILE         | ppm  | 6.00  | 30.0  | 60    | PASS      | ND     |           |
| BENZENE              | ppm  | 0.100 | 0.500 | 1     | PASS      | ND     |           |
| BUTANES (N-BUTANE)   | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| CHLOROFORM           | ppm  | 0.200 | 1.00  | 2     | PASS      | ND     |           |
| DICHLOROMETHANE      | ppm  | 12.5  | 62.5  | 125   | PASS      | ND     |           |
| ETHANOL              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| ETHYL ACETATE        | ppm  | 40.0  | 200   | 400   | PASS      | ND     |           |
| ETHYL ETHER          | ppm  | 50.0  | 250   | 500   | PASS      | ND     |           |
| ETHYLENE OXIDE       | ppm  | 0.500 | 2.50  | 5     | PASS      | ND     |           |
| HEPTANE              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| METHANOL             | ppm  | 25.0  | 125   | 250   | PASS      | ND     |           |
| N-HEXANE             | ppm  | 25.0  | 125   | 250   | PASS      | ND     |           |
| PENTANES (N-PENTANE) | ppm  | 75.0  | 375   | 750   | PASS      | ND     |           |
| PROPANE              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| TOLUENE              | ppm  | 15.0  | 75.0  | 150   | PASS      | ND     |           |
| TOTAL XYLENES        | ppm  | 15.0  | 75.0  | 150   | PASS      | ND     |           |
| TRICHLOROETHYLENE    | ppm  | 2.50  | 12.5  | 25    | PASS      | ND     |           |

Analyzed by:  
4444, 585, 1440

Weight:  
0.0252g

Extraction date:  
03/03/26 12:23:32

Extracted by:  
4444

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : MI096380SOL  
Instrument Used : DA-GCMS-013  
Analyzed Date : 03/04/26 10:33:17

Batch Date : 03/03/26 12:13:39

Dilution : 1  
Reagent : N/A  
Consumables : 431526; 325202  
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | UNIT  | LOD  | LOQ  | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-------|------|------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       |       |      |      |        | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    |       |      |      |        | PASS      | Not Present |           |
| ECOLI - SHIGELLA         |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS NIGER        |       |      |      |        | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g | 10.0 | 10.0 | 100000 | PASS      | <10.0       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/06/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
.....  
CHEW-Black Cherry 2:1-100mg  
Strain: No Strain  
Matrix: Edible  
Classification: High THC  
Type: Soft Chew



# Certificate of Analysis

Pages 5 of 7

## INSA

1250 Hobbs Rd  
Auburndale, FL, 33823, US  
License # : M00016CULPROAuburndale001

Sample: MI60303002-001

Batch #: 260212.BLKCH2:1.0300  
Harvest/Lot ID: 2878041318724023  
Seed to sale: 5171095005168740

Ordered: 03/02/26  
Sampled: 03/02/26  
Completed: 03/06/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | UNIT          | LOD                                   | LOQ | LIMIT | PASS/FAIL | RESULT                     | QUALIFIER |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------|-----|-------|-----------|----------------------------|-----------|
| Analyzed by:<br>3621, 4520, 585, 1440                                                                                                                                                                                                                                                                                                                                                                                                                                    | Weight:<br>1g | Extraction date:<br>03/03/26 11:26:25 |     |       |           | Extracted by:<br>4520,4892 |           |
| Analysis Method : SOP.T.40.056C<br>Analytical Batch : MI096352MIC<br>Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)<br>Analyzed Date : 03/05/26 12:02:50<br>Dilution : 10<br>Reagent : 101525.59; 101525.75; 021126.R10; 012125.19<br>Consumables : 7588002046<br>Pipette : N/A<br>Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39. |               |                                       |     |       |           |                            |           |
| Batch Date : 03/03/26 10:03:20                                                                                                                                                                                                                                                                                                                                                                                                                                           |               |                                       |     |       |           |                            |           |

|                                                                                                                                                                                                                                                                                                                                                                                             |                   |                                       |  |  |  |                       |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|--|--|--|-----------------------|--|
| Analyzed by:<br>4520, 585, 1440                                                                                                                                                                                                                                                                                                                                                             | Weight:<br>1.077g | Extraction date:<br>03/03/26 11:23:55 |  |  |  | Extracted by:<br>4892 |  |
| Analysis Method : SOP.T.40.209.FL<br>Analytical Batch : MI096352TYM<br>Instrument Used : DA-328 (25°C Incubator)<br>Analyzed Date : 03/05/26 13:28:07<br>Dilution : 10<br>Reagent : 021926.02; 010626.R20<br>Consumables : N/A<br>Pipette : N/A<br>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |                   |                                       |  |  |  |                       |  |
| Batch Date : 03/03/26 10:03:31                                                                                                                                                                                                                                                                                                                                                              |                   |                                       |  |  |  |                       |  |



## Mycotoxins

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | UNIT               | LOD                                   | LOQ    | LIMIT | PASS/FAIL | RESULT                    | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|--------|-------|-----------|---------------------------|-----------|
| AFLATOXIN B2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100 | 0.02  | PASS      | ND                        |           |
| AFLATOXIN B1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100 | 0.02  | PASS      | ND                        |           |
| OCHRATOXIN A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100 | 0.02  | PASS      | ND                        |           |
| AFLATOXIN G1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100 | 0.02  | PASS      | ND                        |           |
| AFLATOXIN G2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100 | 0.02  | PASS      | ND                        |           |
| Analyzed by:<br>3379, 585, 1440                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Weight:<br>0.8519g | Extraction date:<br>03/03/26 12:33:27 |        |       |           | Extracted by:<br>3379,450 |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL<br>Analytical Batch : MI096362MYC<br>Instrument Used : DA-LCMS-005 (MYC)<br>Analyzed Date : 03/04/26 10:30:58<br>Dilution : 250<br>Reagent : 022426.R24; 012026.01; 022526.R28; 022426.R23; 022526.R01; 022626.R13; 022626.R12<br>Consumables : 927.100; 030125CH01; 6698360-03<br>Pipette : DA-093; DA-094; DA-219<br>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                    |                                       |        |       |           |                           |           |
| Batch Date : 03/03/26 10:16:45                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                                       |        |       |           |                           |           |



## Water Activity

**PASSED**

| ANALYTES       | UNIT | LOD   | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw   | 0.010 | 0.10 | 0.85  | PASS      | 0.56   |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/06/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
.....  
CHEW-Black Cherry 2:1-100mg  
Strain: No Strain  
Matrix: Edible  
Classification: High THC  
Type: Soft Chew



# Certificate of Analysis

Pages 6 of 7

## INSA

1250 Hobbs Rd  
Auburndale, FL, 33823, US  
License # : M00016CULPROAuburndale001

## Sample: MI60303002-001

Batch #: 260212.BLKCH2:1.0300  
Harvest/Lot ID: 2878041318724023  
Seed to sale: 5171095005168740

Ordered: 03/02/26  
Sampled: 03/02/26  
Completed: 03/06/26

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                | UNIT              | LOD                                   | LOQ | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|-----|-------|-----------|-----------------------|-----------|
| Analyzed by:<br>4797, 585, 1440                                                                                                                                                                                                                                         | Weight:<br>7.173g | Extraction date:<br>03/03/26 12:24:30 |     |       |           | Extracted by:<br>4797 |           |
| Analysis Method : SOP.T.40.019<br>Analytical Batch : MI096379WAT<br>Instrument Used : DA-028 Rotronic Hygropalm<br>Analyzed Date : 03/03/26 20:34:30<br>Batch Date : 03/03/26 11:56:21<br>Dilution : N/A<br>Reagent : 091525.03<br>Consumables : PS-14<br>Pipette : N/A |                   |                                       |     |       |           |                       |           |



## Homogeneity Testing

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                     | UNIT | LOD     | LOQ     | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---------|---------|-------|-----------|--------|-----------|
| TOTAL THC - HOMOGENEITY (RSD)                                                                                                                                                                                                                                                                                                                                                                | %    | 0.00100 | 0.00100 | 25    | PASS      | 0.718  |           |
| TOTAL CBD - HOMOGENEITY (RSD)                                                                                                                                                                                                                                                                                                                                                                | %    | 0.00100 | 0.00100 | 25    | PASS      | 0.699  |           |
| Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL<br>Analytical Batch : MI096336HOM<br>Instrument Used : DA-LC-006<br>Analyzed Date : 03/04/26 09:15:21<br>Batch Date : 03/03/26 07:11:36<br>Dilution : 40<br>Reagent : 020526.01; 010825.18; 021626.R12; 021826.R40<br>Consumables : 947.110; 04312111; 030125CH01; 1009318445; 1009468945; 0000214700<br>Pipette : DA-079; DA-108; DA-421 |      |         |         |       |           |        |           |
| Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.                                                                                                                                                                                                                                                  |      |         |         |       |           |        |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                   | UNIT               | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                     | QUALIFIER |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-------|-----------|----------------------------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                                                                                                                                                                                                                                                                                                              | ppm                | 0.0800                                | 0.400 | 5     | PASS      | ND                         |           |
| ARSENIC                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.0200                                | 0.100 | 1.5   | PASS      | ND                         |           |
| CADMIUM                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.0200                                | 0.100 | 0.5   | PASS      | ND                         |           |
| MERCURY                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.0200                                | 0.100 | 3     | PASS      | ND                         |           |
| LEAD                                                                                                                                                                                                                                                                                                                                                                                                                       | ppm                | 0.0200                                | 0.100 | 0.5   | PASS      | <0.100                     |           |
| Analyzed by:<br>1022, 585, 1440                                                                                                                                                                                                                                                                                                                                                                                            | Weight:<br>0.2447g | Extraction date:<br>03/03/26 11:57:26 |       |       |           | Extracted by:<br>1022,5122 |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL<br>Analytical Batch : MI096346HEA<br>Instrument Used : DA-ICPMS-005<br>Analyzed Date : 03/04/26 10:32:23<br>Batch Date : 03/03/26 09:46:47<br>Dilution : 50<br>Reagent : 022026.R15; 020326.R11; 030226.R28; 022526.R27; 030226.R26; 030226.R27; 020526.01; 020326.R12; 061323.01<br>Consumables : 030125CH01; J609879-0193; 179436<br>Pipette : DA-061; DA-191; DA-215 |                    |                                       |       |       |           |                            |           |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.                                                                                                                                                                                                                                                                                              |                    |                                       |       |       |           |                            |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/06/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

.....  
CHEW-Black Cherry 2:1-100mg  
Strain: No Strain  
Matrix: Edible  
Classification: High THC  
Type: Soft Chew



# Certificate of Analysis

Pages 7 of 7

## INSA

1250 Hobbs Rd  
Auburndale, FL, 33823, US  
License # : M00016CULPROAuburndale001

Sample: MI60303002-001

Batch #: 260212.BLKCH2:1.0300  
Harvest/Lot ID: 2878041318724023  
Seed to sale: 5171095005168740

Ordered: 03/02/26  
Sampled: 03/02/26  
Completed: 03/06/26

**PASSED**



## Filth/Foreign Material

**PASSED**

### ANALYTES

FILTH AND FOREIGN MATERIAL

UNIT LOD  
% 0.100

LOQ  
0.500

LIMIT  
1

PASS/FAIL  
PASS

RESULT  
ND

QUALIFIER

Analyzed by:  
4797, 585, 1440

Weight:  
1g

Extraction date:  
03/03/26 14:31:10

Extracted by:  
4797,585

Analysis Method : SOP.T.40.090

Analytical Batch : MI096382FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 03/03/26 20:36:33

Batch Date : 03/03/26 14:28:40

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian  
Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/06/26  
Laboratory License #: 900013