




# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest/Lot ID:** 6951008870493192  
**Batch #:** DLR-653-BCFN DSP.3 (S)  
**Batch Date:** 03/10/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 678 units  
**Cultivation Facility:** Lake Wales  
**Processing Facility:** Lake Wales  
**Retail Product Size:** 0.3 gram  
**Servings:** 1  
**Seed To Sale #:** 2727310088482313

**Lab ID:** MI60313010-002  
**Sampled:** 03/13/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 51 units  
**Completed:** 03/18/26  
**Manifest #:** 8550736428434375

### GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**TESTED**



### Cannabinoid

### TESTED



**Total THC**  
**77.7%**  
Total THC : 233 mg



**Total CBD**  
**0.311%**  
Total CBD : 0.934 mg



**Total Cannabinoids**  
**83.1%**  
Total Cannabinoids/Container : 249 mg

|         | D9-THC  | THCA    | CBD     | CBDA    | D8-THC  | CBG     | CBGA    | CBN     | THCV    | CBDV    | CBC     | THCVA   |
|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| %       | 77.5    | 0.168   | 0.158   | 0.175   | 0.333   | 3.06    | 0.114   | 0.238   | 0.385   | ND      | 0.976   | ND      |
| mg/unit | 233     | 0.504   | 0.474   | 0.525   | 0.999   | 9.17    | 0.342   | 0.714   | 1.16    | ND      | 2.93    | ND      |
| LOD     | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 |
| LOQ     | 0.0100  | 0.0100  | 0.00100 | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  | 0.0100  |
| %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       | %       |

Qualifier

Analyzed by:  
3335, 1665, 585, 4571

Weight:  
0.1005g

Extraction date:  
03/14/26 16:48:39

Extracted by:  
5150

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : MI096810POT

Instrument Used : DA-LC-003

Analyzed Date : 03/17/26 10:57:40

Batch Date : 03/14/26 12:38:21

Dilution : 400

Reagent : 031126.R28; 102725.04; 030526.R04

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
MPX BCFN Live Rosin Disposable Cart 0.3 g  
Strain: Blue Coffin  
Matrix: Derivative  
Classification: High THC  
Type: Live Rosin



# Certificate of Analysis

Pages 2 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60313010-002

Batch #: DLR-653-BCFN DSP.3 (5)  
Harvest/Lot ID: 6951008870493192  
Seed to sale: 2727310088482313

Ordered: 03/13/26  
Sampled: 03/13/26  
Completed: 03/18/26

**PASSED**



## Label Claim Verification

**PASSED**

| ANALYTES                          | UNIT    | LOD              | LOQ           | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|---------|------------------|---------------|-------|-----------|--------|-----------|
| Analyzed by:                      | Weight: | Extraction date: | Extracted by: |       |           |        |           |
| Analysis Method : N/A             |         |                  |               |       |           |        |           |
| Analytical Batch : N/A            |         |                  |               |       |           |        |           |
| Instrument Used : N/A             |         |                  |               |       |           |        |           |
| Analyzed Date : 03/17/26 10:59:59 |         |                  |               |       |           |        |           |
|                                   |         |                  |               |       |           |        |           |



## Terpenes

**TESTED**

| ANALYTES            | LOD     | LOQ     | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---------------------|---------|---------|-------|-----------|------------|-----------|-----------|
| TOTAL TERPENES      | 0.00700 | 0.0200  |       | TESTED    | 4.90       | 14.7      |           |
| BETA-MYRCENE        | 0.00700 | 0.0200  |       | TESTED    | 2.15       | 6.46      |           |
| BETA-CARYOPHYLLENE  | 0.00700 | 0.0200  |       | TESTED    | 1.10       | 3.30      |           |
| ALPHA-HUMULENE      | 0.00700 | 0.0200  |       | TESTED    | 0.406      | 1.22      |           |
| OCIMENE             | 0.00700 | 0.0200  |       | TESTED    | 0.400      | 1.20      |           |
| ALPHA-BISABOLOL     | 0.00700 | 0.0200  |       | TESTED    | 0.201      | 0.603     |           |
| ALPHA-PINENE        | 0.00700 | 0.0200  |       | TESTED    | 0.167      | 0.500     |           |
| LIMONENE            | 0.00700 | 0.0200  |       | TESTED    | 0.141      | 0.422     |           |
| TRANS-NEROLIDOL     | 0.00500 | 0.0160  |       | TESTED    | 0.113      | 0.339     |           |
| LINALOOL            | 0.00700 | 0.0200  |       | TESTED    | 0.0847     | 0.254     |           |
| BETA-PINENE         | 0.00700 | 0.0200  |       | TESTED    | 0.0511     | 0.153     |           |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200  |       | TESTED    | 0.0437     | 0.131     |           |
| FARNESENE           | 0.00700 | 0.0200  |       | TESTED    | 0.0335     | 0.101     |           |
| 3-CARENE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| BORNEOL             | 0.0130  | 0.0400  |       | TESTED    | ND         | ND        |           |
| CAMPHENE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| CAMPHOR             | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| CEDROL              | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| EUCALYPTOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| FENCHONE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| FENCHYL ALCOHOL     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| GERANIOL            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| GERANYL ACETATE     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| GUAJOL              | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| HEXAHYDROTHYMOL     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ISOBORNEOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ISOPULEGOL          | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| NEROL               | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| PULEGONE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| SABINENE            | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| SABINENE HYDRATE    | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| VALENCENE           | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ALPHA-CEDRENE       | 0.00500 | 0.0160  |       | TESTED    | ND         | ND        |           |
| ALPHA-PHELLANDRENE  | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ALPHA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ALPHA-TERPINOL      | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| ALPHA-TERPINOLENE   | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |
| CIS-NEROLIDOL       | 0.00300 | 0.00800 |       | TESTED    | ND         | ND        |           |
| GAMMA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | ND         | ND        |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
MPX BCFN Live Rosin Disposable Cart 0.3 g  
Strain: Blue Coffin  
Matrix: Derivative  
Classification: High THC  
Type: Live Rosin



# Certificate of Analysis

Pages 3 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60313010-002

Batch #: DLR-653-BCFN DSP.3 (5)  
Harvest/Lot ID: 6951008870493192  
Seed to sale: 2727310088482313

Ordered: 03/13/26  
Sampled: 03/13/26  
Completed: 03/18/26

**PASSED**



## Terpenes

**TESTED**

| ANALYTES                                                                                                                                             | LOD                | LOQ                                   | LIMIT | PASS/FAIL | RESULT (%)            | (MG/UNIT) QUALIFIER |
|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-----------|-----------------------|---------------------|
| Analyzed by:<br>4531, 585, 4571                                                                                                                      | Weight:<br>0.2193g | Extraction date:<br>03/16/26 14:20:12 |       |           | Extracted by:<br>4531 |                     |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                                                                                                 |                    |                                       |       |           |                       |                     |
| Analytical Batch : MI096861TER                                                                                                                       |                    |                                       |       |           |                       |                     |
| Instrument Used : DA-GCMS-009                                                                                                                        |                    |                                       |       |           |                       |                     |
| Batch Date : 03/16/26 10:47:12                                                                                                                       |                    |                                       |       |           |                       |                     |
| Analyzed Date : 03/17/26 17:50:51                                                                                                                    |                    |                                       |       |           |                       |                     |
| Dilution : 10                                                                                                                                        |                    |                                       |       |           |                       |                     |
| Reagent : 112625.49                                                                                                                                  |                    |                                       |       |           |                       |                     |
| Consumables : 947.110; 04312111; 2240626; 0000355309                                                                                                 |                    |                                       |       |           |                       |                     |
| Pipette : DA-065                                                                                                                                     |                    |                                       |       |           |                       |                     |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. |                    |                                       |       |           |                       |                     |



## Pesticide

**PASSED**

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 5     | PASS      | ND     |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.0100 | 0.0500 | 1     | PASS      | ND     |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FENOXYCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FENPYROXIMATE                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FIPRONIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FLONICAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| FLUDIOXONIL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| HEXYTHIAZOX                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| IMAZALIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
MPX BCFN Live Rosin Disposable Cart 0.3 g  
Strain: Blue Coffin  
Matrix: Derivative  
Classification: High THC  
Type: Live Rosin



# Certificate of Analysis

Pages 4 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60313010-002

Batch #: DLR-653-BCFN DSP.3 (5)  
Harvest/Lot ID: 6951008870493192  
Seed to sale: 2727310088482313

Ordered: 03/13/26  
Sampled: 03/13/26  
Completed: 03/18/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|--------|-----------|
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | ND     |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.25  | PASS      | ND     |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | ND     |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | ND     |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | ND     |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0500 | 0.15  | PASS      | ND     |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CAPTAN                         | ppm  | 0.0700 | 0.350  | 0.7   | PASS      | ND     |           |
| CHLORDANE                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | ND     |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | ND     |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | ND     |           |

|                                 |                    |                                       |                           |
|---------------------------------|--------------------|---------------------------------------|---------------------------|
| Analyzed by:<br>3379, 585, 4571 | Weight:<br>0.2383g | Extraction date:<br>03/16/26 11:30:42 | Extracted by:<br>4640,450 |
|---------------------------------|--------------------|---------------------------------------|---------------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI096827PES

Instrument Used : DA-LCMS-003 (PES)

Batch Date : 03/14/26 13:04:50

Analyzed Date : 03/18/26 09:47:53

Dilution : 250

Reagent : 031126.R04; 031626.R01; 031626.R04; 031626.R05; 022426.R23; 031126.R02; 012026.01

Consumables : 927.100; 030125CH01; 6698360-03

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|                                      |                    |                                       |                           |
|--------------------------------------|--------------------|---------------------------------------|---------------------------|
| Analyzed by:<br>450, 4640, 585, 4571 | Weight:<br>0.2383g | Extraction date:<br>03/16/26 11:30:42 | Extracted by:<br>4640,450 |
|--------------------------------------|--------------------|---------------------------------------|---------------------------|

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI096829VOL

Instrument Used : DA-GCMS-011

Batch Date : 03/14/26 13:07:00

Analyzed Date : 03/18/26 09:47:09

Dilution : 250

Reagent : 031626.R01; 012026.01; 021026.R22; 021026.R23

Consumables : 927.100; 030125CH01; 221021DD; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
MPX BCFN Live Rosin Disposable Cart 0.3 g  
Strain: Blue Coffin  
Matrix: Derivative  
Classification: High THC  
Type: Live Rosin



# Certificate of Analysis

Pages 5 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60313010-002

Batch #: DLR-653-BCFN DSP.3 (5)  
Harvest/Lot ID: 6951008870493192  
Seed to sale: 2727310088482313

Ordered: 03/13/26  
Sampled: 03/13/26  
Completed: 03/18/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | UNIT | LOD   | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------------|------|-------|-------|-------|-----------|--------|-----------|
| 1,1-DICHLOROETHENE   | ppm  | 0.800 | 4.00  | 8     | PASS      | ND     |           |
| 1,2-DICHLOROETHANE   | ppm  | 0.200 | 1.00  | 2     | PASS      | ND     |           |
| 2-PROPANOL           | ppm  | 50.0  | 250   | 500   | PASS      | ND     |           |
| ACETONE              | ppm  | 75.0  | 375   | 750   | PASS      | ND     |           |
| ACETONITRILE         | ppm  | 6.00  | 30.0  | 60    | PASS      | ND     |           |
| BENZENE              | ppm  | 0.100 | 0.500 | 1     | PASS      | ND     |           |
| BUTANES (N-BUTANE)   | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| CHLOROFORM           | ppm  | 0.200 | 1.00  | 2     | PASS      | ND     |           |
| DICHLOROMETHANE      | ppm  | 12.5  | 62.5  | 125   | PASS      | ND     |           |
| ETHANOL              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| ETHYL ACETATE        | ppm  | 40.0  | 200   | 400   | PASS      | ND     |           |
| ETHYL ETHER          | ppm  | 50.0  | 250   | 500   | PASS      | ND     |           |
| ETHYLENE OXIDE       | ppm  | 0.500 | 2.50  | 5     | PASS      | ND     |           |
| HEPTANE              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| METHANOL             | ppm  | 25.0  | 125   | 250   | PASS      | ND     |           |
| N-HEXANE             | ppm  | 25.0  | 125   | 250   | PASS      | ND     |           |
| PENTANES (N-PENTANE) | ppm  | 75.0  | 375   | 750   | PASS      | ND     |           |
| PROPANE              | ppm  | 500   | 2500  | 5000  | PASS      | ND     |           |
| TOLUENE              | ppm  | 15.0  | 75.0  | 150   | PASS      | ND     |           |
| TOTAL XYLENES        | ppm  | 15.0  | 75.0  | 150   | PASS      | ND     |           |
| TRICHLOROETHYLENE    | ppm  | 2.50  | 12.5  | 25    | PASS      | ND     |           |

Analyzed by:  
4444, 585, 4571

Weight:  
0.0228g

Extraction date:  
03/14/26 14:56:25

Extracted by:  
4571

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : MI096837SOL  
Instrument Used : DA-GCMS-012  
Analyzed Date : 03/16/26 14:49:57

Batch Date : 03/14/26 14:47:30

Dilution : 1  
Reagent : 061323.06  
Consumables : 431526; 325202  
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | UNIT  | LOD  | LOQ  | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-------|------|------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       |       |      |      |        | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    |       |      |      |        | PASS      | Not Present |           |
| ECOLI - SHIGELLA         |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS NIGER        |       |      |      |        | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g | 10.0 | 10.0 | 100000 | PASS      | <10.0       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
MPX BCFN Live Rosin Disposable Cart 0.3 g  
Strain: Blue Coffin  
Matrix: Derivative  
Classification: High THC  
Type: Live Rosin



# Certificate of Analysis

Pages 6 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60313010-002

Batch #: DLR-653-BCFN DSP.3 (5)  
Harvest/Lot ID: 6951008870493192  
Seed to sale: 2727310088482313

Ordered: 03/13/26  
Sampled: 03/13/26  
Completed: 03/18/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                  | UNIT               | LOD | LOQ                                   | LIMIT | PASS/FAIL | RESULT                | QUALIFIER                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----|---------------------------------------|-------|-----------|-----------------------|--------------------------------|
| Analyzed by:<br>3621, 4520, 585, 4571                                                                                                                                                                                                                     | Weight:<br>0.8106g |     | Extraction date:<br>03/14/26 12:05:29 |       |           | Extracted by:<br>4892 |                                |
| Analysis Method : SOP.T.40.056C<br>Analytical Batch : MI096795MIC<br>Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)<br>Analyzed Date : 03/17/26 12:06:06 |                    |     |                                       |       |           |                       | Batch Date : 03/14/26 07:35:53 |
| Dilution : 10<br>Reagent : 111225.04; 111225.05; 111225.10; 021126.R10; 092525.06<br>Consumables : 7588002024<br>Pipette : N/A                                                                                                                            |                    |     |                                       |       |           |                       |                                |
| Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.                                                                                                                                                                      |                    |     |                                       |       |           |                       |                                |

|                                                                                                                                                                                                                                                            |                 |                                       |                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------------------------------|-----------------------|
| Analyzed by:<br>3621, 5008, 585, 4571                                                                                                                                                                                                                      | Weight:<br>0.8g | Extraction date:<br>03/14/26 12:04:59 | Extracted by:<br>4892 |
| Analysis Method : SOP.T.40.209.FL<br>Analytical Batch : MI096796TYM<br>Instrument Used : DA-328 (25°C Incubator)<br>Analyzed Date : 03/17/26 10:44:10<br>Dilution : 10<br>Reagent : 022026.11; 022026.21; 010626.R20<br>Consumables : N/A<br>Pipette : N/A |                 |                                       |                       |
| Batch Date : 03/14/26 07:36:01                                                                                                                                                                                                                             |                 |                                       |                       |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.                                                                                                                   |                 |                                       |                       |



## Mycotoxins

**PASSED**

| ANALYTES                                                                                                                            |  | UNIT               | LOD                                   | LOQ    | LIMIT                          | PASS/FAIL                 | RESULT | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------|--|--------------------|---------------------------------------|--------|--------------------------------|---------------------------|--------|-----------|
| AFLATOXIN B2                                                                                                                        |  | ppm                | 0.00200                               | 0.0100 | 0.02                           | PASS                      | ND     |           |
| AFLATOXIN B1                                                                                                                        |  | ppm                | 0.00200                               | 0.0100 | 0.02                           | PASS                      | ND     |           |
| OCHRATOXIN A                                                                                                                        |  | ppm                | 0.00200                               | 0.0100 | 0.02                           | PASS                      | ND     |           |
| AFLATOXIN G1                                                                                                                        |  | ppm                | 0.00200                               | 0.0100 | 0.02                           | PASS                      | ND     |           |
| AFLATOXIN G2                                                                                                                        |  | ppm                | 0.00200                               | 0.0100 | 0.02                           | PASS                      | ND     |           |
| Analyzed by:<br>3379, 585, 4571                                                                                                     |  | Weight:<br>0.2383g | Extraction date:<br>03/16/26 11:30:42 |        |                                | Extracted by:<br>4640,450 |        |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL                                                                                  |  |                    |                                       |        |                                |                           |        |           |
| Analytical Batch : MI096828MYC                                                                                                      |  |                    |                                       |        |                                |                           |        |           |
| Instrument Used : DA-LCMS-003 (MYC)                                                                                                 |  |                    |                                       |        | Batch Date : 03/14/26 13:06:30 |                           |        |           |
| Analyzed Date : 03/17/26 10:24:30                                                                                                   |  |                    |                                       |        |                                |                           |        |           |
| Dilution : 250                                                                                                                      |  |                    |                                       |        |                                |                           |        |           |
| Reagent : 031126.R04; 031626.R01; 031626.R04; 031626.R05; 022426.R23; 031126.R02; 012026.01                                         |  |                    |                                       |        |                                |                           |        |           |
| Consumables : 927.100; 030125CH01; 6698360-03                                                                                       |  |                    |                                       |        |                                |                           |        |           |
| Pipette : DA-093; DA-094; DA-219                                                                                                    |  |                    |                                       |        |                                |                           |        |           |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |  |                    |                                       |        |                                |                           |        |           |



## Water Activity

**PASSED**

| ANALYTES       | UNIT | LOD   | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw   | 0.010 | 0.10 | 0.85  | PASS      | 0.68   |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs  
MPX BCFN Live Rosin Disposable Cart 0.3 g  
Strain: Blue Coffin  
Matrix: Derivative  
Classification: High THC  
Type: Live Rosin



# Certificate of Analysis

Pages 7 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60313010-002

Batch #: DLR-653-BCFN DSP.3 (5)  
Harvest/Lot ID: 6951008870493192  
Seed to sale: 2727310088482313

Ordered: 03/13/26  
Sampled: 03/13/26  
Completed: 03/18/26

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                | UNIT              | LOD                                   | LOQ | LIMIT | PASS/FAIL | RESULT                     | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|-----|-------|-----------|----------------------------|-----------|
| Analyzed by:<br>4056, 585, 4571                                                                                                                                                                                                                                         | Weight:<br>0.752g | Extraction date:<br>03/14/26 16:32:24 |     |       |           | Extracted by:<br>4797,4056 |           |
| Analysis Method : SOP.T.40.019<br>Analytical Batch : MI096818WAT<br>Instrument Used : DA-028 Rotronic Hygropalm<br>Analyzed Date : 03/17/26 09:18:57<br>Batch Date : 03/14/26 12:55:51<br>Dilution : N/A<br>Reagent : 091525.03<br>Consumables : PS-14<br>Pipette : N/A |                   |                                       |     |       |           |                            |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                               | UNIT               | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                     | QUALIFIER |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-------|-----------|----------------------------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                                                                                                                                                                                                                                                                                                                          | ppm                | 0.0800                                | 0.400 | 1.1   | PASS      | ND                         |           |
| ARSENIC                                                                                                                                                                                                                                                                                                                                                                                                                                | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | ND                         |           |
| CADMIUM                                                                                                                                                                                                                                                                                                                                                                                                                                | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | ND                         |           |
| MERCURY                                                                                                                                                                                                                                                                                                                                                                                                                                | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | ND                         |           |
| LEAD                                                                                                                                                                                                                                                                                                                                                                                                                                   | ppm                | 0.0200                                | 0.100 | 0.5   | PASS      | <0.100                     |           |
| Analyzed by:<br>1022, 585, 4571                                                                                                                                                                                                                                                                                                                                                                                                        | Weight:<br>0.2511g | Extraction date:<br>03/14/26 14:21:45 |       |       |           | Extracted by:<br>1022,5122 |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL<br>Analytical Batch : MI096806HEA<br>Instrument Used : DA-ICPMS-005<br>Analyzed Date : 03/17/26 10:58:10<br>Batch Date : 03/14/26 10:58:16<br>Dilution : 50<br>Reagent : 022026.R15; 030626.R05; 020326.R11; 031026.R07; 030926.R36; 031026.R05; 031026.R06; 030426.01; 020326.R12; 061323.01<br>Consumables : 030125CH01; J609879-0193; 179436<br>Pipette : DA-061; DA-191; DA-215 |                    |                                       |       |       |           |                            |           |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                     | UNIT          | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                    | QUALIFIER |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------|-------|-------|-----------|---------------------------|-----------|
| FILTRATION AND FOREIGN MATERIAL                                                                                                                                                                                                                                              | %             | 0.100                                 | 0.500 | 1     | PASS      | ND                        |           |
| Analyzed by:<br>4797, 585, 4571                                                                                                                                                                                                                                              | Weight:<br>1g | Extraction date:<br>03/17/26 09:11:07 |       |       |           | Extracted by:<br>4797,585 |           |
| Analysis Method : SOP.T.40.090<br>Analytical Batch : MI096846FIL<br>Instrument Used : Filtration/Foreign Material Microscope<br>Analyzed Date : 03/17/26 10:48:20<br>Batch Date : 03/15/26 14:49:31<br>Dilution : N/A<br>Reagent : N/A<br>Consumables : N/A<br>Pipette : N/A |               |                                       |       |       |           |                           |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
03/18/26  
Laboratory License #: 900013