



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest/Lot ID: 4994353178427742
Batch #: TVF0415202601
Batch Date: 04/15/26
Production Method: Other - Not Listed
Total Amount: 3854 units
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Homestead Processing
Retail Product Size: 2 gram
Retail Serving Size: 2 gram
Servings: 1
Seed To Sale #: 7651611751629577

Lab ID: MI60520005-005
Sampled: 05/19/26
Sampling Method: SOP.T.20.010
Sample Size: 15 units
Completed: 05/22/26
Manifest #: 9138290383511879
Source Facility: Homestead Processing

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF

License # : M00001CULPROMiami002



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
88.8%

Total THC/Container : 1780 mg



Total CBD
0.181%

Total CBD/Container : 3.62 mg



Total Cannabinoids
93.2%

Total Cannabinoids/Container : 1860 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	88.7	0.0950	0.181	ND	ND	2.44	ND	0.400	0.519	ND	0.803	0.105
mg/unit	1770	1.90	3.62	ND	ND	48.8	ND	8.00	10.4	ND	16.1	2.10
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
5150, 1665, 585, 1440

Weight:
0.106g

Extraction date:
05/20/26 12:06:05

Extracted by:
4640,5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI099079POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 05/21/26 10:31:30

Batch Date : 05/20/26 09:38:30

Dilution : 400

Reagent : 051826.R02; 051826.R01; 042926.30

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
05/22/26
Laboratory License #: 900013



Certificate of Analysis

Pages 2 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60520005-005

Batch #: TVF0415202601
Harvest/Lot ID: 4994353178427742
Seed to sale: 7651611751629577

Ordered: 05/19/26
Sampled: 05/19/26
Completed: 05/22/26

PASSED



Label Claim Verification

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:			Extracted by:			
Analysis Method : N/A								
Analytical Batch : N/A								
Instrument Used : N/A								
Analyzed Date : 05/21/26 11:37:38								
Batch Date : N/A								



Terpenes

TESTED

ANALYTES		LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
TOTAL TERPENES		0.00700	0.0200		TESTED	3.31	66.3
LINALOOL		0.00700	0.0200		TESTED	0.847	16.9
LIMONENE		0.00700	0.0200		TESTED	0.620	12.4
BETA-CARYOPHYLLENE		0.00700	0.0200		TESTED	0.485	9.71
ALPHA-TERPINEOL		0.00700	0.0200		TESTED	0.232	4.64
BETA-MYRCENE		0.00700	0.0200		TESTED	0.223	4.46
FARNESENE		0.00700	0.0200		TESTED	0.222	4.44
FENCHYL ALCOHOL		0.00700	0.0200		TESTED	0.186	3.72
OCIMENE		0.00700	0.0200		TESTED	0.105	2.11
ALPHA-BISABOLOL		0.00700	0.0200		TESTED	0.0907	1.81
BETA-PINENE		0.00700	0.0200		TESTED	0.0844	1.69
ALPHA-HUMULENE		0.00700	0.0200		TESTED	0.0802	1.60
ALPHA-PINENE		0.00700	0.0200		TESTED	0.0788	1.58
CAMPHENE		0.00700	0.0200		TESTED	0.0309	0.618
FENCHONE		0.00700	0.0200		TESTED	0.0288	0.576
3-CARENE		0.00700	0.0200		TESTED	ND	ND
BORNEOL		0.0130	0.0400		TESTED	ND	ND
CAMPHOR		0.00700	0.0200		TESTED	ND	ND
CARYOPHYLLENE OXIDE		0.00700	0.0200		TESTED	ND	ND
CEDROL		0.00700	0.0200		TESTED	ND	ND
EUCALYPTOL		0.00700	0.0200		TESTED	ND	ND
GERANIOL		0.00700	0.0200		TESTED	ND	ND
GERANYL ACETATE		0.00700	0.0200		TESTED	ND	ND
GUAIOL		0.00700	0.0200		TESTED	ND	ND
HEXAHYDROTHYMOL		0.00700	0.0200		TESTED	ND	ND
ISOBORNEOL		0.00700	0.0200		TESTED	ND	ND
ISOPULEGOL		0.00700	0.0200		TESTED	ND	ND
NEROL		0.00700	0.0200		TESTED	ND	ND
PULEGONE		0.00700	0.0200		TESTED	ND	ND
SABINENE		0.00700	0.0200		TESTED	ND	ND
SABINENE HYDRATE		0.00700	0.0200		TESTED	ND	ND
VALENCENE		0.00700	0.0200		TESTED	ND	ND
ALPHA-CEDRENE		0.00500	0.0160		TESTED	ND	ND
ALPHA-PHELLANDRENE		0.00700	0.0200		TESTED	ND	ND
ALPHA-TERPINENE		0.00700	0.0200		TESTED	ND	ND
ALPHA-TERPINOLENE		0.00700	0.0200		TESTED	ND	ND
CIS-NEROLIDOL		0.00300	0.00800		TESTED	ND	ND
GAMMA-TERPINENE		0.00700	0.0200		TESTED	ND	ND
TRANS-NEROLIDOL		0.00500	0.0160		TESTED	ND	ND

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
05/22/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
SEL,Flavor Series,RKP,Briq,2.0g
Strain: (H) Rocket Pop
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation



Certificate of Analysis

Pages 3 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI60520005-005

Batch #: TVF0415202601
Harvest/Lot ID: 4994353178427742
Seed to sale: 7651611751629577

Ordered: 05/19/26
Sampled: 05/19/26
Completed: 05/22/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
Analyzed by: 4531, 585, 1440	Weight: 0.2103g	Extraction date: 05/20/26 12:40:54			Extracted by: 4531	
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch : MI099093TER						
Instrument Used : DA-GCMS-009						
Batch Date : 05/20/26 11:30:00						
Analyzed Date : 05/21/26 11:37:41						
Dilution : 10						
Reagent : 041326.47						
Consumables : 947.110; 04312111; 2240626; 0000355309						
Pipette : DA-065						
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.						



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	ND	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	ND	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	ND	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	ND	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	ND	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
05/22/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
SEL,Flavor Series,RKP,Briq,2.0g
Strain: (H) Rocket Pop
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation



Certificate of Analysis

Pages 4 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI60520005-005

Batch #: TVF0415202601
Harvest/Lot ID: 4994353178427742
Seed to sale: 7651611751629577

Ordered: 05/19/26
Sampled: 05/19/26
Completed: 05/22/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	ND	
NALED	ppm	0.0100	0.0500	0.25	PASS	ND	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CAPTAN	ppm	0.0700	0.350	0.7	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	ND	

Analyzed by: 4451, 585, 1440 **Weight:** 0.2114g **Extraction date:** 05/20/26 13:34:59 **Extracted by:** 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI099072PES

Instrument Used : DA-LCMS-003 (PES)

Analyzed Date : 05/21/26 09:46:48

Batch Date : 05/20/26 09:28:01

Dilution : 250

Reagent : 051826.R06; 012026.01; 052026.R03; 052026.R44; 052026.R38; 051826.R03; 022426.R23; 052026.R01

Consumables : 947.110; 062224CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
05/22/26
Laboratory License #: 900013



Certificate of Analysis

Pages 5 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60520005-005

Batch #: TVF0415202601
Harvest/Lot ID: 4994353178427742
Seed to sale: 7651611751629577

Ordered: 05/19/26
Sampled: 05/19/26
Completed: 05/22/26

PASSED

	Pesticide	PASSED
---	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 3335, 585, 1440	Weight: 0.2114g	Extraction date: 05/20/26 13:34:59				Extracted by: 4451	
Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL Analytical Batch : MI099074VOL Instrument Used : DA-GCMS-010 Analyzed Date : 05/21/26 09:43:52 Batch Date : 05/20/26 09:28:45 Dilution : 250 Reagent : 051826.R06; 012026.01; 051926.R50; 051926.R51 Consumables : 947.110; 062224CH01; 6822423-02; 17473601 Pipette : DA-080; DA-146; DA-218							

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Residual Solvents	PASSED
---	--------------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	ND	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	ND	
2-PROPANOL	ppm	50.0	250	500	PASS	ND	
ACETONE	ppm	75.0	375	750	PASS	ND	
ACETONITRILE	ppm	6.00	30.0	60	PASS	ND	
BENZENE	ppm	0.100	0.500	1	PASS	ND	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	ND	
CHLOROFORM	ppm	0.200	1.00	2	PASS	ND	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	ND	
ETHANOL	ppm	500	2500	5000	PASS	ND	
ETHYL ACETATE	ppm	40.0	200	400	PASS	ND	
ETHYL ETHER	ppm	50.0	250	500	PASS	ND	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	ND	
HEPTANE	ppm	500	2500	5000	PASS	ND	
METHANOL	ppm	25.0	125	250	PASS	ND	
N-HEXANE	ppm	25.0	125	250	PASS	ND	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	ND	
PROPANE	ppm	500	2500	5000	PASS	ND	
TOLUENE	ppm	15.0	75.0	150	PASS	ND	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	ND	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	ND	
Analyzed by: 4444, 585, 1440	Weight: 0.0244g	Extraction date: 05/20/26 11:45:13				Extracted by: 4444	
Analysis Method : SOP.T.40.041.FL Analytical Batch : MI099095SOL Instrument Used : DA-GCMS-003 Analyzed Date : 05/21/26 09:42:30 Batch Date : 05/20/26 11:36:57 Dilution : 1 Reagent : 061323.06 Consumables : 431526; 325202 Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)							

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
05/22/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
SEL,Flavor Series,RKP,Briq,2.0g
Strain: (H) Rocket Pop
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation



Certificate of Analysis

Pages 6 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60520005-005

Batch #: TVF0415202601
Harvest/Lot ID: 4994353178427742
Seed to sale: 7651611751629577

Ordered: 05/19/26
Sampled: 05/19/26
Completed: 05/22/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

Analyzed by: 3621, 4520, 585, 1440 Weight: 0.931g Extraction date: 05/20/26 10:46:54 Extracted by: 4892,3621

Analysis Method : SOP.T.40.056C
Analytical Batch : MI099068MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Batch Date : 05/20/26 09:20:29
Analyzed Date : 05/22/26 10:42:07

Dilution : 10
Reagent : 040726.07; 040726.08; 041426.R25; 112425.26
Consumables : 7588004030
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3621, 4892, 585, 1440 Weight: 1.172g Extraction date: 05/20/26 10:48:41 Extracted by: 4892

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI099069TYM
Instrument Used : DA-328 (25°C Incubator) Batch Date : 05/20/26 09:21:05
Analyzed Date : 05/22/26 12:27:57

Dilution : 10
Reagent : 022626.94; 022626.130; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	ND	

Analyzed by: 4451, 585, 1440 Weight: 0.2114g Extraction date: 05/20/26 13:34:59 Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI099073MYC
Instrument Used : DA-LCMS-003 (MYC) Batch Date : 05/20/26 09:28:30
Analyzed Date : 05/21/26 10:31:17

Dilution : 250
Reagent : 051826.R06; 012026.01; 052026.R03; 052026.R38; 051826.R03; 022426.R23; 052026.R01
Consumables : 947.110; 062224CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
05/22/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
SEL, Flavor Series, RKP, Briq, 2.0g
Strain: (H) Rocket Pop
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation



Certificate of Analysis

Pages 7 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60520005-005

Batch #: TVF0415202601
Harvest/Lot ID: 4994353178427742
Seed to sale: 7651611751629577

Ordered: 05/19/26
Sampled: 05/19/26
Completed: 05/22/26

PASSED



Water Activity

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY		aw	0.010	0.10	0.85	PASS	0.55	
Analyzed by: 4056, 585, 1440		Weight: 0.674g		Extraction date: 05/20/26 13:00:02		Extracted by: 4056		
Analysis Method : SOP.T.40.019								
Analytical Batch : MI099091WAT								
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)						Batch Date : 05/20/26 11:05:39		
Analyzed Date : 05/21/26 09:33:41								
Dilution : N/A								
Reagent : 091525.02								
Consumables : PS-14								
Pipette : N/A								



Heavy Metals

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS		ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC		ppm	0.0200	0.100	0.2	PASS	ND	
CADMIUM		ppm	0.0200	0.100	0.2	PASS	ND	
MERCURY		ppm	0.0200	0.100	0.2	PASS	ND	
LEAD		ppm	0.0200	0.100	0.5	PASS	ND	
Analyzed by: 1022, 585, 1440		Weight: 0.2534g		Extraction date: 05/20/26 12:00:29			Extracted by: 1022,5122	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL								
Analytical Batch : MI099076HEA								
Instrument Used : DA-ICPMS-004				Batch Date : 05/20/26 09:33:03				
Analyzed Date : 05/21/26 10:17:54								
Dilution : 50								
Reagent : 042426.R16; 051126.R10; 051826.R35; 050726.R15; 051826.R33; 051826.R34; 050626.11; 040726.R22; 032326.01								
Consumables : 030125CH01; J609879-0193; 179436								
Pipette : DA-061; DA-191; DA-215								

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filtration/Foreign Material

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL		%	0.100	0.500	1	PASS	ND	
Analyzed by: 4571, 585, 1440		Weight: 1g	Extraction date: 05/20/26 10:16:16			Extracted by: 4571		
Analysis Method : SOP.T.40.090								
Analytical Batch : MI099088FIL								
Instrument Used : Filth/Foreign Material Microscope					Batch Date : 05/20/26 10:11:59			
Analyzed Date : 05/20/26 13:23:28								
Dilution : N/A								
Reagent : N/A								
Consumables : N/A								
Pipette : N/A								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian
Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
05/22/26
Laboratory License #: 900013