



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 3123153971655448
Retail Batch #: TVF0514202611
Batch Date: 05/14/26
Production Method: Other - Not Listed
Total Amount: 1040 units
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Homestead Processing
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 8229235326457004

Lab ID: MI60602002-011
Sampled: 06/01/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 06/04/26
Manifest #: 2664983081875274
Source Facility: Homestead Processing

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF

License # : M00001CULPROMiami002



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
87.8%

Total THC/Container : 878 mg



Total CBD
0.212%

Total CBD/Container : 2.12 mg



Total Cannabinoids
92.4%

Total Cannabinoids/Container : 924 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	87.7	0.0610	0.212	ND	ND	2.15	ND	0.581	0.601	ND	0.985	0.100
mg/unit	877	0.610	2.12	ND	ND	21.5	ND	5.81	6.01	ND	9.85	1.00
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
5072, 1665, 585, 1440

Weight:
0.1043g

Extraction date:
06/02/26 13:13:28

Extracted by:
5150,5072

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI099428POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 06/03/26 10:42:44

Batch Date : 06/02/26 10:50:19

Dilution : 400

Reagent : 051826.R02; 052026.18; 051826.R01

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/04/26
Laboratory License #: 900013



Certificate of Analysis

Pages 2 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60602002-011

Batch #: TVF0514202611
Harvest/Lot ID: 3123153971655448
Seed to sale: 8229235326457004

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED



Label Claim Verification

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:			Extracted by:			
Analysis Method : N/A								
Analytical Batch : N/A								
Instrument Used : N/A								
Analyzed Date : 06/03/26 10:42:43				Batch Date : N/A				



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
TOTAL TERPENES	0.00700	0.0200	TESTED	5.38	53.8	
BETA-MYRCENE	0.00700	0.0200	TESTED	2.73	27.3	
LIMONENE	0.00700	0.0200	TESTED	0.898	8.98	
BETA-PINENE	0.00700	0.0200	TESTED	0.248	2.48	
LINALOOL	0.00700	0.0200	TESTED	0.225	2.25	
BETA-CARYOPHYLLENE	0.00700	0.0200	TESTED	0.203	2.03	
ALPHA-PINENE	0.00700	0.0200	TESTED	0.198	1.98	
ALPHA-BISABOLOL	0.00700	0.0200	TESTED	0.116	1.16	
ALPHA-TERPINOLENE	0.00700	0.0200	TESTED	0.107	1.07	
FENCHYL ALCOHOL	0.00700	0.0200	TESTED	0.0846	0.846	
CAMPHENE	0.00700	0.0200	TESTED	0.0762	0.762	
OCIMENE	0.00700	0.0200	TESTED	0.0750	0.750	
ALPHA-HUMULENE	0.00700	0.0200	TESTED	0.0682	0.682	
ALPHA-TERPINEOL	0.00700	0.0110	TESTED	0.0630	0.630	
BORNEOL	0.0130	0.0400	TESTED	0.0488	0.488	
FARNESENE	0.00100	0.00100	TESTED	0.0484	0.484	
CARYOPHYLLENE OXIDE	0.00700	0.0200	TESTED	0.0479	0.479	
FENCHONE	0.00700	0.0200	TESTED	0.0397	0.397	
GUAIOL	0.00700	0.0200	TESTED	0.0395	0.395	
ALPHA-TERPINENE	0.00700	0.0200	TESTED	0.0339	0.339	
GAMMA-TERPINENE	0.00700	0.0200	TESTED	0.0314	0.314	
3-CARENE	0.00700	0.0200	TESTED	ND	ND	
CAMPHOR	0.00700	0.0200	TESTED	ND	ND	
CEDROL	0.00700	0.0200	TESTED	ND	ND	
EUCALYPTOL	0.00700	0.0200	TESTED	ND	ND	
GERANIOL	0.00700	0.0200	TESTED	ND	ND	
GERANYL ACETATE	0.00700	0.0200	TESTED	ND	ND	
HEXAHYDROTHYMOL	0.00700	0.0200	TESTED	ND	ND	
ISOBORNEOL	0.00700	0.0200	TESTED	ND	ND	
ISOPULEGOL	0.00700	0.0200	TESTED	ND	ND	
NEROL	0.00700	0.0200	TESTED	ND	ND	
PULEGONE	0.00700	0.0200	TESTED	ND	ND	
SABINENE	0.00700	0.0200	TESTED	ND	ND	
SABINENE HYDRATE	0.00700	0.0200	TESTED	ND	ND	
VALENCENE	0.00700	0.0200	TESTED	ND	ND	
ALPHA-CEDRENE	0.00500	0.0160	TESTED	ND	ND	
ALPHA-PHELLANDRENE	0.00700	0.0200	TESTED	ND	ND	
CIS-NEROLIDOL	0.00300	0.00800	TESTED	ND	ND	
TRANS-NEROLIDOL	0.00500	0.0160	TESTED	ND	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

UKU,Vape Cart,DOG,,,1.0g
Strain: (H) Dynasty OG
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation



Certificate of Analysis

Pages 3 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60602002-011

Batch #: TVF0514202611
Harvest/Lot ID: 3123153971655448
Seed to sale: 8229235326457004

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
Analyzed by: 4531, 585, 1440	Weight: 0.2101g	Extraction date: 06/02/26 14:27:25			Extracted by: 4531	
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch : MI099431TER						
Instrument Used : DA-GCMS-004						
Batch Date : 06/02/26 11:10:45						
Analyzed Date : 06/04/26 11:39:33						
Dilution : 10						
Reagent : 041326.46						
Consumables : 947.110; 04312111; 2240626; 0000355309						
Pipette : DA-065						
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.						



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	ND	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	ND	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	ND	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	ND	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

UKU,Vape Cart,DOG,,,1.0g
Strain: (H) Dynasty OG
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation



Certificate of Analysis

Pages 4 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI60602002-011

Batch #: TVF0514202611
Harvest/Lot ID: 3123153971655448
Seed to sale: 8229235326457004

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	ND	
NALED	ppm	0.0100	0.0500	0.25	PASS	ND	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	ND	

Analyzed by: 4451, 585, 1440	Weight: 0.2246g	Extraction date: 06/02/26 11:57:12	Extracted by: 4451
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI099411PES

Instrument Used : DA-LCMS-003 (PES)

Analyzed Date : 06/03/26 10:39:46

Batch Date : 06/02/26 08:53:42

Dilution : 250

Reagent : 052826.R01; 012026.01; 052726.R03; 052726.R26; 052926.R01; 022426.R23; 052726.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 1440	Weight: 0.2246g	Extraction date: 06/02/26 11:57:12	Extracted by: 4451
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI099412VOL

Instrument Used : DA-GCMS-011

Analyzed Date : 06/03/26 10:37:15

Batch Date : 06/02/26 08:55:24

Dilution : 250

Reagent : 052826.R01; 012026.01; 052726.R31; 052726.R32

Consumables : 947.110; 030125CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/04/26
Laboratory License #: 900013



Certificate of Analysis

Pages 5 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI60602002-011

Batch #: TVF0514202611
Harvest/Lot ID: 3123153971655448
Seed to sale: 8229235326457004

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	ND	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	ND	
2-PROPANOL	ppm	50.0	250	500	PASS	ND	
ACETONE	ppm	75.0	375	750	PASS	ND	
ACETONITRILE	ppm	6.00	30.0	60	PASS	ND	
BENZENE	ppm	0.100	0.500	1	PASS	ND	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	ND	
CHLOROFORM	ppm	0.200	1.00	2	PASS	ND	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	ND	
ETHANOL	ppm	500	2500	5000	PASS	ND	
ETHYL ACETATE	ppm	40.0	200	400	PASS	ND	
ETHYL ETHER	ppm	50.0	250	500	PASS	ND	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	ND	
HEPTANE	ppm	500	2500	5000	PASS	ND	
METHANOL	ppm	25.0	125	250	PASS	ND	
N-HEXANE	ppm	25.0	125	250	PASS	ND	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	ND	
PROPANE	ppm	500	2500	5000	PASS	ND	
TOLUENE	ppm	15.0	75.0	150	PASS	ND	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	ND	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	ND	

Analyzed by:
4444, 585, 1440

Weight:
0.0201g

Extraction date:
06/02/26 12:24:29

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI099434SOL
Instrument Used : DA-GCMS-013
Analyzed Date : 06/03/26 10:42:08

Batch Date : 06/02/26 11:55:15

Dilution : 1
Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

UKU,Vape Cart,DOG,,,1.0g
Strain: (H) Dynasty OG
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation



Certificate of Analysis

Pages 6 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60602002-011

Batch #: TVF0514202611
Harvest/Lot ID: 3123153971655448
Seed to sale: 8229235326457004

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED

	Microbial	PASSED
--	-----------	--------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4892, 4520, 585, 1440	Weight: 0.88g	Extraction date: 06/02/26 13:40:10				Extracted by: 4520,5008	
Analysis Method : SOP.T.40.056C Analytical Batch : MI099409MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 06/04/26 10:31:15 Dilution : 10 Reagent : 040726.30; 040726.33; 051326.R45; 031026.16 Consumables : 7590001021 Pipette : N/A							
Batch Date : 06/02/26 08:49:24							
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.							

Analyzed by: 4892, 585, 1440	Weight: 0.92g	Extraction date: 06/02/26 11:32:40				Extracted by: 4520,4892	
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI099410TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 06/04/26 11:37:09 Dilution : 10 Reagent : 022626.84; 041526.R47 Consumables : N/A Pipette : N/A							
Batch Date : 06/02/26 08:50:14							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							

	Mycotoxins	PASSED
--	------------	--------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	ND	
Analyzed by: 4451, 585, 1440	Weight: 0.2246g	Extraction date: 06/02/26 11:57:12				Extracted by: 4451	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI099413MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 06/03/26 10:40:35 Dilution : 250 Reagent : 052826.R01; 012026.01; 052726.R03; 052726.R26; 052926.R01; 022426.R23; 052726.R01 Consumables : 947.110; 030125CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219							
Batch Date : 06/02/26 08:55:54							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							

	Water Activity	PASSED
--	----------------	--------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.61	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian
Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

UKU,Vape Cart,DOG,,,1.0g
Strain: (H) Dynasty OG
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation



Certificate of Analysis

Pages 7 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60602002-011

Batch #: TVF0514202611
Harvest/Lot ID: 3123153971655448
Seed to sale: 8229235326457004

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4056, 585, 1440	Weight: 0.66g	Extraction date: 06/02/26 15:41:55				Extracted by: 4056	
Analysis Method : SOP.T.40.019 Analytical Batch : MI099437WAT Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 06/03/26 09:46:12 Batch Date : 06/02/26 14:37:24 Dilution : N/A Reagent : 050726.03 Consumables : PS-14 Pipette : N/A							



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	ND	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	ND	
LEAD	ppm	0.0200	0.100	0.5	PASS	ND	
MERCURY	ppm	0.0200	0.100	0.2	PASS	ND	
Analyzed by: 1022, 585, 1440	Weight: 0.277g	Extraction date: 06/02/26 12:24:57				Extracted by: 1022,5122	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI099426HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 06/03/26 09:55:09 Batch Date : 06/02/26 10:15:48 Dilution : 50 Reagent : 060126.R03; 052626.R02; 060126.R15; 052126.R01; 060126.R13; 060126.R14; 050626.11; 052826.R08; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-215							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Filtration/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	ND	
Analyzed by: 4571, 585, 1440	Weight: 1g	Extraction date: 06/03/26 09:55:45				Extracted by: 4571	
Analysis Method : SOP.T.40.090 Analytical Batch : MI099464FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/03/26 11:10:31 Batch Date : 06/03/26 09:53:32 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/04/26
Laboratory License #: 900013