



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** F21MDM0005042026  
**Retail Batch #:** TLF0609202601HS  
**Batch Date:** 06/09/26  
**Harvest Date:** 05/04/26  
**Production Method:** Cured  
**Total Amount:** 4947 units  
**Cultivation Facility:** Mt. Dora Cultivation  
**Processing Facility:** Homestead Processing  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5 gram  
**Servings:** 1  
**Seed To Sale #:** 2016398052386026

**Lab ID:** MI60609004-006  
**Sampled:** 06/09/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 19 units  
**Completed:** 06/12/26  
**Manifest #:** 8893751498624487  
**Source Facility:** Homestead Processing

### CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002



### SAFETY RESULTS

### MISC.

								
Pesticide <b>PASSED</b>	Heavy Metals <b>PASSED</b>	Microbial <b>PASSED</b>	Mycotoxins <b>PASSED</b>	Solvents <b>NOT TESTED</b>	Filtration/Foreign Material <b>PASSED</b>	Water Activity <b>PASSED</b>	Moisture Content <b>PASSED</b>	Terpenes <b>TESTED</b>

## Cannabinoid **TESTED**

	<b>Total THC</b> <b>24.9%</b> Total THC/Container : 873 mg		<b>Total CBD</b> <b>0.0658%</b> Total CBD/Container : 2.30 mg		<b>Total Cannabinoids</b> <b>29.3%</b> Total Cannabinoids/Container : 1030 mg
---	--	---	---	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.467	27.9	ND	0.0750	ND	0.123	0.522	ND	ND	ND	0.0720	0.149
mg/unit	16.3	977	ND	2.63	ND	4.31	18.3	ND	ND	ND	2.52	5.22
LOD	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
LOQ	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%

<b>Analyzed by:</b> 5150, 1665, 585, 5268	<b>Weight:</b> 0.2073g	<b>Extraction date:</b> 06/10/26 12:37:33	<b>Extracted by:</b> 4640,5150
--	---------------------------	--	-----------------------------------


**Analysis Method :** SOP.T.40.031.FL, SOP.T.30.031  
**Analytical Batch :** MI099674POT  
**Instrument Used :** DA-LC-005 (Flower) **Batch Date :** 06/10/26 08:50:23  
**Analyzed Date :** 06/11/26 12:50:55

**Dilution :** 400  
**Reagent :** 052026.R43; 102725.04; 052026.R42  
**Consumables :** 947.110; 04312111; 030125CH01; 0000355309  
**Pipette :** DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/12/26  
**Laboratory License #:** 900013



# Certificate of Analysis

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

**Sample: MI60609004-006**

**Batch #:** TLF0609202601HS  
**Harvest/Lot ID:** F21MDM0005042026  
**Seed to sale:** 2016398052386026

**Ordered:** 06/09/26  
**Sampled:** 06/09/26  
**Completed:** 06/12/26

**PASSED**



## Label Claim Verification

**PASSED**

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:				Extracted by:	
Analysis Method : N/A				Batch Date : N/A			
Analytical Batch : N/A							
Instrument Used : N/A							
Analyzed Date : 06/11/26 12:50:54							



## Terpenes

**TESTED**

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.00700	0.0200		TESTED	2.80	98.0	
BETA-CARYOPHYLLENE	0.00700	0.0200		TESTED	0.748	26.2	
LIMONENE	0.00700	0.0200		TESTED	0.575	20.1	
ALPHA-HUMULENE	0.00700	0.0200		TESTED	0.250	8.74	
ALPHA-BISABOLOL	0.00700	0.0200		TESTED	0.241	8.42	
LINALOOL	0.00700	0.0200		TESTED	0.174	6.09	
ALPHA-PINENE	0.00700	0.0200		TESTED	0.140	4.89	
BETA-PINENE	0.00700	0.0200		TESTED	0.134	4.70	
GUAIOL	0.00700	0.0200		TESTED	0.133	4.64	
OCIMENE	0.00700	0.0200		TESTED	0.125	4.39	
FENCHYL ALCOHOL	0.00700	0.0200		TESTED	0.0829	2.90	
ALPHA-TERPINEOL	0.00700	0.0110		TESTED	0.0717	2.51	
BETA-MYRCENE	0.00700	0.0200		TESTED	0.0512	1.79	
FARNESENE	0.00100	0.00100		TESTED	0.0306	1.07	
ALPHA-TERPINOLENE	0.00700	0.0200		TESTED	0.0230	0.806	
CAMPHERE	0.00700	0.0200		TESTED	0.0211	0.739	
BORNEOL	0.0130	0.0400		TESTED	<0.0400	<0.400	
EUCALYPTOL	0.00700	0.0200		TESTED	<0.0200	<0.200	
FENCHONE	0.00700	0.0200		TESTED	<0.0200	<0.200	
SABINENE HYDRATE	0.00700	0.0200		TESTED	<0.0200	<0.200	
TRANS-NEROLIDOL	0.00500	0.0160		TESTED	<0.0160	<0.160	
3-CARENE	0.00700	0.0200		TESTED	ND	ND	
CAMPHOR	0.00700	0.0200		TESTED	ND	ND	
CARYOPHYLLENE OXIDE	0.00700	0.0200		TESTED	ND	ND	
CEDROL	0.00700	0.0200		TESTED	ND	ND	
GERANIOL	0.00700	0.0200		TESTED	ND	ND	
GERANYL ACETATE	0.00700	0.0200		TESTED	ND	ND	
HEXAHYDROTHYMOL	0.00700	0.0200		TESTED	ND	ND	
ISOBORNEOL	0.00700	0.0200		TESTED	ND	ND	
ISOPULEGOL	0.00700	0.0200		TESTED	ND	ND	
NEROL	0.00700	0.0200		TESTED	ND	ND	
PULEGONE	0.00700	0.0200		TESTED	ND	ND	
SABINENE	0.00700	0.0200		TESTED	ND	ND	
VALENCENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-CEDRENE	0.00500	0.0160		TESTED	ND	ND	
ALPHA-PHELLANDRENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-TERPINENE	0.00700	0.0200		TESTED	ND	ND	
CIS-NEROLIDOL	0.00300	0.00800		TESTED	ND	ND	
GAMMA-TERPINENE	0.00700	0.0200		TESTED	ND	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/12/26  
Laboratory License #: 900013



# Certificate of Analysis

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

**Sample: MI60609004-006**

Batch #: TLF0609202601HS  
Harvest/Lot ID: F21MDM0005042026  
Seed to sale: 2016398052386026

Ordered: 06/09/26  
Sampled: 06/09/26  
Completed: 06/12/26


**PASSED**



## Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
<b>Analyzed by:</b> 4531, 585, 5268	<b>Weight:</b> 0.928g	<b>Extraction date:</b> 06/10/26 12:10:30			<b>Extracted by:</b> 4531		
<b>Analysis Method :</b> SOP.T.30.061A.FL, SOP.T.40.061A.FL							
<b>Analytical Batch :</b> MI0996977TER							
<b>Instrument Used :</b> DA-GCMS-004							
<b>Analyzed Date :</b> 06/11/26 12:51:00							
<b>Dilution :</b> 10							
<b>Reagent :</b> 041326.46							
<b>Consumables :</b> 947.110; 04312111; 2240626; 0000355309							
<b>Pipette :</b> DA-065							
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.							



## Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	ND	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	ND	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	ND	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	ND	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/12/26  
Laboratory License #: 900013



# Certificate of Analysis

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

**Sample: MI60609004-006**

Batch #: TLF0609202601HS  
Harvest/Lot ID: F21MDM0005042026  
Seed to sale: 2016398052386026

Ordered: 06/09/26  
Sampled: 06/09/26  
Completed: 06/12/26

**PASSED**



**Pesticide**

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	ND	
NALED	ppm	0.0100	0.0500	0.25	PASS	ND	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	ND	

<b>Analyzed by:</b> 4451, 3379, 5268	<b>Weight:</b> 0.9961g	<b>Extraction date:</b> 06/10/26 12:02:37	<b>Extracted by:</b> 4451
---	---------------------------	--	------------------------------

**Analysis Method :** SOP.T.30.102.FL, SOP.T.40.102.FL  
**Analytical Batch :** MI099686PES  
**Instrument Used :** DA-LCMS-005 (PES) **Batch Date :** 06/10/26 09:12:52  
**Analyzed Date :** 06/11/26 11:33:48

**Dilution :** 250  
**Reagent :** 060826.R03; 012026.01; 061026.R03; 060926.R44; 060926.R48; 022426.R23; 061026.R01  
**Consumables :** 947.110; 030125CH01; 6822423-02  
**Pipette :** DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

<b>Analyzed by:</b> 3335, 3379, 5268	<b>Weight:</b> 0.9961g	<b>Extraction date:</b> 06/10/26 12:02:37	<b>Extracted by:</b> 4451
---	---------------------------	--	------------------------------

**Analysis Method :** SOP.T.30.151A.FL, SOP.T.40.151.FL  
**Analytical Batch :** MI099688VOL  
**Instrument Used :** DA-GCMS-001 **Batch Date :** 06/10/26 09:13:28  
**Analyzed Date :** 06/11/26 11:30:57

**Dilution :** 250  
**Reagent :** 060826.R03; 012026.01; 060926.R52; 060926.R53  
**Consumables :** 947.110; 030125CH01; 6822423-02; 17473601  
**Pipette :** DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/12/26  
**Laboratory License #: 900013**



# Certificate of Analysis

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

**Sample: MI60609004-006**

Batch #: TLF0609202601HS  
Harvest/Lot ID: F21MDM0005042026  
Seed to sale: 2016398052386026

Ordered: 06/09/26  
Sampled: 06/09/26  
Completed: 06/12/26

**PASSED**



## Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	11.4	

**Analyzed by:** 4520, 585, 5268      **Weight:** 0.9629g      **Extraction date:** 06/10/26 10:54:15      **Extracted by:** 4520,3621  
**Analysis Method :** SOP.T.40.056C  
**Analytical Batch :** MI099669MIC  
**Instrument Used :** DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)      **Batch Date :** 06/10/26 08:07:05  
**Analyzed Date :** 06/12/26 13:19:05  
**Dilution :** 10  
**Reagent :** 040726.45; 040726.46; 051326.R45; 031026.16  
**Consumables :** 7590002054  
**Pipette :** N/A  
 Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

**Analyzed by:** 4520, 4892, 585, 5268      **Weight:** 0.8429g      **Extraction date:** 06/10/26 10:55:34      **Extracted by:** 4520,3621  
**Analysis Method :** SOP.T.40.209.FL  
**Analytical Batch :** MI099670TYM  
**Instrument Used :** DA-328 (25°C Incubator)      **Batch Date :** 06/10/26 08:07:09  
**Analyzed Date :** 06/12/26 13:19:55  
**Dilution :** 10  
**Reagent :** 022626.77; 022626.78; 022626.79; 041526.R47  
**Consumables :** N/A  
**Pipette :** N/A  
 Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



## Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	ND	

**Analyzed by:** 4451, 3379, 5268      **Weight:** 0.9961g      **Extraction date:** 06/10/26 12:02:37      **Extracted by:** 4451  
**Analysis Method :** SOP.T.30.102.FL, SOP.T.40.102.FL  
**Analytical Batch :** MI099687MYC  
**Instrument Used :** DA-LCMS-005 (MYC)      **Batch Date :** 06/10/26 09:13:23  
**Analyzed Date :** 06/11/26 10:39:05  
**Dilution :** 250  
**Reagent :** 060826.R03; 012026.01; 061026.R03; 060926.R44; 060926.R48; 022426.R23; 061026.R01  
**Consumables :** 947.110; 030125CH01; 6822423-02  
**Pipette :** DA-093; DA-094; DA-219  
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/12/26  
**Laboratory License #: 900013**



# Certificate of Analysis

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

**Sample: MI60609004-006**

Batch #: TLF0609202601HS  
Harvest/Lot ID: F21MDM0005042026  
Seed to sale: 2016398052386026

Ordered: 06/09/26  
Sampled: 06/09/26  
Completed: 06/12/26

**PASSED**



## Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.65	PASS	0.58	

Analyzed by: 4056, 585, 5268	Weight: 1.215g	Extraction date: 06/10/26 15:09:16	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
 Analytical Batch : MI099704WAT  
 Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Batch Date : 06/10/26 14:35:10  
 Analyzed Date : 06/11/26 09:44:58

Dilution : N/A  
 Reagent : 050726.03  
 Consumables : PS-14  
 Pipette : N/A



## Moisture Content

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
MOISTURE CONTENT	%	1.00	1.00	15	PASS	12.0	

Analyzed by: 4056, 585, 5268	Weight: 0.517g	Extraction date: 06/10/26 16:04:59	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.021.FL  
 Analytical Batch : MI099703MOI  
 Instrument Used : DA-003 Moisture Analyzer Batch Date : 06/10/26 14:34:42  
 Analyzed Date : 06/11/26 09:39:09

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A



## Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	ND	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	ND	
LEAD	ppm	0.0200	0.100	0.5	PASS	ND	
MERCURY	ppm	0.0200	0.100	0.2	PASS	ND	

Analyzed by: 1022, 3379, 5268	Weight: 0.2349g	Extraction date: 06/10/26 10:44:19	Extracted by: 1022,5122
----------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : MI099682HEA  
 Instrument Used : DA-ICPMS-005 Batch Date : 06/10/26 09:10:51  
 Analyzed Date : 06/11/26 11:28:44

Dilution : 50  
 Reagent : 060126.R03; 060326.R26; 060826.R09; 060326.R59; 060826.R07; 060826.R08; 050626.11; 052826.R08; 032326.01  
 Consumables : 030125CH01; J609879-0193; 179436  
 Pipette : DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
 ISO 17025 Accreditation #  
 ISO/IEC 17025:2017  
 Accreditation PJLA-Testing  
 97164

Signature  
 06/12/26  
**Laboratory License #: 900013**



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

FND,Pre-Pack FL,MDM,,THC,0.125oz  
Strain: (S) Mid Day Marvel  
Matrix: Flower  
Classification: High THC  
Type: Flower-Cured



# Certificate of Analysis

Pages 7 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

**Sample: MI60609004-006**

**Batch #:** TLF0609202601HS  
**Harvest/Lot ID:** F21MDM0005042026  
**Seed to sale:** 2016398052386026

**Ordered:** 06/09/26  
**Sampled:** 06/09/26  
**Completed:** 06/12/26

**PASSED**

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	ND	
<b>Analyzed by:</b> 4571, 585, 5268	<b>Weight:</b> 1g	<b>Extraction date:</b> 06/10/26 11:33:02		<b>Extracted by:</b> 4571			
<b>Analysis Method :</b> SOP.T.40.090				<b>Batch Date :</b> 06/10/26 11:29:20			
<b>Analytical Batch :</b> MI099701FIL							
<b>Instrument Used :</b> Filth/Foreign Material Microscope							
<b>Analyzed Date :</b> 06/10/26 12:06:10							
<b>Dilution :</b> N/A							
<b>Reagent :</b> N/A							
<b>Consumables :</b> N/A							
<b>Pipette :</b> N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/12/26  
**Laboratory License #:** 900013