



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 8797485831981850
Retail Batch #: 260605.LRRASP.0200
Batch Date: 06/10/26
Harvest Date: 04/22/26
Production Method: Other - Not Listed
Total Amount: 1156 units
Cultivation Facility: Auburndale
Processing Facility: Auburndale
Retail Product Size: 62.9343 gram
Retail Serving Size: 3 gram
Servings: 20
Seed To Sale #: 6242679202955824

Lab ID: MI60616002-012
Sampled: 06/15/26
Sample Size: 7 units
Completed: 06/18/26
Manifest #: 2721413344684236
Source Facility: Auburndale

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US

License #: M00016CULPROAuburndale001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.304%

Total THC/Container : 191 mg



Total CBD
<0.0000670

Total CBD/Container : 0



Total Cannabinoids
0.322%

Total Cannabinoids/Container : 203 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.302	0.00213	<0.000670	<0.0000670	<0.0000670	0.0103	0.00105	0.00115	0.00132	<0.0000670	0.00332	0.00138
mg/unit	190	1.34	<0.422	<0.0000670	<0.0000670	6.46	0.660	0.722	0.829	<0.0000670	2.09	0.865
LOD	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670
LOQ	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
5150, 1665, 585, 1440

Weight:
3.0398g

Extraction date:
06/16/26 12:38:07

Extracted by:
5150

Analysis Method: SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch: MI099859POT

Instrument Used: DA-LC-008 (Edible)

Analyzed Date: 06/18/26 15:07:27

Batch Date: 06/16/26 10:24:52

Dilution: 40

Reagent: 050626.11; 010825.18; 102725.04

Consumables: 947.110; 04312111; 030125CH01; 0000355309

Pipette: DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
06/18/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
LRCHEW-Raspberry-200mg
Strain: Raspberry
Matrix: Edible
Classification: High THC
Type: Soft Chew



Certificate of Analysis

Pages 2 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60616002-012

Batch #: 260605.LRRASP.0200
Harvest/Lot ID: 8797485831981850
Seed to sale: 6242679202955824

Ordered: 06/15/26
Sampled: 06/15/26
Completed: 06/18/26

PASSED



Label Claim Verification

TESTED

ANALYTES

PACKAGE LABEL DEVIATION (THC)

UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
%	-100	-100		TESTED	-4.42	

Analyzed by:	Weight:	Extraction date:	Extracted by:
--------------	---------	------------------	---------------

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 06/18/26 09:30:35

Batch Date : N/A



Pesticide

PASSED

ANALYTES

TOTAL CONTAMINANT LOAD (PESTICIDES)

UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ppm	0.0100	0.0500	30	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	1	PASS	<0.0100	
ppm	0.0100	0.0500	1	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	0.3	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	2	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	0.5	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	0.5	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	0.2	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	1.5	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	2	PASS	<0.0100	
ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ppm	0.0100	0.0500	2	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	
ppm	0.0100	0.0500	1	PASS	<0.0100	
ppm	0.0100	0.0500	2	PASS	<0.0100	
ppm	0.0100	0.0500	3	PASS	<0.0100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/18/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
LRCHEW-Raspberry-200mg
Strain: Raspberry
Matrix: Edible
Classification: High THC
Type: Soft Chew



Certificate of Analysis

Pages 3 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60616002-012

Batch #: 260605.LRRASP.0200
Harvest/Lot ID: 8797485831981850
Seed to sale: 6242679202955824

Ordered: 06/15/26
Sampled: 06/15/26
Completed: 06/18/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	3	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	1	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	1	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	1	PASS	<0.0500	

Analyzed by:
4451, 3379, 1440

Weight:
1.1822g

Extraction date:
06/16/26 11:23:58

Extracted by:
4451,3335

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI099853PES

Instrument Used : DA-LCMS-004 (PES)

Batch Date : 06/16/26 09:35:29

Analyzed Date : 06/17/26 11:09:02

Dilution : 250

Reagent : 061526.R01; 012026.01; 061026.R03; 060926.R45; 061226.R01; 022426.R23; 061026.R01

Consumables : 947.110; 040724CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
3335, 3379, 1440

Weight:
1.1822g

Extraction date:
06/16/26 11:23:58

Extracted by:
4451,3335

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI099855VOL

Instrument Used : DA-GCMS-010

Batch Date : 06/16/26 09:40:38

Analyzed Date : 06/17/26 11:01:08

Dilution : 250

Reagent : 061526.R01; 012026.01; 061226.R13; 061226.R14

Consumables : 947.110; 040724CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/18/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
LRCHEW-Raspberry-200mg
Strain: Raspberry
Matrix: Edible
Classification: High THC
Type: Soft Chew



Certificate of Analysis

Pages 4 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60616002-012

Batch #: 260605.LRRASP.0200
Harvest/Lot ID: 8797485831981850
Seed to sale: 6242679202955824

Ordered: 06/15/26
Sampled: 06/15/26
Completed: 06/18/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	<0.800	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	<0.200	
2-PROPANOL	ppm	50.0	250	5000	PASS	<50.0	
ACETONE	ppm	75.0	375	5000	PASS	<75.0	
ACETONITRILE	ppm	6.00	30.0	410	PASS	<6.00	
BENZENE	ppm	0.100	0.500	1	PASS	<0.100	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	<500	
CHLOROFORM	ppm	0.200	1.00	2	PASS	<0.200	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	<12.5	
ETHANOL	ppm	500	2500	5000	PASS	<500	
ETHYL ACETATE	ppm	40.0	200	5000	PASS	<40.0	
ETHYL ETHER	ppm	50.0	250	5000	PASS	<50.0	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	<0.500	
HEPTANE	ppm	500	2500	5000	PASS	<500	
METHANOL	ppm	25.0	125	3000	PASS	<125	
N-HEXANE	ppm	25.0	125	250	PASS	<25.0	
PENTANES (N-PENTANE)	ppm	75.0	375	5000	PASS	<75.0	
PROPANE	ppm	500	2500	5000	PASS	<500	
TOLUENE	ppm	15.0	75.0	890	PASS	<15.0	
TOTAL XYLENES	ppm	15.0	75.0	2170	PASS	<15.0	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	<2.50	

Analyzed by:
4444, 4571, 3379, 1440

Weight:
0.0243g

Extraction date:
06/16/26 12:13:25

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI099865SOL
Instrument Used : DA-GCMS-013
Analyzed Date : 06/17/26 11:41:47

Batch Date : 06/16/26 11:54:39

Dilution : 1
Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/18/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
LRCHEW-Raspberry-200mg
Strain: Raspberry
Matrix: Edible
Classification: High THC
Type: Soft Chew



Certificate of Analysis

Pages 5 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60616002-012

Batch #: 260605.LRRASP.0200
Harvest/Lot ID: 8797485831981850
Seed to sale: 6242679202955824

Ordered: 06/15/26
Sampled: 06/15/26
Completed: 06/18/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4520, 585, 1440	Weight: 0.853g	Extraction date: 06/16/26 10:50:36				Extracted by: 4520,4892	
Analysis Method : SOP.T.40.056C Analytical Batch : MI099843MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 06/18/26 11:43:37 Batch Date : 06/16/26 08:39:37 Dilution : 10 Reagent : 040726.44; 040726.47; 051326.R45; 031026.18 Consumables : N/A Pipette : N/A							
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.							

Analyzed by: 4520, 3621, 585, 1440	Weight: 0.923g	Extraction date: 06/16/26 10:58:38				Extracted by: 4892	
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI099844TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 06/18/26 11:44:13 Batch Date : 06/16/26 08:40:05 Dilution : 10 Reagent : 022326.25; 022326.26; 041526.R47 Consumables : N/A Pipette : N/A							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
Analyzed by: 4451, 3379, 1440	Weight: 1.1822g	Extraction date: 06/16/26 11:23:58				Extracted by: 4451,3335	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI099854MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : 06/17/26 11:05:21 Batch Date : 06/16/26 09:40:22 Dilution : 250 Reagent : 061526.R01; 012026.01; 061026.R03; 060926.R45; 061226.R01; 022426.R23; 061026.R01 Consumables : 947.110; 040724CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.58	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/18/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
LRCHEW-Raspberry-200mg
Strain: Raspberry
Matrix: Edible
Classification: High THC
Type: Soft Chew



Certificate of Analysis

Pages 6 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60616002-012

Batch #: 260605.LRRASP.0200
Harvest/Lot ID: 8797485831981850
Seed to sale: 6242679202955824

Ordered: 06/15/26
Sampled: 06/15/26
Completed: 06/18/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4056, 3379, 1440	Weight: 7.564g	Extraction date: 06/16/26 15:00:39				Extracted by: 4056	
Analysis Method : SOP.T.40.019 Analytical Batch : MI099836HOM Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 06/17/26 10:56:22							
Batch Date : 06/16/26 14:27:37							
Dilution : N/A Reagent : 050726.03 Consumables : PS-14 Pipette : N/A							



Homogeneity Testing

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL THC - HOMOGENEITY (RSD)	%	0.00100	0.0100	25	PASS	1.02	
Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Analytical Batch : MI099836HOM Instrument Used : DA-LC-001 Analyzed Date : 06/18/26 09:15:59							
Batch Date : 06/16/26 07:08:41							
Dilution : 40 Reagent : 050626.11; 010825.18; 060226.R01; 060426.R01 Consumables : 947.110; 04312111; 030125CH01; 1009318445; 1009468945; 0000214700 Pipette : DA-079; DA-108; DA-421							

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	5	PASS	<0.0800	
ARSENIC	ppm	0.0200	0.100	1.5	PASS	<0.0200	
CADMIUM	ppm	0.0200	0.100	0.5	PASS	<0.0200	
LEAD	ppm	0.0200	0.100	0.5	PASS	<0.100	
MERCURY	ppm	0.0200	0.100	3	PASS	<0.0200	
Analyzed by: 1022, 3379, 1440	Weight: 0.2639g	Extraction date: 06/16/26 10:44:04				Extracted by: 1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI099849HEA Instrument Used : DA-ICPMS-005 Analyzed Date : 06/17/26 10:48:36							
Batch Date : 06/16/26 09:19:00							
Dilution : 50 Reagent : 060126.R03; 060326.R26; 061626.R07; 060326.R59; 061626.R05; 061626.R06; 050626.11; 052826.R08; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-215							

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/18/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
LRCHEW-Raspberry-200mg
Strain: Raspberry
Matrix: Edible
Classification: High THC
Type: Soft Chew



Certificate of Analysis

Pages 7 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60616002-012

Batch #: 260605.LRRASP.0200
Harvest/Lot ID: 8797485831981850
Seed to sale: 6242679202955824

Ordered: 06/15/26
Sampled: 06/15/26
Completed: 06/18/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	<0.100	
Analyzed by: 4571, 3379, 1440	Weight: 1g	Extraction date: 06/17/26 11:18:46				Extracted by: 4571	
Analysis Method : SOP.T.40.090							
Analytical Batch : MI099899FIL							
Instrument Used : Filth/Foreign Material Microscope							
Analyzed Date : 06/17/26 11:37:32							
Batch Date : 06/17/26 11:16:32							
Dilution : N/A							
Reagent : N/A							
Consumables : N/A							
Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/18/26
Laboratory License #: 900013