



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** F35FLF0004202026  
**Retail Batch #:** TPR0610202602HS  
**Batch Date:** 06/10/26  
**Harvest Date:** 04/20/26  
**Production Method:** Cured  
**Total Amount:** 1739 units  
**Cultivation Facility:** Mt. Dora Cultivation  
**Processing Facility:** Homestead Processing  
**Retail Product Size:** 2 gram  
**Retail Serving Size:** 0.4 gram  
**Servings:** 5  
**Seed To Sale #:** 1183993929739303

**Lab ID:** MI60612003-007  
**Sampled:** 06/11/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 14 units  
**Completed:** 06/18/26  
**Manifest #:** 0539229242222402  
**Source Facility:** Homestead Processing

### CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF

License #: M00001CULPROMiami002



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**NOT TESTED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**PASSED**



Terpenes  
**TESTED**



### Cannabinoid

**TESTED**



**Total THC**  
**30.1%**

Total THC/Container : 603 mg



**Total CBD**  
**0.0649%**

Total CBD/Container : 1.30 mg



**Total Cannabinoids**  
**35.0%**

Total Cannabinoids/Container : 700 mg

|         | D9-THC  | THCA    | CBD      | CBDA    | D8-THC   | CBG     | CBGA    | CBN      | THCV     | CBDV     | CBC     | THCVA   |
|---------|---------|---------|----------|---------|----------|---------|---------|----------|----------|----------|---------|---------|
| %       | 0.655   | 33.6    | <0.00100 | 0.0740  | <0.00100 | 0.0500  | 0.391   | <0.00100 | <0.00100 | <0.00100 | 0.0830  | 0.121   |
| mg/unit | 13.1    | 673     | <0.00100 | 1.48    | <0.00100 | 1.00    | 7.82    | <0.00100 | <0.00100 | <0.00100 | 1.66    | 2.42    |
| LOD     | 0.00100 | 0.00100 | 0.00100  | 0.00100 | 0.00100  | 0.00100 | 0.00100 | 0.00100  | 0.00100  | 0.00100  | 0.00100 | 0.00100 |
| LOQ     | 0.0100  | 0.0100  | 0.0100   | 0.0100  | 0.0100   | 0.0100  | 0.0100  | 0.0100   | 0.0100   | 0.0100   | 0.0100  | 0.0100  |
| %       | %       | %       | %        | %       | %        | %       | %       | %        | %        | %        | %       | %       |

Qualifier

Analyzed by:  
5150, 1665, 585, 1440

Weight:  
0.1992g

Extraction date:  
06/12/26 13:31:34

Extracted by:  
4640,5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI099764POT

Instrument Used : DA-LC-005 (Flower)

Analyzed Date : 06/15/26 10:51:09

Batch Date : 06/12/26 09:29:22

Dilution : 400

Reagent : 052026.R43; 032426.13; 052026.R42

Consumables : 947.110; 04312111; 040724CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/18/26  
Laboratory License #: 900013



# Certificate of Analysis

Pages 2 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

**Sample: MI60612003-007**

Batch #: TPR0610202602HS  
Harvest/Lot ID: F35FLF0004202026  
Seed to sale: 1183993929739303

Ordered: 06/11/26  
Sampled: 06/11/26  
Completed: 06/18/26

**PASSED**



## Label Claim Verification

**PASSED**

| ANALYTES                          |         | UNIT             | LOD | LOQ              | LIMIT         | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|---------|------------------|-----|------------------|---------------|-----------|--------|-----------|
| Analyzed by:                      | Weight: | Extraction date: |     |                  | Extracted by: |           |        |           |
| Analysis Method : N/A             |         |                  |     |                  |               |           |        |           |
| Analytical Batch : N/A            |         |                  |     |                  |               |           |        |           |
| Instrument Used : N/A             |         |                  |     |                  |               |           |        |           |
| Analyzed Date : 06/15/26 10:51:08 |         |                  |     | Batch Date : N/A |               |           |        |           |



## Terpenes

**TESTED**

| ANALYTES            | LOD     | LOQ     | LIMIT  | PASS/FAIL | RESULT (%) | (MG/UNIT) QUALIFIER |
|---------------------|---------|---------|--------|-----------|------------|---------------------|
| TOTAL TERPENES      | 0.00700 | 0.0200  | TESTED | 2.00      | 39.9       |                     |
| BETA-CARYOPHYLLENE  | 0.00700 | 0.0200  | TESTED | 0.927     | 18.5       |                     |
| ALPHA-HUMULENE      | 0.00700 | 0.0200  | TESTED | 0.386     | 7.72       |                     |
| BETA-MYRCENE        | 0.00700 | 0.0200  | TESTED | 0.227     | 4.54       |                     |
| LINALOOL            | 0.00700 | 0.0200  | TESTED | 0.127     | 2.54       |                     |
| ALPHA-BISABOLOL     | 0.00700 | 0.0200  | TESTED | 0.113     | 2.27       |                     |
| LIMONENE            | 0.00700 | 0.0200  | TESTED | 0.0903    | 1.81       |                     |
| TRANS-NEROLIDOL     | 0.00500 | 0.0160  | TESTED | 0.0502    | 1.00       |                     |
| ALPHA-TERPINEOL     | 0.00700 | 0.0110  | TESTED | 0.0261    | 0.522      |                     |
| FENCHYL ALCOHOL     | 0.00700 | 0.0200  | TESTED | 0.0246    | 0.491      |                     |
| BETA-PINENE         | 0.00700 | 0.0200  | TESTED | 0.0245    | 0.489      |                     |
| BORNEOL             | 0.0130  | 0.0400  | TESTED | <0.0400   | <0.400     |                     |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200  | TESTED | <0.0200   | <0.200     |                     |
| OCIMENE             | 0.00700 | 0.0200  | TESTED | <0.0200   | <0.200     |                     |
| ALPHA-PINENE        | 0.00700 | 0.0200  | TESTED | <0.0200   | <0.200     |                     |
| ALPHA-TERPINOLENE   | 0.00700 | 0.0200  | TESTED | <0.0200   | <0.200     |                     |
| 3-CARENE            | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| CAMPHENE            | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| CAMPHOR             | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| CEDROL              | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| EUCALYPTOL          | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| FARNESENE           | 0.00100 | 0.00100 | TESTED | <0.00100  | <0.0100    |                     |
| FENCHONE            | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| GERANIOL            | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| GERANYL ACETATE     | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| GUAJOL              | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| HEXAHYDROTHYMOL     | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| ISOBORNEOL          | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| ISOPULEGOL          | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| NEROL               | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| PULEGONE            | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| SABINENE            | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| SABINENE HYDRATE    | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| VALENCENE           | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| ALPHA-CEDRENE       | 0.00500 | 0.0160  | TESTED | <0.00500  | <0.160     |                     |
| ALPHA-PHELLANDRENE  | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| ALPHA-TERPINENE     | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |
| CIS-NEROLIDOL       | 0.00300 | 0.00800 | TESTED | <0.00300  | <0.0800    |                     |
| GAMMA-TERPINENE     | 0.00700 | 0.0200  | TESTED | <0.00700  | <0.200     |                     |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

RF,Pre-Roll FL,FLF,,THC,0.07oz  
Strain: (I) Floral Frost  
Matrix: Usable Whole Flower Marijuana  
Classification: High THC  
Type: Preroll



# Certificate of Analysis

Pages 3 of 7

## CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

## Sample: MI60612003-007

Batch #: TPR0610202602HS  
Harvest/Lot ID: F35FLF0004202026  
Seed to sale: 1183993929739303

Ordered: 06/11/26  
Sampled: 06/11/26  
Completed: 06/18/26

**PASSED**



## Terpenes

**TESTED**

| ANALYTES                                                                       | LOD                | LOQ                                   | LIMIT | PASS/FAIL | RESULT (%)            | (MG/UNIT) QUALIFIER |
|--------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-----------|-----------------------|---------------------|
| Analyzed by:<br>4531, 585, 1440                                                | Weight:<br>0.9431g | Extraction date:<br>06/12/26 11:44:36 |       |           | Extracted by:<br>4531 |                     |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                           |                    |                                       |       |           |                       |                     |
| Analytical Batch : MI099770TER                                                 |                    |                                       |       |           |                       |                     |
| Instrument Used : DA-GCMS-004                                                  |                    |                                       |       |           |                       |                     |
| Batch Date : 06/12/26 10:00:27                                                 |                    |                                       |       |           |                       |                     |
| Analyzed Date : 06/15/26 10:51:12                                              |                    |                                       |       |           |                       |                     |
| Dilution : 10                                                                  |                    |                                       |       |           |                       |                     |
| Reagent : 041326.46                                                            |                    |                                       |       |           |                       |                     |
| Consumables : 947.110; 04312111; 2240626; 0000355309                           |                    |                                       |       |           |                       |                     |
| Pipette : DA-065                                                               |                    |                                       |       |           |                       |                     |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. |                    |                                       |       |           |                       |                     |



## Pesticide

**PASSED**

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 5     | PASS      | <0.0100 |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.0100 | 0.0500 | 1     | PASS      | <0.0100 |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.0100 | 0.0500 | 1     | PASS      | <0.0100 |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENOXYCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENPYROXIMATE                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FIPRONIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLONICAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLUDIOXONIL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| HEXYTHIAZOX                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| IMAZALIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

RF,Pre-Roll FL,FLF,,THC,0.07oz  
Strain: (I) Floral Frost  
Matrix: Usable Whole Flower Marijuana  
Classification: High THC  
Type: Preroll



# Certificate of Analysis

Pages 4 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

Sample: MI60612003-007

Batch #: TPR0610202602HS  
Harvest/Lot ID: F35FLF0004202026  
Seed to sale: 1183993929739303

Ordered: 06/11/26  
Sampled: 06/11/26  
Completed: 06/18/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | <0.0100 |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.25  | PASS      | <0.0100 |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | <0.0100 |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0500 | 0.15  | PASS      | <0.0100 |           |
| TOTAL CHLORDANE                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |

Analyzed by: 4451, 585, 1440 Weight: 0.9016g Extraction date: 06/12/26 11:05:23 Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI099760PES

Instrument Used : DA-LCMS-005 (PES)

Batch Date : 06/12/26 09:07:12

Analyzed Date : 06/15/26 09:58:33

Dilution : 250

Reagent : 061026.R40; 012026.01; 061026.R03; 022426.R23; 061026.R01; 060926.R44; 060926.R48

Consumables : 927.100; 030125CH01; 6698360-03

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 1440 Weight: 0.9016g Extraction date: 06/12/26 11:05:23 Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI099761VOL

Instrument Used : DA-GCMS-001

Batch Date : 06/12/26 09:10:07

Analyzed Date : 06/18/26 15:54:32

Dilution : 250

Reagent : 061026.R40; 012026.01; 060926.R52; 060926.R53

Consumables : 927.100; 030125CH01; 221021DD; 6698360-03; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

RF,Pre-Roll FL,FLF,,THC,0.07oz  
Strain: (I) Floral Frost  
Matrix: Usable Whole Flower Marijuana  
Classification: High THC  
Type: Preroll



# Certificate of Analysis

Pages 5 of 7

## CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

## Sample: MI60612003-007

Batch #: TPR0610202602HS  
Harvest/Lot ID: F35FLF0004202026  
Seed to sale: 1183993929739303

Ordered: 06/11/26  
Sampled: 06/11/26  
Completed: 06/18/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                 | UNIT  | LOD  | LOQ  | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-------|------|------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS NIGER        |       |      |      |        | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      |       |      |      |        | PASS      | Not Present |           |
| ECOLI - SHIGELLA         |       |      |      |        | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE |       |      |      |        | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g | 10.0 | 10.0 | 100000 | PASS      | <10.0       |           |

Analyzed by: 4520, 3390, 585, 5008, 4892, 1440  
Weight: 0.9298g  
Extraction date: 06/12/26 10:31:04  
Extracted by: 4520,3621

Analysis Method : SOP.T.40.056C  
Analytical Batch : MI099768MIC  
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)  
Batch Date : 06/12/26 09:36:51  
Analyzed Date : 06/18/26 15:48:49

Dilution : 10  
Reagent : 040726.42; 040726.52; 051326.R45; 031026.18  
Consumables : 7590002054  
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4520, 5008, 585, 1440  
Weight: 1.0695g  
Extraction date: 06/12/26 10:31:59  
Extracted by: 4571,4892

Analysis Method : SOP.T.40.209.FL  
Analytical Batch : MI099769TYM  
Instrument Used : DA-328 (25°C Incubator)  
Batch Date : 06/12/26 09:37:38  
Analyzed Date : 06/15/26 10:33:07

Dilution : 10  
Reagent : 022626.78; 022626.79; 041526.R47  
Consumables : N/A  
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



## Mycotoxins

**PASSED**

| ANALYTES     | UNIT | LOD     | LOQ    | LIMIT | PASS/FAIL | RESULT   | QUALIFIER |
|--------------|------|---------|--------|-------|-----------|----------|-----------|
| AFLATOXIN B1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN B2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| OCHRATOXIN A | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |

Analyzed by: 4451, 585, 1440  
Weight: 0.9016g  
Extraction date: 06/12/26 11:05:23  
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
Analytical Batch : MI099762MYC  
Instrument Used : DA-LCMS-005 (MYC)  
Batch Date : 06/12/26 09:10:54  
Analyzed Date : 06/15/26 09:57:06

Dilution : 250  
Reagent : 061026.R40; 012026.01; 061026.R03; 022426.R23; 061026.R01; 060926.R44; 060926.R48  
Consumables : 927.100; 030125CH01; 6698360-03  
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/18/26  
Laboratory License #: 900013



# Certificate of Analysis

Pages 6 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

**Sample: MI60612003-007**

**Batch #:** TPR0610202602HS  
**Harvest/Lot ID:** F35FLF0004202026  
**Seed to sale:** 1183993929739303

**Ordered:** 06/11/26  
**Sampled:** 06/11/26  
**Completed:** 06/18/26

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                                   |  | UNIT              | LOD   | LOQ                                   | LIMIT | PASS/FAIL                      | RESULT | QUALIFIER |
|------------------------------------------------------------|--|-------------------|-------|---------------------------------------|-------|--------------------------------|--------|-----------|
| WATER ACTIVITY                                             |  | aw                | 0.010 | 0.10                                  | 0.65  | PASS                           | 0.58   |           |
| Analyzed by:<br>4056, 585, 1440                            |  | Weight:<br>1.329g |       | Extraction date:<br>06/12/26 14:45:58 |       | Extracted by:<br>4056          |        |           |
| Analysis Method : SOP.T.40.019                             |  |                   |       |                                       |       |                                |        |           |
| Analytical Batch : MI099776WAT                             |  |                   |       |                                       |       |                                |        |           |
| Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) |  |                   |       |                                       |       | Batch Date : 06/12/26 13:43:27 |        |           |
| Analyzed Date : 06/15/26 09:53:58                          |  |                   |       |                                       |       |                                |        |           |
| Dilution : N/A                                             |  |                   |       |                                       |       |                                |        |           |
| Reagent : 050726.03                                        |  |                   |       |                                       |       |                                |        |           |
| Consumables : PS-14                                        |  |                   |       |                                       |       |                                |        |           |
| Pipette : N/A                                              |  |                   |       |                                       |       |                                |        |           |



## Moisture Content

**PASSED**

| ANALYTES                                   |  | UNIT           | LOD  | LOQ                                | LIMIT                          | PASS/FAIL          | RESULT | QUALIFIER |
|--------------------------------------------|--|----------------|------|------------------------------------|--------------------------------|--------------------|--------|-----------|
| MOISTURE CONTENT                           |  | %              | 1.00 | 1.00                               | 15                             | PASS               | 11.2   |           |
| Analyzed by: 4056, 585, 1440               |  | Weight: 0.507g |      | Extraction date: 06/12/26 16:22:18 |                                | Extracted by: 4056 |        |           |
| Analysis Method : SOP.T.40.021.FL          |  |                |      |                                    |                                |                    |        |           |
| Analytical Batch : MI099775MOI             |  |                |      |                                    |                                |                    |        |           |
| Instrument Used : DA-003 Moisture Analyzer |  |                |      |                                    | Batch Date : 06/12/26 13:43:11 |                    |        |           |
| Analyzed Date : 06/15/26 09:32:24          |  |                |      |                                    |                                |                    |        |           |
| Dilution : N/A                             |  |                |      |                                    |                                |                    |        |           |
| Reagent : 050626.11; 031523.19             |  |                |      |                                    |                                |                    |        |           |
| Consumables : N/A                          |  |                |      |                                    |                                |                    |        |           |
| Pipette : DA-066                           |  |                |      |                                    |                                |                    |        |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                           | UNIT | LOD                | LOQ   | LIMIT                                 | PASS/FAIL | RESULT                | QUALIFIER |
|--------------------------------------------------------------------------------------------------------------------|------|--------------------|-------|---------------------------------------|-----------|-----------------------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                      | ppm  | 0.0800             | 0.400 | 1.1                                   | PASS      | <0.0800               |           |
| ARSENIC                                                                                                            | ppm  | 0.0200             | 0.100 | 0.2                                   | PASS      | <0.0200               |           |
| CADMIUM                                                                                                            | ppm  | 0.0200             | 0.100 | 0.2                                   | PASS      | <0.0200               |           |
| LEAD                                                                                                               | ppm  | 0.0200             | 0.100 | 0.5                                   | PASS      | <0.0200               |           |
| MERCURY                                                                                                            | ppm  | 0.0200             | 0.100 | 0.2                                   | PASS      | <0.0200               |           |
| Analyzed by:<br>1022, 585, 1440                                                                                    |      | Weight:<br>0.2351g |       | Extraction date:<br>06/12/26 10:35:38 |           | Extracted by:<br>5122 |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                                                 |      |                    |       |                                       |           |                       |           |
| Analytical Batch : MI099766HEA                                                                                     |      |                    |       |                                       |           |                       |           |
| Instrument Used : DA-ICPMS-005                                                                                     |      |                    |       | Batch Date : 06/12/26 09:33:43        |           |                       |           |
| Analyzed Date : 06/15/26 09:48:42                                                                                  |      |                    |       |                                       |           |                       |           |
| Dilution : 50                                                                                                      |      |                    |       |                                       |           |                       |           |
| Reagent : 060126.R03; 060326.R26; 060826.R09; 060326.R59; 060826.R07; 060826.R08; 050626.11; 052826.R08; 032326.01 |      |                    |       |                                       |           |                       |           |
| Consumables : 030125CH01; J609879-0193; 179436                                                                     |      |                    |       |                                       |           |                       |           |
| Pipette : DA-061; DA-191; DA-215                                                                                   |      |                    |       |                                       |           |                       |           |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/18/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

RF,Pre-Roll FL,FLF,,THC,0.07oz  
Strain: (I) Floral Frost  
Matrix: Usable Whole Flower Marijuana  
Classification: High THC  
Type: Preroll



# Certificate of Analysis

Pages 7 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

**Sample: MI60612003-007**

**Batch #:** TPR0610202602HS  
**Harvest/Lot ID:** F35FLF0004202026  
**Seed to sale:** 1183993929739303

**Ordered:** 06/11/26  
**Sampled:** 06/11/26  
**Completed:** 06/18/26

**PASSED**



## Filth/Foreign Material

**PASSED**

| ANALYTES                                            |  | UNIT          | LOD                                   | LOQ   | LIMIT                          | PASS/FAIL | RESULT                | QUALIFIER |
|-----------------------------------------------------|--|---------------|---------------------------------------|-------|--------------------------------|-----------|-----------------------|-----------|
| FILTH AND FOREIGN MATERIAL                          |  | %             | 0.100                                 | 0.500 | 1                              | PASS      | <0.100                |           |
| Analyzed by:<br>4571, 585, 1440                     |  | Weight:<br>1g | Extraction date:<br>06/12/26 12:04:59 |       |                                |           | Extracted by:<br>4571 |           |
| Analysis Method : SOP.T.40.090                      |  |               |                                       |       |                                |           |                       |           |
| Analytical Batch : MI099774FIL                      |  |               |                                       |       |                                |           |                       |           |
| Instrument Used : Filth/Foreign Material Microscope |  |               |                                       |       | Batch Date : 06/12/26 12:03:32 |           |                       |           |
| Analyzed Date : 06/15/26 10:32:10                   |  |               |                                       |       |                                |           |                       |           |
| Dilution : N/A                                      |  |               |                                       |       |                                |           |                       |           |
| Reagent : N/A                                       |  |               |                                       |       |                                |           |                       |           |
| Consumables : N/A                                   |  |               |                                       |       |                                |           |                       |           |
| Pipette : N/A                                       |  |               |                                       |       |                                |           |                       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/18/26  
**Laboratory License #:** 900013