



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: F18OG0012222025
Retail Batch #: TVF0616202601
Batch Date: 06/16/26
Harvest Date: 12/22/25
Production Method: Other - Not Listed
Total Amount: 1630 units
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Homestead Processing
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 4618854651485697

Lab ID: MI60619001-007
Sampled: 06/18/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 06/23/26
Manifest #: 2880254987842165
Source Facility: Homestead Processing

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002



SAFETY RESULTS

MISC.

								
Pesticide PASSED	Heavy Metals PASSED	Microbial PASSED	Mycotoxins PASSED	Solvents PASSED	Filtration/Foreign Material PASSED	Water Activity PASSED	Moisture Content NOT TESTED	Terpenes TESTED



Cannabinoid

TESTED



Total THC
90.1%

Total THC/Container : 451 mg



Total CBD
0.234%

Total CBD/Container : 1.17 mg



Total Cannabinoids
93.1%

Total Cannabinoids/Container : 466 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	90.1	0.0860	0.234	<0.00200	<0.00200	<0.00200	<0.00200	0.231	0.776	<0.00200	1.61	0.111
mg/unit	450	0.430	1.17	<0.00200	<0.00200	<0.00200	<0.00200	1.16	3.88	<0.00200	8.07	0.555
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.0924g

Extraction date:
06/19/26 12:07:11

Extracted by:
5150,5072

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI099975POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 06/23/26 09:41:04

Batch Date : 06/19/26 10:39:19

Dilution : 400

Reagent : 061226.R29; 061226.R28; 032626.13

Consumables : 947.110; 04312111; 030125CH01; R1KB45277

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/23/26
Laboratory License #: 900013



Certificate of Analysis

Pages 2 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60619001-007

Batch #: TVF0616202601
Harvest/Lot ID: F180G0012222025
Seed to sale: 4618854651485697

Ordered: 06/18/26
Sampled: 06/18/26
Completed: 06/23/26

PASSED



Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:	Extracted by:				
Analysis Method : N/A							
Analytical Batch : N/A							
Instrument Used : N/A							
Analyzed Date : 06/23/26 09:41:09							



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
TOTAL TERPENES	0.00700	0.0200	TESTED	6.81	34.0	
BETA-MYRCENE	0.00700	0.0200	TESTED	1.88	9.42	
ALPHA-PINENE	0.00700	0.0200	TESTED	1.56	7.82	
LIMONENE	0.00700	0.0200	TESTED	1.20	6.02	
BETA-PINENE	0.00700	0.0200	TESTED	0.588	2.94	
BETA-CARYOPHYLLENE	0.00700	0.0200	TESTED	0.360	1.80	
LINALOOL	0.00700	0.0200	TESTED	0.288	1.44	
ALPHA-BISABOLOL	0.00700	0.0200	TESTED	0.214	1.07	
ALPHA-HUMULENE	0.00700	0.0200	TESTED	0.128	0.639	
ALPHA-TERPINEOL	0.00700	0.0110	TESTED	0.0861	0.430	
CAMPHENE	0.00700	0.0200	TESTED	0.0775	0.388	
GUAJOL	0.00700	0.0200	TESTED	0.0608	0.304	
BORNEOL	0.0130	0.0400	TESTED	0.0591	0.295	
FENCHONE	0.00700	0.0200	TESTED	0.0549	0.274	
CARYOPHYLLENE OXIDE	0.00700	0.0200	TESTED	0.0477	0.238	
TRANS-NEROLIDOL	0.00500	0.0160	TESTED	0.0464	0.232	
ALPHA-TERPINOLENE	0.00700	0.0200	TESTED	0.0452	0.226	
GAMMA-TERPINENE	0.00700	0.0200	TESTED	0.0270	0.135	
SABINENE HYDRATE	0.00700	0.0200	TESTED	0.0268	0.134	
EUCALYPTOL	0.00700	0.0200	TESTED	0.0253	0.126	
ALPHA-TERPINENE	0.00700	0.0200	TESTED	0.0213	0.107	
ISOBORNEOL	0.00700	0.0200	TESTED	<0.0200	<0.200	
ALPHA-PHELLANDRENE	0.00700	0.0200	TESTED	<0.0200	<0.200	
3-CARENE	0.00700	0.0200	TESTED	<0.00700	<0.200	
CAMPHOR	0.00700	0.0200	TESTED	<0.00700	<0.200	
CEDROL	0.00700	0.0200	TESTED	<0.00700	<0.200	
FARNESENE	0.00100	0.00100	TESTED	<0.00100	<0.0100	
FENCHYL ALCOHOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
GERANIOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
GERANYL ACETATE	0.00700	0.0200	TESTED	<0.00700	<0.200	
HEXAHYDROTHYMOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
ISOPULEGOL	0.00700	0.0200	TESTED	<0.00700	<0.200	
NEROL	0.00700	0.0200	TESTED	<0.00700	<0.200	
OCIMENE	0.00700	0.0200	TESTED	<0.00700	<0.200	
PULEGONE	0.00700	0.0200	TESTED	<0.00700	<0.200	
SABINENE	0.00700	0.0200	TESTED	<0.00700	<0.200	
VALENCENE	0.00700	0.0200	TESTED	<0.00700	<0.200	
ALPHA-CEDRENE	0.00500	0.0160	TESTED	<0.00500	<0.160	
CIS-NEROLIDOL	0.00300	0.00800	TESTED	<0.00300	<0.0800	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/23/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LR VapeCart,ICT,,,0.5g
Strain: (H) Icy Treats
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 3 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI60619001-007

Batch #: TVF0616202601
Harvest/Lot ID: F18OG0012222025
Seed to sale: 4618854651485697

Ordered: 06/18/26
Sampled: 06/18/26
Completed: 06/23/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
Analyzed by: 4531, 585, 3379, 1440	Weight: 0.2294g	Extraction date: 06/19/26 12:56:07	Extracted by: 4531			
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch : MI099970TER						
Instrument Used : DA-GCMS-004						
Batch Date : 06/19/26 09:38:35						
Analyzed Date : 06/23/26 14:43:50						
Dilution : 10						
Reagent : 041326.45						
Consumables : 947.110; 04312111; 2240626; 0000355309						
Pipette : DA-065						
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.						



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	<0.0100	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	<0.0100	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/23/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LR VapeCart,ICT,,,0.5g

Strain: (H) Icy Treats

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 4 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI60619001-007

Batch #: TVF0616202601
Harvest/Lot ID: F18OG0012222025
Seed to sale: 4618854651485697

Ordered: 06/18/26
Sampled: 06/18/26
Completed: 06/23/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.25	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0750	0.15	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	

Analyzed by: 4451, 585, 1440 **Weight:** 0.2507g **Extraction date:** 06/19/26 11:55:37 **Extracted by:** 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI099959PES

Instrument Used : DA-LCMS-003 (PES)

Batch Date : 06/19/26 08:53:54

Analyzed Date : 06/22/26 10:22:47

Dilution : 250

Reagent : 061726.R79; 012026.01; 061726.R03; 061626.R01; 061926.R01; 061626.R24; 061726.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 1440 **Weight:** 0.2507g **Extraction date:** 06/19/26 11:55:37 **Extracted by:** 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI099961VOL

Instrument Used : DA-GCMS-011

Batch Date : 06/19/26 08:54:33

Analyzed Date : 06/22/26 10:20:07

Dilution : 250

Reagent : 061726.R79; 012026.01; 061226.R13; 061226.R14

Consumables : 947.110; 030125CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/23/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LR VapeCart,ICT,,,0.5g

Strain: (H) Icy Treats

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 5 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI60619001-007

Batch #: TVF0616202601
Harvest/Lot ID: F18OG0012222025
Seed to sale: 4618854651485697

Ordered: 06/18/26
Sampled: 06/18/26
Completed: 06/23/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	<0.800	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	<0.200	
2-PROPANOL	ppm	50.0	250	500	PASS	<50.0	
ACETONE	ppm	75.0	375	750	PASS	<75.0	
ACETONITRILE	ppm	6.00	30.0	60	PASS	<6.00	
BENZENE	ppm	0.100	0.500	1	PASS	<0.100	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	<500	
CHLOROFORM	ppm	0.200	1.00	2	PASS	<0.200	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	<12.5	
ETHANOL	ppm	500	2500	5000	PASS	<500	
ETHYL ACETATE	ppm	40.0	200	400	PASS	<40.0	
ETHYL ETHER	ppm	50.0	250	500	PASS	<50.0	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	<0.500	
HEPTANE	ppm	500	2500	5000	PASS	<500	
METHANOL	ppm	25.0	125	250	PASS	<25.0	
N-HEXANE	ppm	25.0	125	250	PASS	<25.0	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	<75.0	
PROPANE	ppm	500	2500	5000	PASS	<500	
TOLUENE	ppm	15.0	75.0	150	PASS	<15.0	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	<15.0	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	<2.50	

Analyzed by:
3379, 585, 1440

Weight:
0.0297g

Extraction date:
06/19/26 11:02:13

Extracted by:
3379

Analysis Method : SOP.T.40.041.FL

Analytical Batch : MI099972SOL

Instrument Used : DA-GCMS-012

Analyzed Date : 06/22/26 10:51:19

Batch Date : 06/19/26 10:31:03

Dilution : 1

Reagent : 061323.06

Consumables : 431526; 325202

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS	CFU/g	1.0	0	1	PASS	<1.0	
ASPERGILLUS FUMIGATUS	CFU/g	1.0	0	1	PASS	<1.0	
ASPERGILLUS NIGER	CFU/g	1.0	0	1	PASS	<1.0	
ASPERGILLUS TERREUS	CFU/g	1.0	0	1	PASS	<1.0	
ECOLI - SHIGELLA	CFU/g	1.0	0	1	PASS	<1.0	
SALMONELLA SPECIFIC GENE	CFU/g	1.0	0	1	PASS	<1.0	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/23/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LR VapeCart,ICT,,,0.5g
Strain: (H) Icy Treats
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 6 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60619001-007

Batch #: TVF0616202601
Harvest/Lot ID: F180G0012222025
Seed to sale: 4618854651485697

Ordered: 06/18/26
Sampled: 06/18/26
Completed: 06/23/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4520, 585, 1440	Weight: 1.061g	Extraction date: 06/19/26 10:33:51				Extracted by: 4520,3621	
Analysis Method : SOP.T.40.056C Analytical Batch : MI099956MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 06/22/26 12:14:08 Dilution : 10 Reagent : 040726.49; 051326.R45; 031026.18 Consumables : 7590002062 Pipette : N/A Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.							
Batch Date : 06/19/26 08:38:57							

Analyzed by: 4520, 5008, 585, 1440	Weight: 0.86g	Extraction date: 06/19/26 10:35:05				Extracted by: 4520,3621	
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI099958TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 06/22/26 10:42:30 Dilution : 10 Reagent : 022326.33; 022326.34; 041526.R47 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							
Batch Date : 06/19/26 08:39:51							



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
Analyzed by: 4451, 585, 1440	Weight: 0.2507g	Extraction date: 06/19/26 11:55:37				Extracted by: 4451	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI099960MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 06/22/26 10:20:42 Dilution : 250 Reagent : 061726.R79; 012026.01; 061726.R03; 061626.R01; 061926.R01; 061626.R24; 061726.R01 Consumables : 947.110; 030125CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
Batch Date : 06/19/26 08:54:29							



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.62	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian
Celestino
Lab Director

Signature
06/23/26

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LR VapeCart,ICT,,,0.5g

Strain: (H) Icy Treats

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 7 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMiami002

Sample: MI60619001-007

Batch #: TVF0616202601
Harvest/Lot ID: F18OG0012222025
Seed to sale: 4618854651485697

Ordered: 06/18/26
Sampled: 06/18/26
Completed: 06/23/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4056, 585, 1440	Weight: 0.622g	Extraction date: 06/19/26 15:26:12				Extracted by: 4056	
Analysis Method : SOP.T.40.019 Analytical Batch : MI099981WAT Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 06/22/26 09:59:46 Batch Date : 06/19/26 14:02:16 Dilution : N/A Reagent : 050726.03 Consumables : PS-14 Pipette : N/A							



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	<0.0800	
ARSENIC	ppm	0.00200	0.0200	0.2	PASS	<0.00200	
CADMIUM	ppm	0.00200	0.0200	0.2	PASS	<0.00200	
LEAD	ppm	0.00200	0.0200	0.5	PASS	<0.00200	
MERCURY	ppm	0.00200	0.0200	0.2	PASS	<0.00200	
Analyzed by: 1022, 585, 1440	Weight: 0.2627g	Extraction date: 06/19/26 12:38:26				Extracted by: 1022,5122	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI099969HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 06/22/26 09:57:51 Batch Date : 06/19/26 09:11:29 Dilution : 50 Reagent : 060126.R03; 060326.R26; 061626.R07; 061826.R13; 061626.R05; 061626.R06; 050626.11; 052826.R08; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-215							
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Filtration/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	<0.100	
Analyzed by: 4571, 585, 1440	Weight: 1g	Extraction date: 06/19/26 11:37:20				Extracted by: 4571	
Analysis Method : SOP.T.40.090 Analytical Batch : MI099978FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 06/19/26 12:10:20 Batch Date : 06/19/26 11:35:50 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/23/26
Laboratory License #: 900013