



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** F29HIH0005182026  
**Retail Batch #:** TLMB0623202601HS  
**Batch Date:** 06/23/26  
**Harvest Date:** 05/18/26  
**Production Method:** Cured  
**Total Amount:** 5698 units  
**Cultivation Facility:** Mt. Dora Cultivation  
**Processing Facility:** Homestead Processing  
**Retail Product Size:** 3.5 gram  
**Retail Serving Size:** 3.5 gram  
**Servings:** 1  
**Seed To Sale #:** 2362116543041614

**Lab ID:** MI60624009-010  
**Sampled:** 06/24/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 21 units  
**Completed:** 06/28/26  
**Manifest #:** 1923188027856403  
**Source Facility:** Homestead Processing

### CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002



### SAFETY RESULTS

### MISC.

|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |
| Pesticide<br><b>PASSED</b>                                                        | Heavy Metals<br><b>PASSED</b>                                                     | Microbial<br><b>PASSED</b>                                                        | Mycotoxins<br><b>PASSED</b>                                                       | Solvents<br><b>NOT TESTED</b>                                                     | Filtration/Foreign Material<br><b>PASSED</b>                                      | Water Activity<br><b>PASSED</b>                                                     | Moisture Content<br><b>PASSED</b>                                                   | Terpenes<br><b>TESTED</b>                                                           |



### Cannabinoid

### TESTED



**Total THC**  
**30.1%**

Total THC/Container : 1060 mg



**Total CBD**  
**0.0553%**

Total CBD/Container : 1.93 mg



**Total Cannabinoids**  
**35.8%**

Total Cannabinoids/Container : 1250 mg

|           | D9-THC  | THCA    | CBD      | CBDA    | D8-THC  | CBG     | CBGA    | CBN      | THCV     | CBDV     | CBC     | THCVA   |
|-----------|---------|---------|----------|---------|---------|---------|---------|----------|----------|----------|---------|---------|
| %         | 1.54    | 32.6    | <0.00200 | 0.0630  | 0.0380  | 0.0600  | 1.22    | <0.00200 | <0.00200 | <0.00200 | 0.0540  | 0.213   |
| mg/unit   | 53.8    | 1140    | <0.00200 | 2.21    | 1.33    | 2.10    | 42.8    | <0.00200 | <0.00200 | <0.00200 | 1.89    | 7.46    |
| LOD       | 0.00200 | 0.00200 | 0.00200  | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200  | 0.00200  | 0.00200  | 0.00200 | 0.00200 |
| LOQ       | 0.0200  | 0.0200  | 0.0200   | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200   | 0.0200   | 0.0200   | 0.0200  | 0.0200  |
| Qualifier | %       | %       | %        | %       | %       | %       | %       | %        | %        | %        | %       | %       |

Analyzed by:  
4640, 1665, 585, 4056

Weight:  
0.1978g

Extraction date:  
06/25/26 12:19:34

Extracted by:  
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100130POT

Instrument Used : DA-LC-005 (Derivative)

Analyzed Date : 06/26/26 11:10:24

Batch Date : 06/25/26 11:05:56

Dilution : 400

Reagent : 061226.R27; 061526.01; 061226.R26

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
06/28/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

GR,Pre-Pack FL,HH,Mini Buds,THC,0.125oz  
Strain: (H) Hickory Hash  
Matrix: Usable Whole Flower Marijuana  
Type: Flower-Cured



# Certificate of Analysis

Pages 2 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

Sample: MI60624009-010

Batch #: TLMB0623202601HS  
Harvest/Lot ID: F29HH0005182026  
Seed to sale: 2362116543041614

Ordered: 06/24/26  
Sampled: 06/24/26  
Completed: 06/28/26

PASSED



## Label Claim Verification

PASSED

| ANALYTES                          | UNIT    | LOD              | LOQ | LIMIT            | PASS/FAIL | RESULT        | QUALIFIER |
|-----------------------------------|---------|------------------|-----|------------------|-----------|---------------|-----------|
| Analyzed by:                      | Weight: | Extraction date: |     |                  |           | Extracted by: |           |
| Analysis Method : N/A             |         |                  |     |                  |           |               |           |
| Analytical Batch : N/A            |         |                  |     |                  |           |               |           |
| Instrument Used : N/A             |         |                  |     | Batch Date : N/A |           |               |           |
| Analyzed Date : 06/26/26 11:10:23 |         |                  |     |                  |           |               |           |



## Terpenes

TESTED

| ANALYTES            | LOD     | LOQ     | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) QUALIFIER |
|---------------------|---------|---------|-------|-----------|------------|---------------------|
| TOTAL TERPENES      | 0.00700 | 0.0200  |       | TESTED    | 2.54       | 88.8                |
| ALPHA-TERPINOLENE   | 0.00700 | 0.0200  |       | TESTED    | 0.944      | 33.0                |
| BETA-CARYOPHYLLENE  | 0.00700 | 0.0200  |       | TESTED    | 0.289      | 10.1                |
| OCIMENE             | 0.00700 | 0.0200  |       | TESTED    | 0.185      | 6.47                |
| BETA-MYRCENE        | 0.00700 | 0.0200  |       | TESTED    | 0.129      | 4.52                |
| ALPHA-HUMULENE      | 0.00700 | 0.0200  |       | TESTED    | 0.125      | 4.38                |
| LINALOOL            | 0.00700 | 0.0200  |       | TESTED    | 0.121      | 4.25                |
| BETA-PINENE         | 0.00700 | 0.0200  |       | TESTED    | 0.121      | 4.25                |
| LIMONENE            | 0.00700 | 0.0200  |       | TESTED    | 0.100      | 3.52                |
| ALPHA-PINENE        | 0.00700 | 0.0200  |       | TESTED    | 0.0739     | 2.59                |
| FARNESENE           | 0.00100 | 0.00100 |       | TESTED    | 0.0709     | 2.48                |
| TRANS-NEROLIDOL     | 0.00500 | 0.0160  |       | TESTED    | 0.0598     | 2.09                |
| ALPHA-BISABOLOL     | 0.00700 | 0.0200  |       | TESTED    | 0.0542     | 1.90                |
| ALPHA-TERPINEOL     | 0.00700 | 0.0110  |       | TESTED    | 0.0516     | 1.81                |
| ALPHA-PHELLANDRENE  | 0.00700 | 0.0200  |       | TESTED    | 0.0493     | 1.72                |
| 3-CARENE            | 0.00700 | 0.0200  |       | TESTED    | 0.0439     | 1.54                |
| ALPHA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | 0.0414     | 1.45                |
| GAMMA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | 0.0286     | 1.00                |
| SABINENE            | 0.00700 | 0.0200  |       | TESTED    | 0.0270     | 0.945               |
| FENCHYL ALCOHOL     | 0.00700 | 0.0200  |       | TESTED    | 0.0218     | 0.763               |
| BORNEOL             | 0.0130  | 0.0400  |       | TESTED    | <0.0400    | <0.400              |
| CAMPHENE            | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200              |
| EUCALYPTOL          | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200              |
| GERANIOL            | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200              |
| SABINENE HYDRATE    | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200              |
| CAMPHOR             | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| CEDROL              | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| FENCHONE            | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| GERANYL ACETATE     | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| GUAJOL              | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| HEXAHYDROTHYMOL     | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| ISOBORNEOL          | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| ISOPULEGOL          | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| NEROL               | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| PULEGONE            | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| VALENCENE           | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200              |
| ALPHA-CEDRENE       | 0.00500 | 0.0160  |       | TESTED    | <0.00500   | <0.160              |
| CIS-NEROLIDOL       | 0.00300 | 0.00800 |       | TESTED    | <0.00300   | <0.0800             |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian  
Celestino  
Lab Director

Signature  
06/28/26

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

GR,Pre-Pack FL,HH,Mini Buds,THC,0.125oz  
Strain: (H) Hickory Hash  
Matrix: Usable Whole Flower Marijuana  
Type: Flower-Cured



# Certificate of Analysis

Pages 3 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License #: M00001CULPROMiami002

Sample: MI60624009-010

Batch #: TLMB0623202601HS  
Harvest/Lot ID: F29HH0005182026  
Seed to sale: 2362116543041614

Ordered: 06/24/26  
Sampled: 06/24/26  
Completed: 06/28/26

PASSED



## Terpenes

TESTED

| ANALYTES                                                                       | LOD               | LOQ                                   | LIMIT | PASS/FAIL | RESULT (%)            | (MG/UNIT) QUALIFIER |
|--------------------------------------------------------------------------------|-------------------|---------------------------------------|-------|-----------|-----------------------|---------------------|
| Analyzed by:<br>4531, 3379, 585, 4056                                          | Weight:<br>1.042g | Extraction date:<br>06/25/26 14:36:43 |       |           | Extracted by:<br>4531 |                     |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                           |                   |                                       |       |           |                       |                     |
| Analytical Batch : MI100119TER                                                 |                   |                                       |       |           |                       |                     |
| Instrument Used : DA-GCMS-004                                                  |                   |                                       |       |           |                       |                     |
| Batch Date : 06/25/26 09:04:59                                                 |                   |                                       |       |           |                       |                     |
| Analyzed Date : 06/27/26 15:20:01                                              |                   |                                       |       |           |                       |                     |
| Dilution : 10                                                                  |                   |                                       |       |           |                       |                     |
| Reagent : 041326.45                                                            |                   |                                       |       |           |                       |                     |
| Consumables : 947.110; 04312111; 2240626; 0000355309                           |                   |                                       |       |           |                       |                     |
| Pipette : DA-065                                                               |                   |                                       |       |           |                       |                     |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. |                   |                                       |       |           |                       |                     |



## Pesticide

PASSED

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 5     | PASS      | <0.0100 |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.0100 | 0.0500 | 1     | PASS      | <0.0100 |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.0100 | 0.0500 | 1     | PASS      | <0.0100 |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENOXYCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENPYROXIMATE                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FIPRONIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLONICAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLUDIOXONIL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| HEXYTHIAZOX                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| IMAZALIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian  
Celestino  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/28/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

GR,Pre-Pack FL,HH,Mini Buds,THC,0.125oz  
Strain: (H) Hickory Hash  
Matrix: Usable Whole Flower Marijuana  
Type: Flower-Cured



# Certificate of Analysis

Pages 4 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

Sample: MI60624009-010

Batch #: TLMB0623202601HS  
Harvest/Lot ID: F29HH0005182026  
Seed to sale: 2362116543041614

Ordered: 06/24/26  
Sampled: 06/24/26  
Completed: 06/28/26

**PASSED**

|  |                  |               |
|--|------------------|---------------|
|  | <b>Pesticide</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | <0.0100 |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.25  | PASS      | <0.0100 |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | <0.0100 |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0750 | 0.15  | PASS      | <0.0100 |           |
| TOTAL CHLORDANE                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |

|                                 |                  |                                       |                            |
|---------------------------------|------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>4451, 585, 4056 | Weight:<br>0.86g | Extraction date:<br>06/25/26 10:52:07 | Extracted by:<br>4640,4451 |
|---------------------------------|------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL  
Analytical Batch : MI100116PES  
Instrument Used : DA-LCMS-004 (PES)  
Batch Date : 06/25/26 08:57:18  
Analyzed Date : 06/26/26 10:32:22

Dilution : 250  
Reagent : 062326.R09; 012026.01; 062426.R03; 062326.R05; 062326.R04; 061626.R24; 062426.R01  
Consumables : 947.110; 030125CH01; 6822423-02  
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|                                 |                  |                                       |                            |
|---------------------------------|------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>3335, 585, 4056 | Weight:<br>0.86g | Extraction date:<br>06/25/26 10:52:07 | Extracted by:<br>4640,4451 |
|---------------------------------|------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL  
Analytical Batch : MI100118VOL  
Instrument Used : DA-GCMS-001  
Batch Date : 06/25/26 08:58:18  
Analyzed Date : 06/26/26 10:29:00

Dilution : 250  
Reagent : 062326.R09; 012026.01; 062426.R10; 062426.R13  
Consumables : 947.110; 030125CH01; 6822423-02; 17473601  
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/28/26  
Laboratory License #: 900013



# Certificate of Analysis

Pages 5 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

**Sample: MI60624009-010**

**Batch #:** TLMB0623202601HS  
**Harvest/Lot ID:** F29HH0005182026  
**Seed to sale:** 2362116543041614

**Ordered:** 06/24/26  
**Sampled:** 06/24/26  
**Completed:** 06/28/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                 | UNIT      | LOD   | LOQ   | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-----------|-------|-------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       | pass/fail | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    | pass/fail | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS NIGER        | pass/fail | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      | pass/fail | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ECOLI - SHIGELLA         | pass/fail | 1900  | 1900  | 1949   | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE | pass/fail | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g     | 10.0  | 10.0  | 100000 | PASS      | 11.4        |           |

**Analyzed by:** 4520, 4892, 585, 4056 **Weight:** 1.156g **Extraction date:** 06/25/26 10:06:50 **Extracted by:** 4520

**Analysis Method :** SOP.T.40.056C

**Analytical Batch :** MI100108MIC

**Instrument Used :** DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)

**Batch Date :** 06/25/26 07:41:02

**Analyzed Date :** 06/27/26 12:35:21

**Dilution :** 10

**Reagent :** 040726.38; 040726.55; 051326.R45; 031026.17

**Consumables :** 7590002057

**Pipette :** N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

**Analyzed by:** 4520, 4892, 585, 4056 **Weight:** 1.151g **Extraction date:** 06/25/26 10:09:25 **Extracted by:** 4520

**Analysis Method :** SOP.T.40.209.FL

**Analytical Batch :** MI100109TYM

**Instrument Used :** DA-328 (25°C Incubator)

**Batch Date :** 06/25/26 07:41:06

**Analyzed Date :** 06/27/26 15:07:32

**Dilution :** 10

**Reagent :** 022626.27; 022626.28; 041526.R47

**Consumables :** N/A

**Pipette :** N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



## Mycotoxins

**PASSED**

| ANALYTES     | UNIT | LOD     | LOQ    | LIMIT | PASS/FAIL | RESULT   | QUALIFIER |
|--------------|------|---------|--------|-------|-----------|----------|-----------|
| AFLATOXIN B1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN B2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| OCHRATOXIN A | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |

**Analyzed by:** 4451, 585, 4056 **Weight:** 0.86g **Extraction date:** 06/25/26 10:52:07 **Extracted by:** 4640, 4451

**Analysis Method :** SOP.T.30.102.FL, SOP.T.40.102.FL

**Analytical Batch :** MI100117MYC

**Instrument Used :** DA-LCMS-004 (MYC)

**Batch Date :** 06/25/26 08:58:14

**Analyzed Date :** 06/26/26 10:29:48

**Dilution :** 250

**Reagent :** 062326.R09; 012026.01; 062426.R03; 062326.R06; 062426.R37; 061626.R24; 062426.R01

**Consumables :** 947.110; 030125CH01; 6822423-02

**Pipette :** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
06/28/26  
**Laboratory License #:** 900013



# Certificate of Analysis

Pages 6 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

**Sample: MI60624009-010**

**Batch #:** TLMB0623202601HS  
**Harvest/Lot ID:** F29HH0005182026  
**Seed to sale:** 2362116543041614

**Ordered:** 06/24/26  
**Sampled:** 06/24/26  
**Completed:** 06/28/26

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                                   |  | UNIT              | LOD   | LOQ                                   | LIMIT | PASS/FAIL                      | RESULT | QUALIFIER |
|------------------------------------------------------------|--|-------------------|-------|---------------------------------------|-------|--------------------------------|--------|-----------|
| WATER ACTIVITY                                             |  | aw                | 0.010 | 0.10                                  | 0.65  | PASS                           | 0.58   |           |
| Analyzed by:<br>4056, 585                                  |  | Weight:<br>1.531g |       | Extraction date:<br>06/25/26 14:50:31 |       | Extracted by:<br>4056          |        |           |
| Analysis Method : SOP.T.40.019                             |  |                   |       |                                       |       |                                |        |           |
| Analytical Batch : MI100133WAT                             |  |                   |       |                                       |       |                                |        |           |
| Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) |  |                   |       |                                       |       | Batch Date : 06/25/26 13:57:21 |        |           |
| Analyzed Date : 06/26/26 10:34:48                          |  |                   |       |                                       |       |                                |        |           |
| Dilution : N/A                                             |  |                   |       |                                       |       |                                |        |           |
| Reagent : 050726.03                                        |  |                   |       |                                       |       |                                |        |           |
| Consumables : PS-14                                        |  |                   |       |                                       |       |                                |        |           |
| Pipette : N/A                                              |  |                   |       |                                       |       |                                |        |           |



## Moisture Content

**PASSED**

| ANALYTES                                   |  | UNIT              | LOD  | LOQ                                   | LIMIT                          | PASS/FAIL             | RESULT | QUALIFIER |
|--------------------------------------------|--|-------------------|------|---------------------------------------|--------------------------------|-----------------------|--------|-----------|
| MOISTURE CONTENT                           |  | %                 | 1.00 | 1.00                                  | 15                             | PASS                  | 12.2   |           |
| Analyzed by:<br>4056, 585                  |  | Weight:<br>0.507g |      | Extraction date:<br>06/25/26 15:54:30 |                                | Extracted by:<br>4056 |        |           |
| Analysis Method : SOP.T.40.021.FL          |  |                   |      |                                       |                                |                       |        |           |
| Analytical Batch : MI100132MOI             |  |                   |      |                                       |                                |                       |        |           |
| Instrument Used : DA-003 Moisture Analyzer |  |                   |      |                                       | Batch Date : 06/25/26 13:57:13 |                       |        |           |
| Analyzed Date : 06/26/26 10:23:00          |  |                   |      |                                       |                                |                       |        |           |
| Dilution : N/A                             |  |                   |      |                                       |                                |                       |        |           |
| Reagent : 050626.11; 031523.19             |  |                   |      |                                       |                                |                       |        |           |
| Consumables : N/A                          |  |                   |      |                                       |                                |                       |        |           |
| Pipette : DA-066                           |  |                   |      |                                       |                                |                       |        |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                       |  | UNIT               | LOD    | LOQ                                   | LIMIT                          | PASS/FAIL | RESULT                | QUALIFIER |
|--------------------------------------------------------------------------------------------------------------------------------|--|--------------------|--------|---------------------------------------|--------------------------------|-----------|-----------------------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                  |  | ppm                | 0.0800 | 0.400                                 | 1.1                            | PASS      | <0.0800               |           |
| ARSENIC                                                                                                                        |  | ppm                | 0.0200 | 0.100                                 | 0.2                            | PASS      | <0.0200               |           |
| CADMIUM                                                                                                                        |  | ppm                | 0.0200 | 0.100                                 | 0.2                            | PASS      | <0.0200               |           |
| LEAD                                                                                                                           |  | ppm                | 0.0200 | 0.100                                 | 0.5                            | PASS      | <0.0200               |           |
| MERCURY                                                                                                                        |  | ppm                | 0.0200 | 0.100                                 | 0.2                            | PASS      | <0.0200               |           |
| Analyzed by:<br>1022, 5122, 585, 4056                                                                                          |  | Weight:<br>0.2649g |        | Extraction date:<br>06/25/26 11:36:21 |                                |           | Extracted by:<br>1022 |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                                                             |  |                    |        |                                       |                                |           |                       |           |
| Analytical Batch : MI100121HEA                                                                                                 |  |                    |        |                                       |                                |           |                       |           |
| Instrument Used : DA-ICPMS-005                                                                                                 |  |                    |        |                                       | Batch Date : 06/25/26 09:39:05 |           |                       |           |
| Analyzed Date : 06/26/26 10:39:20                                                                                              |  |                    |        |                                       |                                |           |                       |           |
| Dilution : 50                                                                                                                  |  |                    |        |                                       |                                |           |                       |           |
| Reagent : 060126.R03; 061726.R78; 062426.R44; 062326.R03; 061826.R13; 062326.R01; 062326.R02; 050626.11; 052826.R08; 032326.01 |  |                    |        |                                       |                                |           |                       |           |
| Consumables : 030125CH01; J609879-0193; 179436                                                                                 |  |                    |        |                                       |                                |           |                       |           |
| Pipette : DA-061; DA-191; DA-215                                                                                               |  |                    |        |                                       |                                |           |                       |           |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/28/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

GR,Pre-Pack FL,HIH,Mini Buds,THC,0.125oz  
Strain: (H) Hickory Hash  
Matrix: Usable Whole Flower Marijuana  
Type: Flower-Cured



# Certificate of Analysis

Pages 7 of 7

**CURALEAF FLORIDA LLC**

19000 SW 192 STREET  
MIAMI, FL, 33187, US  
CURALEAF  
License # : M00001CULPROMiami002

**Sample: MI60624009-010**

**Batch #:** TLMB0623202601HS  
**Harvest/Lot ID:** F29HIH0005182026  
**Seed to sale:** 2362116543041614

**Ordered:** 06/24/26  
**Sampled:** 06/24/26  
**Completed:** 06/28/26

**PASSED**



## Filth/Foreign Material

**PASSED**

| ANALYTES                                            |  | UNIT          | LOD                                   | LOQ   | LIMIT                          | PASS/FAIL | RESULT                | QUALIFIER |
|-----------------------------------------------------|--|---------------|---------------------------------------|-------|--------------------------------|-----------|-----------------------|-----------|
| FILTH AND FOREIGN MATERIAL                          |  | %             | 0.100                                 | 0.500 | 1                              | PASS      | <0.100                |           |
| Analyzed by:<br>4571, 585, 4056                     |  | Weight:<br>1g | Extraction date:<br>06/25/26 14:31:28 |       |                                |           | Extracted by:<br>4571 |           |
| Analysis Method : SOP.T.40.090                      |  |               |                                       |       |                                |           |                       |           |
| Analytical Batch : MI100135FIL                      |  |               |                                       |       |                                |           |                       |           |
| Instrument Used : Filth/Foreign Material Microscope |  |               |                                       |       | Batch Date : 06/25/26 14:30:05 |           |                       |           |
| Analyzed Date : 06/26/26 11:10:10                   |  |               |                                       |       |                                |           |                       |           |
| Dilution : N/A                                      |  |               |                                       |       |                                |           |                       |           |
| Reagent : N/A                                       |  |               |                                       |       |                                |           |                       |           |
| Consumables : N/A                                   |  |               |                                       |       |                                |           |                       |           |
| Pipette : N/A                                       |  |               |                                       |       |                                |           |                       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
06/28/26  
Laboratory License #: 900013