



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 2629333995345245
Retail Batch #: 260625.PIHE.1BATR
Batch Date: 06/25/26
Harvest Date: 05/05/26
Production Method: Other - Not Listed
Total Amount: 484 units
Cultivation Facility: Auburndale
Processing Facility: Auburndale
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 9299007184912641

Lab ID: MI60627005-008
Sampled: 06/26/26
Sample Size: 16 units
Completed: 06/30/26
Expires: 06/27/27
Manifest #: 8868222659710590
Source Facility: Auburndale

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US

License # : M00016CULPROAuburndale001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
72.2%

Total THC/Container : 722 mg



Total CBD
0.160%

Total CBD/Container : 1.60 mg



Total Cannabinoids
83.5%

Total Cannabinoids/Container : 835 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	14.3	66.0	<0.00200	0.182	0.456	0.419	1.53	0.0540	0.0750	<0.00200	0.179	0.313
mg/unit	143	660	<0.00200	1.82	4.56	4.19	15.3	0.540	0.750	<0.00200	1.79	3.13
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
5150, 1665, 585, 1440

Weight:
0.1059g

Extraction date:
06/27/26 15:19:41

Extracted by:
5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100178POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 06/29/26 10:28:15

Batch Date : 06/27/26 10:24:47

Dilution : 400

Reagent : 061226.R29; 102725.04; 061226.R28

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

BATR-Pi Head-1G
Strain: Pi Head
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Badder



Certificate of Analysis

Pages 2 of 7

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60627005-008
Batch #: 260625.PIHE.1BATR
Harvest/Lot ID: 2629333995345245
Seed to sale: 9299007184912641

Expires: 06/27/27
Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED



Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by:	Weight:	Extraction date:	Extracted by:				
Analysis Method : N/A							
Analytical Batch : N/A							
Instrument Used : N/A							
Analyzed Date : 06/29/26 10:28:14							



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.00700	0.0200	TESTED	6.37	63.7		
BETA-MYRCENE	0.00700	0.0200	TESTED	3.47	34.7		
OCIMENE	0.00700	0.0200	TESTED	0.860	8.60		
ALPHA-PINENE	0.00700	0.0200	TESTED	0.710	7.10		
LIMONENE	0.00700	0.0200	TESTED	0.336	3.36		
BETA-CARYOPHYLLENE	0.00700	0.0200	TESTED	0.312	3.12		
BETA-PINENE	0.00700	0.0200	TESTED	0.214	2.14		
LINALOOL	0.00700	0.0200	TESTED	0.171	1.71		
ALPHA-HUMULENE	0.00700	0.0200	TESTED	0.105	1.05		
GUAIOL	0.00700	0.0200	TESTED	0.0816	0.816		
FENCHYL ALCOHOL	0.00700	0.0200	TESTED	0.0350	0.350		
CAMPHENE	0.00700	0.0200	TESTED	0.0348	0.348		
ALPHA-TERPINOLENE	0.00700	0.0200	TESTED	0.0243	0.243		
ALPHA-BISABOLOL	0.00700	0.0200	TESTED	0.0204	0.204		
CARYOPHYLLENE OXIDE	0.00700	0.0200	TESTED	<0.0200	<0.200		
FARNESENE	0.00700	0.0200	TESTED	<0.0200	<0.200		
ALPHA-TERPINEOL	0.00700	0.0200	TESTED	<0.0200	<0.200		
TRANS-NEROLIDOL	0.00500	0.0160	TESTED	<0.0160	<0.160		
3-CARENE	0.00700	0.0200	TESTED	<0.00700	<0.200		
BORNEOL	0.0130	0.0400	TESTED	<0.0130	<0.400		
CAMPHOR	0.00700	0.0200	TESTED	<0.00700	<0.200		
CEDROL	0.00700	0.0200	TESTED	<0.00700	<0.200		
EUCALYPTOL	0.00700	0.0200	TESTED	<0.00700	<0.200		
FENCHONE	0.00700	0.0200	TESTED	<0.00700	<0.200		
GERANIOL	0.00700	0.0200	TESTED	<0.00700	<0.200		
GERANYL ACETATE	0.00700	0.0200	TESTED	<0.00700	<0.200		
HEXAHYDROTHYMOL	0.00700	0.0200	TESTED	<0.00700	<0.200		
ISOBORNEOL	0.00700	0.0200	TESTED	<0.00700	<0.200		
ISOPULEGOL	0.00700	0.0200	TESTED	<0.00700	<0.200		
NEROL	0.00700	0.0200	TESTED	<0.00700	<0.200		
PULEGONE	0.00700	0.0200	TESTED	<0.00700	<0.200		
SABINENE	0.00700	0.0200	TESTED	<0.00700	<0.200		
SABINENE HYDRATE	0.00700	0.0200	TESTED	<0.00700	<0.200		
VALENCENE	0.00700	0.0200	TESTED	<0.00700	<0.200		
ALPHA-CEDRENE	0.00500	0.0160	TESTED	<0.00500	<0.160		
ALPHA-PHELLANDRENE	0.00700	0.0200	TESTED	<0.00700	<0.200		
ALPHA-TERPINENE	0.00700	0.0200	TESTED	<0.00700	<0.200		
CIS-NEROLIDOL	0.00300	0.00800	TESTED	<0.00300	<0.0800		
GAMMA-TERPINENE	0.00700	0.0200	TESTED	<0.00700	<0.200		

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

BATR-Pi Head-1G

Strain: Pi Head

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Badger



Certificate of Analysis

Pages 3 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60627005-008

Batch #: 260625.PIHE.1BATR
Harvest/Lot ID: 2629333995345245
Seed to sale: 9299007184912641

Expires: 06/27/27

Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
Analyzed by: 4531, 585, 1440	Weight: 0.2153g	Extraction date: 06/28/26 15:01:12			Extracted by: 4571,4531	
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch : MI100185TER						
Instrument Used : DA-GCMS-009						
Analyzed Date : 06/30/26 12:47:07						
Batch Date : 06/27/26 13:20:48						
Dilution : 10						
Reagent : 041326.45						
Consumables : 947.110; 04312111; 2240626; 0000355309						
Pipette : DA-065						
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.						



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	<0.0100	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	<0.0100	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
BATR-Pi Head-1G
Strain: Pi Head
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Badder



Certificate of Analysis

Pages 4 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60627005-008

Batch #: 260625.PIHE.1BATR
Harvest/Lot ID: 2629333995345245
Seed to sale: 9299007184912641

Expires: 06/27/27

Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.25	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0750	0.15	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	

Analyzed by: 4451, 585, 1440 Weight: 0.2878g Extraction date: 06/29/26 08:18:39 Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100188PES

Instrument Used : DA-LCMS-003 (PES)

Batch Date : 06/27/26 13:26:20

Analyzed Date : 06/30/26 09:52:44

Dilution : 250

Reagent : 062426.R03; 062926.R01; 062326.R05; 062326.R04; 061626.R24; 062426.R01; 012026.01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 1440 Weight: 0.2878g Extraction date: 06/29/26 08:18:39 Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100190VOL

Instrument Used : DA-GCMS-011

Batch Date : 06/27/26 13:30:00

Analyzed Date : 06/30/26 09:49:49

Dilution : 250

Reagent : 062926.R01; 012026.01; 062426.R10; 062426.R13

Consumables : 927.100; 030125CH01; 221021DD; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
BATR-Pi Head-1G
Strain: Pi Head
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Badder



Certificate of Analysis

Pages 5 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60627005-008

Batch #: 260625.PIHE.1BATR
Harvest/Lot ID: 2629333995345245
Seed to sale: 9299007184912641

Expires: 06/27/27

Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	<0.800	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	<0.200	
2-PROPANOL	ppm	50.0	250	500	PASS	<50.0	
ACETONE	ppm	75.0	375	750	PASS	<75.0	
ACETONITRILE	ppm	6.00	30.0	60	PASS	<6.00	
BENZENE	ppm	0.100	0.500	1	PASS	<0.100	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	<2500	
CHLOROFORM	ppm	0.200	1.00	2	PASS	<0.200	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	<12.5	
ETHANOL	ppm	500	2500	5000	PASS	<500	
ETHYL ACETATE	ppm	40.0	200	400	PASS	<40.0	
ETHYL ETHER	ppm	50.0	250	500	PASS	<50.0	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	<0.500	
HEPTANE	ppm	500	2500	5000	PASS	<500	
METHANOL	ppm	25.0	125	250	PASS	<25.0	
N-HEXANE	ppm	25.0	125	250	PASS	<25.0	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	<75.0	
PROPANE	ppm	500	2500	5000	PASS	<500	
TOLUENE	ppm	15.0	75.0	150	PASS	<15.0	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	<15.0	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	<2.50	

Analyzed by: 4571, 4444, 585, 1440	Weight: 0.0232g	Extraction date: 06/28/26 09:31:43	Extracted by: 4571,585
---------------------------------------	--------------------	---------------------------------------	---------------------------

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI100201SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 06/30/26 12:06:21

Batch Date : 06/27/26 15:25:49

Dilution : 1
Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS	CFU/g	1.0	N/A	1	PASS	Not Present	
ASPERGILLUS FUMIGATUS	CFU/g	1.0	N/A	1	PASS	Not Present	
ASPERGILLUS NIGER	CFU/g	1.0	N/A	1	PASS	Not Present	
ASPERGILLUS TERREUS	CFU/g	1.0	N/A	1	PASS	Not Present	
ECOLI - SHIGELLA	CFU/g	1.0	N/A	1	PASS	Not Present	
SALMONELLA SPECIFIC GENE	CFU/g	1.0	N/A	1	PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
BATR-Pi Head-1G
Strain: Pi Head
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Badder



Certificate of Analysis

Pages 6 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60627005-008

Batch #: 260625.PIHE.1BATR
Harvest/Lot ID: 2629333995345245
Seed to sale: 9299007184912641

Expires: 06/27/27

Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4892, 5008, 585, 1440	Weight: 1.0183g		Extraction date: 06/27/26 12:49:53			Extracted by: 4892	
Analysis Method : SOP.T.40.056C Analytical Batch : MI100175MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 06/29/26 15:27:22 Dilution : 10 Reagent : 040726.57; 040726.58; 051326.R45; 031026.17 Consumables : 7590002053 Pipette : N/A							
Batch Date : 06/27/26 10:12:11							
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.							

Analyzed by: 4892, 4520, 585, 1440	Weight: 0.889g		Extraction date: 06/27/26 12:52:57			Extracted by: 4892	
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI100176TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 06/29/26 19:08:24 Dilution : 10 Reagent : 022626.27; 022626.28; 041526.R47 Consumables : N/A Pipette : N/A							
Batch Date : 06/27/26 10:12:15							
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.							



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
Analyzed by: 4451, 585, 1440	Weight: 0.2878g		Extraction date: 06/29/26 08:18:39			Extracted by: 4451	
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI100189MYC Instrument Used : DA-LCMS-003 (MYC) Analyzed Date : 06/30/26 09:28:27 Dilution : 250 Reagent : 062426.R03; 062926.R01; 062326.R05; 062326.R04; 061626.R24; 062426.R01; 012026.01 Consumables : 947.110; 030125CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219							
Batch Date : 06/27/26 13:29:05							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.59	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

BATR-Pi Head-1G

Strain: Pi Head

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Badder



Certificate of Analysis

Pages 7 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60627005-008

Batch #: 260625.PIHE.1BATR
Harvest/Lot ID: 2629333995345245
Seed to sale: 9299007184912641

Expires: 06/27/27

Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4571, 4056, 585, 1440	Weight: 1.732g	Extraction date: 06/29/26 16:59:31	Extracted by: 4056				
Analysis Method : SOP.T.40.019 Analytical Batch : MI100199WAT Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 06/29/26 18:57:40							
Batch Date : 06/27/26 14:11:11							
Dilution : N/A Reagent : 050726.03 Consumables : PS-14 Pipette : N/A							



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	<0.0800	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	<0.0200	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	<0.0200	
LEAD	ppm	0.0200	0.100	0.5	PASS	<0.0200	
MERCURY	ppm	0.0200	0.100	0.2	PASS	<0.0200	
Analyzed by: 1022, 585, 1440	Weight: 0.2641g	Extraction date: 06/27/26 14:51:18	Extracted by: 1022,5122				
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI100183HEA Instrument Used : DA-ICPMS-005 Analyzed Date : 06/30/26 09:32:58							
Batch Date : 06/27/26 10:32:33							
Dilution : 50 Reagent : 060126.R03; 061726.R78; 062426.R44; 062326.R03; 061826.R13; 062326.R01; 062326.R02; 050626.11; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-061; DA-191; DA-215							

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filtration/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTRATION AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	<0.100	
Analyzed by: 4571, 585, 1440	Weight: 1g	Extraction date: 06/27/26 14:14:23	Extracted by: 4571				
Analysis Method : SOP.T.40.090 Analytical Batch : MI100200FIL Instrument Used : Filtration/Foreign Material Microscope Analyzed Date : 06/29/26 10:29:29							
Batch Date : 06/27/26 14:11:57							
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/30/26
Laboratory License #: 900013