



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 011525-MTDS
Retail Batch #: GEL-732-GRAP-F
Batch Date: 06/22/26
Harvest Date: 01/16/25
Production Method: Other - Not Listed
Total Amount: 1962 units
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 41.9976 gram
Retail Serving Size: 4.5 gram
Servings: 10
Seed To Sale #: 6162329151775083

Lab ID: MI60702011-001
Sampled: 07/02/26
Sampling Method: SOP.T.20.010
Sample Size: 10 units
Completed: 07/08/26
Expires: 07/02/27
Manifest #: 2295047432858034
Source Facility: Lake Wales

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US

License # : M00007CULPROLakeWales001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.228%

Total THC/Container : 95.9 mg



Total CBD
0.000865%

Total CBD/Container : 0.363 mg



Total Cannabinoids
0.243%

Total Cannabinoids/Container : 102 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.228	<0.0000670	0.000865	<0.0000670	<0.0000670	0.00412	<0.0000670	0.00240	0.00119	<0.0000670	0.00556	<0.0000670
mg/unit	95.9	<0.0000670	0.363	<0.0000670	<0.0000670	1.73	<0.0000670	1.01	0.499	<0.0000670	2.34	<0.0000670
LOD	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670
LOQ	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
4640, 1665, 585, 4056

Weight:
3.0963g

Extraction date:
07/03/26 16:57:00

Extracted by:
5150,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100302POT

Instrument Used : DA-LC-008 (Edible)

Analyzed Date : 07/06/26 10:16:48

Batch Date : 07/03/26 14:37:29

Dilution : 40

Reagent : 050626.11; 061226.R31; 010825.18; 061226.R30

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/08/26
Laboratory License #: 900013



Certificate of Analysis

Pages 2 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60702011-001

Batch #: GEL-732-GRAP-F
Harvest/Lot ID: 011525-MTDS
Seed to sale: 6162329151775083

Expires: 07/02/27

Ordered: 07/02/26
Sampled: 07/02/26
Completed: 07/08/26

PASSED



Label Claim Verification

TESTED

ANALYTES

PACKAGE LABEL DEVIATION (THC)

UNIT LOD

% -100

LOQ

-100

LIMIT

TESTED

PASS/FAIL

-4.08

RESULT

QUALIFIER

Analyzed by:

Weight:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 07/08/26 10:34:04

Batch Date : N/A



Pesticide

PASSED

ANALYTES

TOTAL CONTAMINANT LOAD (PESTICIDES)

UNIT LOD

ppm 0.0100

LOQ

0.0500

LIMIT

30

PASS/FAIL

PASS

RESULT

<0.0100

QUALIFIER

TOTAL DIMETHOMORPH

ppm 0.0100

0.0500

3

PASS

<0.0100

TOTAL PERMETHRIN

ppm 0.0100

0.0500

1

PASS

<0.0100

TOTAL PYRETHRINS

ppm 0.0100

0.0500

1

PASS

<0.0100

TOTAL SPINETORAM

ppm 0.0100

0.0500

3

PASS

<0.0100

TOTAL SPINOSAD

ppm 0.0100

0.0500

3

PASS

<0.0100

ABAMECTIN B1A

ppm 0.0100

0.0500

0.3

PASS

<0.0100

ACEPHATE

ppm 0.0100

0.0500

3

PASS

<0.0100

ACEQUINOCYL

ppm 0.0100

0.0500

2

PASS

<0.0100

ACETAMIPRID

ppm 0.0100

0.0500

3

PASS

<0.0100

ALDICARB

ppm 0.0100

0.0500

0.1

PASS

<0.0100

AZOXYSTROBIN

ppm 0.0100

0.0500

3

PASS

<0.0100

BIFENAZATE

ppm 0.0100

0.0500

3

PASS

<0.0100

CHLORPYRIFOS

ppm 0.0100

0.0500

0.1

PASS

<0.0100

BIFENTHRIN

ppm 0.0100

0.0500

0.5

PASS

<0.0100

BOSCALID

ppm 0.0100

0.0500

3

PASS

<0.0100

CARBARYL

ppm 0.0100

0.0500

0.5

PASS

<0.0100

CLOFENTEZINE

ppm 0.0100

0.0500

0.5

PASS

<0.0100

CARBOFURAN

ppm 0.0100

0.0500

0.1

PASS

<0.0100

COUMAPHOS

ppm 0.0100

0.0500

0.1

PASS

<0.0100

CHLORANTRANILIPROLE

ppm 0.0100

0.0500

3

PASS

<0.0100

CHLORMEQUAT CHLORIDE

ppm 0.0100

0.0500

3

PASS

<0.0100

DAMINOZIDE

ppm 0.0100

0.0500

0.1

PASS

<0.0100

DIAZINON

ppm 0.0100

0.0500

0.2

PASS

<0.0100

DICHLORVOS

ppm 0.0100

0.0500

0.1

PASS

<0.0100

DIMETHOATE

ppm 0.0100

0.0500

0.1

PASS

<0.0100

ETHOPROPHOS

ppm 0.0100

0.0500

0.1

PASS

<0.0100

ETOFENPROX

ppm 0.0100

0.0500

0.1

PASS

<0.0100

ETOXAZOLE

ppm 0.0100

0.0500

1.5

PASS

<0.0100

FENHEXAMID

ppm 0.0100

0.0500

3

PASS

<0.0100

FENOXYCARB

ppm 0.0100

0.0500

0.1

PASS

<0.0100

FENPYROXIMATE

ppm 0.0100

0.0500

2

PASS

<0.0100

FIPRONIL

ppm 0.0100

0.0500

0.1

PASS

<0.0100

FLONICAMID

ppm 0.0100

0.0500

2

PASS

<0.0100

FLUDIOXONIL

ppm 0.0100

0.0500

3

PASS

<0.0100

HEXYTHIAZOX

ppm 0.0100

0.0500

2

PASS

<0.0100

IMAZALIL

ppm 0.0100

0.0500

0.1

PASS

<0.0100

IMIDACLOPRID

ppm 0.0100

0.0500

3

PASS

<0.0100

KRESOXIM-METHYL

ppm 0.0100

0.0500

1

PASS

<0.0100

MALATHION

ppm 0.0100

0.0500

2

PASS

<0.0100

METALAXYL



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
FRÜTFUL GRAP - Gels 10 pack
Strain: GRAP
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 3 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60702011-001

Batch #: GEL-732-GRAP-F
Harvest/Lot ID: 011525-MTDS
Seed to sale: 6162329151775083

Expires: 07/02/27

Ordered: 07/02/26
Sampled: 07/02/26
Completed: 07/08/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	3	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	1	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0750	0.2	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CAPTAN	ppm	0.0700	0.350	3	PASS	<0.0700	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	1	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	1	PASS	<0.0500	

Analyzed by:
3379, 4056

Weight:
1.041g

Extraction date:
07/06/26 09:50:31

Extracted by:
3335,3379

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100329PES

Instrument Used : DA-LCMS-005 (PES)

Analyzed Date : 07/08/26 19:05:48

Batch Date : 07/06/26 07:33:10

Dilution : 250

Reagent : 070226.R01; 012026.01; 070126.R03; 070126.R39; 070126.R38; 061626.R24; 070126.R01

Consumables : 947.110; 040724CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
3335, 3379, 4056

Weight:
1.041g

Extraction date:
07/06/26 09:50:31

Extracted by:
3335,3379

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100331VOL

Instrument Used : DA-GCMS-010

Analyzed Date : 07/08/26 18:53:46

Batch Date : 07/06/26 07:34:28

Dilution : 250

Reagent : 070226.R01; 012026.01; 070126.R26; 070126.R27

Consumables : 947.110; 040724CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/08/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
FRÜTFUL GRAP - Gels 10 pack
Strain: GRAP
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 4 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60702011-001

Batch #: GEL-732-GRAP-F
Harvest/Lot ID: 011525-MTDS
Seed to sale: 6162329151775083

Expires: 07/02/27

Ordered: 07/02/26
Sampled: 07/02/26
Completed: 07/08/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	<0.800	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	<0.200	
2-PROPANOL	ppm	50.0	250	5000	PASS	<50.0	
ACETONE	ppm	75.0	375	5000	PASS	<75.0	
ACETONITRILE	ppm	6.00	30.0	410	PASS	<6.00	
BENZENE	ppm	0.100	0.500	1	PASS	<0.100	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	<500	
CHLOROFORM	ppm	0.200	1.00	2	PASS	<0.200	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	<12.5	
ETHANOL	ppm	500	2500	5000	PASS	<500	
ETHYL ACETATE	ppm	40.0	200	5000	PASS	<40.0	
ETHYL ETHER	ppm	50.0	250	5000	PASS	<50.0	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	<0.500	
HEPTANE	ppm	500	2500	5000	PASS	<500	
METHANOL	ppm	25.0	125	3000	PASS	<25.0	
N-HEXANE	ppm	25.0	125	250	PASS	<25.0	
PENTANES (N-PENTANE)	ppm	75.0	375	5000	PASS	<75.0	
PROPANE	ppm	500	1080	5000	PASS	<500	
TOLUENE	ppm	15.0	75.0	890	PASS	<15.0	
TOTAL XYLENES	ppm	15.0	75.0	2170	PASS	<15.0	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	<2.50	

Analyzed by:
4444, 585, 4056

Weight:
0.023g

Extraction date:
07/05/26 09:55:31

Extracted by:
4571

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI100324SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 07/06/26 09:51:12

Batch Date : 07/04/26 14:48:05

Dilution : 1
Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS FUMIGATUS	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS NIGER	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS TERREUS	RFU	10000	10000	10000	PASS	Not Present	
ECOLI - SHIGELLA	RFU	1900	1900	1949	PASS	Not Present	
SALMONELLA SPECIFIC GENE	RFU	10000	10000	10000	PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/08/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
FRÜTFUL GRAP - Gels 10 pack
Strain: GRAP
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 5 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60702011-001

Batch #: GEL-732-GRAP-F
Harvest/Lot ID: 011525-MTDS
Seed to sale: 6162329151775083

Expires: 07/02/27

Ordered: 07/02/26
Sampled: 07/02/26
Completed: 07/08/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4571, 4520, 585, 4056	Weight: 0.9381g	Extraction date: 07/04/26 11:32:29			Extracted by: 4571,4520		
Analysis Method : SOP.T.40.056C Analytical Batch : MI100318MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)							
Analyzed Date : 07/07/26 10:18:45						Batch Date : 07/04/26 09:01:45	
Dilution : 10 Reagent : 040726.59; 041326.01; 051326.R45; 031026.17 Consumables : 7590001005; 7591001016 Pipette : N/A							
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.							

Analyzed by: 4571, 5008, 585, 4056	Weight: 0.9133g	Extraction date: 07/04/26 12:59:29	Extracted by: 4571,4520
Analysis Method : SOP.T.40.209.FL			
Analytical Batch : MI100319TYM			
Instrument Used : DA-328 (25°C Incubator)		Batch Date : 07/04/26 09:07:27	
Analyzed Date : 07/07/26 09:33:02			
Dilution : 10			
Reagent : N/A			
Consumables : N/A			
Pipette : N/A			
Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.			



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
Analyzed by: 585, 4056	Weight: 1.041g	Extraction date: 07/06/26 09:50:31			Extracted by: 3335,3379		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL							
Analytical Batch : MI100330MYC							
Instrument Used : DA-LCMS-005 (MYC)				Batch Date : 07/06/26 07:34:22			
Analyzed Date : 07/07/26 09:38:08							
Dilution : 250							
Reagent : 070226.R01; 012026.01; 070126.R03; 070126.R39; 070126.R38; 061626.R24; 070126.R01							
Consumables : 947.110; 040724CH01; 6822423-02							
Pipette : DA-093; DA-094; DA-219							
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.55	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/08/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
FRÜTFUL GRAP - Gels 10 pack
Strain: GRAP
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 6 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60702011-001

Batch #: GEL-732-GRAP-F
Harvest/Lot ID: 011525-MTDS
Seed to sale: 6162329151775083

Expires: 07/02/27

Ordered: 07/02/26
Sampled: 07/02/26
Completed: 07/08/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4797, 585, 4056	Weight: 4.235g	Extraction date: 07/03/26 17:29:06				Extracted by: 4797	
Analysis Method : SOP.T.40.019							
Analytical Batch : MI100310WAT							
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)							
Analyzed Date : 07/06/26 09:57:10							
Batch Date : 07/03/26 15:28:00							
Dilution : N/A							
Reagent : 050726.03							
Consumables : PS-14							
Pipette : N/A							



Homogeneity Testing

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL THC - HOMOGENEITY (RSD)	%	0.00100	0.0100	25	PASS	1.18	
Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL							
Analytical Batch : MI100297HOM							
Instrument Used : DA-LC-001							
Analyzed Date : 07/07/26 14:44:59							
Batch Date : 07/03/26 13:04:52							
Dilution : 40							
Reagent : 050626.11; 062626.R01; 010825.18; 063026.R04							
Consumables : 947.110; 04312111; 031425CH01; 1009318445; 1009468599; 0000214700							
Pipette : DA-108; DA-421							

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	5	PASS	<0.0800	
ARSENIC	ppm	0.0200	0.100	1.5	PASS	<0.0200	
CADMIUM	ppm	0.0200	0.100	0.5	PASS	<0.0200	
LEAD	ppm	0.0200	0.100	0.5	PASS	<0.0200	
MERCURY	ppm	0.0200	0.100	3	PASS	<0.0200	
Analyzed by: 1022, 585, 4056	Weight: 0.2848g	Extraction date: 07/03/26 16:20:13				Extracted by: 5122	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL							
Analytical Batch : MI100305HEA							
Instrument Used : DA-ICPMS-005							
Analyzed Date : 07/07/26 09:29:57							
Batch Date : 07/03/26 15:09:07							
Dilution : 50							
Reagent : 060126.R03; 063026.R24; 062426.R44; 062926.R21; 061826.R13; 062926.R19; 062926.R20; 050626.11; 052826.R08; 032326.01							
Consumables : 030125CH01; J609879-0193; 179436							
Pipette : DA-061; DA-191; DA-215							

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/08/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
FRÜTFUL GRAP - Gels 10 pack
Strain: GRAP
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 7 of 7

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60702011-001
Batch #: GEL-732-GRAP-F
Harvest/Lot ID: 011525-MTDS
Seed to sale: 6162329151775083

Expires: 07/02/27
Ordered: 07/02/26
Sampled: 07/02/26
Completed: 07/08/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL		%	0.100	0.500	1	PASS	<0.100	
Analyzed by: 4797, 585, 4056	Weight: 1g	Extraction date: 07/03/26 15:32:46			Extracted by: 4797,585			
Analysis Method : SOP.T.40.090								
Analytical Batch : MI100311FIL								
Instrument Used : Filth/Foreign Material Microscope					Batch Date : 07/03/26 15:30:06			
Analyzed Date : 07/06/26 09:51:52								
Dilution : N/A								
Reagent : N/A								
Consumables : N/A								
Pipette : N/A								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/08/26
Laboratory License #: 900013