




# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 052126-OGDX-WCP  
**Retail Batch #:** ID2012 DBOG DSP2 (S)  
**Batch Date:** 07/02/26  
**Harvest Date:** 05/21/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 494 units  
**Cultivation Facility:** Lake Wales  
**Retail Product Size:** 2 gram  
**Retail Serving Size:** 2 gram  
**Servings:** 1  
**Seed To Sale #:** 8737584848698075

**Lab ID:** MI60706004-004  
**Sampled:** 07/06/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 9 units  
**Completed:** 07/09/26  
**Expires:** 07/06/27  
**Manifest #:** 8586573320033534  
**Source Facility:** Lake Wales

### GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
**License # :** M00007CULPROLakeWales001



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**TESTED**



### Cannabinoid

### TESTED



**Total THC**  
**85.7%**

Total THC/Container : 1710 mg



**Total CBD**  
**0.258%**

Total CBD/Container : 5.15 mg



**Total Cannabinoids**  
**88.6%**

Total Cannabinoids/Container : 1770 mg

|         | D9-THC  | THCA     | CBD     | CBDA     | D8-THC   | CBG     | CBGA     | CBN     | THCV    | CBDV     | CBC     | THCVA    |
|---------|---------|----------|---------|----------|----------|---------|----------|---------|---------|----------|---------|----------|
| %       | 85.7    | <0.00200 | 0.258   | <0.00200 | <0.00200 | 0.420   | <0.00200 | 0.292   | 0.929   | <0.00200 | 1.06    | <0.00200 |
| mg/unit | 1710    | <0.00200 | 5.15    | <0.00200 | <0.00200 | 8.40    | <0.00200 | 5.84    | 18.6    | <0.00200 | 21.3    | <0.00200 |
| LOD     | 0.00200 | 0.00200  | 0.00200 | 0.00200  | 0.00200  | 0.00200 | 0.00200  | 0.00200 | 0.00200 | 0.00200  | 0.00200 | 0.00200  |
| LOQ     | 0.0200  | 0.0200   | 0.0200  | 0.0200   | 0.0200   | 0.0200  | 0.0200   | 0.0200  | 0.0200  | 0.0200   | 0.0200  | 0.0200   |
| %       | %       | %        | %       | %        | %        | %       | %        | %       | %       | %        | %       | %        |

Qualifier

Analyzed by:  
5150, 1665, 5072, 5268

Weight:  
0.1068g

Extraction date:  
07/07/26 13:31:39

Extracted by:  
5150

**Analysis Method :** SOP.T.40.031.FL, SOP.T.30.031

**Analytical Batch :** MI100369POT

**Instrument Used :** DA-LC-003 (Derivative)

**Analyzed Date :** 07/09/26 06:27:20

**Batch Date :** 07/07/26 09:58:56

**Dilution :** 400

**Reagent :** 061226.R29; 102725.04; 061226.R28

**Consumables :** 947.110; 04312111; 030125CH01; 0000355309

**Pipette :** DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/09/26  
**Laboratory License #:** 900013



Type: Distillate

**Pages 2 of 7**

**License # :** M00007CULPROLakeWales001

**Seed to sale: 8737584848698075**

**Completed:** 07/09/26

# PASSED



# PASSED

## QUALIFIER

Extracted by:

**Analyzed Date :** 07/09/26 09:59:04

**Batch Date :** N/A



## TESTED

## (MG/UNIT) QUALIFIER

|                     |             |         |         |        |          |         |
|---------------------|-------------|---------|---------|--------|----------|---------|
| TOTAL TERPENES      | <div></div> | 0.00700 | 0.0200  | TESTED | 3.92     | 78.4    |
| BETA-MYRCENE        | <div></div> | 0.00700 | 0.0200  | TESTED | 1.46     | 29.2    |
| LIMONENE            | <div></div> | 0.00700 | 0.0200  | TESTED | 0.608    | 12.2    |
| ALPHA-TERPINOLENE   | <div></div> | 0.00700 | 0.0200  | TESTED | 0.569    | 11.4    |
| OCIMENE             | <div></div> | 0.00700 | 0.0200  | TESTED | 0.279    | 5.58    |
| BETA-PINENE         | <div></div> | 0.00700 | 0.0200  | TESTED | 0.214    | 4.29    |
| ALPHA-PINENE        | <div></div> | 0.00700 | 0.0200  | TESTED | 0.206    | 4.11    |
| BETA-CARYOPHYLLENE  | <div></div> | 0.00700 | 0.0200  | TESTED | 0.149    | 2.98    |
| LINALOOL            | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0951   | 1.90    |
| 3-CARENE            | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0572   | 1.14    |
| ALPHA-HUMULENE      | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0503   | 1.01    |
| CAMPHENE            | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0467   | 0.934   |
| ALPHA-TERPINENE     | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0392   | 0.784   |
| ALPHA-PHELLANDRENE  | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0368   | 0.737   |
| FENCHYL ALCOHOL     | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0358   | 0.717   |
| GAMMA-TERPINENE     | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0277   | 0.554   |
| ALPHA-TERPINEOL     | <div></div> | 0.00700 | 0.0200  | TESTED | 0.0255   | 0.511   |
| TRANS-NEROLIDOL     | <div></div> | 0.00500 | 0.0160  | TESTED | 0.0193   | 0.386   |
| FENCHONE            | <div></div> | 0.00700 | 0.0200  | TESTED | <0.0200  | <0.200  |
| GUAIOL              | <div></div> | 0.00700 | 0.0200  | TESTED | <0.0200  | <0.200  |
| SABINENE            | <div></div> | 0.00700 | 0.0200  | TESTED | <0.0200  | <0.200  |
| ALPHA-BISABOLOL     | <div></div> | 0.00700 | 0.0200  | TESTED | <0.0200  | <0.200  |
| BORNEOL             | <div></div> | 0.0130  | 0.0400  | TESTED | <0.0130  | <0.400  |
| CAMPHOR             | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| CARYOPHYLLENE OXIDE | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| CEDROL              | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| EUCALYPTOL          | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| FARNESENE           | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| GERANIOL            | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| GERANYL ACETATE     | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| HEXAHYDROTHYMOL     | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| ISOBORNEOL          | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| ISOPULEGOL          | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| NEROL               | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| PULEGONE            | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| SABINENE HYDRATE    | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| VALENCENE           | <div></div> | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| ALPHA-CEDRENE       | <div></div> | 0.00500 | 0.0160  | TESTED | <0.00500 | <0.160  |
| CIS-NEROLIDOL       | <div></div> | 0.00300 | 0.00800 | TESTED | <0.00300 | <0.0800 |



Signature  
07/09/26

Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label DBOG Distillate AIO 2.0 g  
Strain: Durban OG  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Distillate



# Certificate of Analysis

Pages 3 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60706004-004

Batch #: ID2012 DBOG DSP2 (S)  
Harvest/Lot ID: 052126-OGDX-WCP  
Seed to sale: 8737584848698075

## Expires: 07/06/27

Ordered: 07/06/26  
Sampled: 07/06/26  
Completed: 07/09/26

**PASSED**



## Terpenes

**TESTED**

| ANALYTES                                                                       | LOD            | LOQ                                | LIMIT | PASS/FAIL | RESULT (%)         | (MG/UNIT) QUALIFIER |
|--------------------------------------------------------------------------------|----------------|------------------------------------|-------|-----------|--------------------|---------------------|
| Analyzed by: 4531, 585, 5268                                                   | Weight: 0.208g | Extraction date: 07/07/26 13:02:43 |       |           | Extracted by: 4531 |                     |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                           |                |                                    |       |           |                    |                     |
| Analytical Batch : MI100372TER                                                 |                |                                    |       |           |                    |                     |
| Instrument Used : DA-GCMS-009                                                  |                |                                    |       |           |                    |                     |
| Analyzed Date : 07/09/26 09:59:06                                              |                |                                    |       |           |                    |                     |
| Batch Date : 07/07/26 11:00:57                                                 |                |                                    |       |           |                    |                     |
| Dilution : 10                                                                  |                |                                    |       |           |                    |                     |
| Reagent : 041326.45                                                            |                |                                    |       |           |                    |                     |
| Consumables : 947.110; 04312111; 2240626; 0000355309                           |                |                                    |       |           |                    |                     |
| Pipette : DA-065                                                               |                |                                    |       |           |                    |                     |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. |                |                                    |       |           |                    |                     |



## Pesticide

**PASSED**

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 5     | PASS      | <0.0100 |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.0100 | 0.0500 | 1     | PASS      | <0.0100 |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.0100 | 0.0500 | 1     | PASS      | <0.0100 |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENOXYCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENPYROXIMATE                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FIPRONIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLONICAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLUDIOXONIL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| HEXYTHIAZOX                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| IMAZALIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label DBOG Distillate AIO 2.0 g  
Strain: Durban OG  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Distillate



# Certificate of Analysis

Pages 4 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60706004-004

Batch #: ID2012 DBOG DSP2 (S)  
Harvest/Lot ID: 052126-OGDX-WCP  
Seed to sale: 8737584848698075

## Expires: 07/06/27

Ordered: 07/06/26  
Sampled: 07/06/26  
Completed: 07/09/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | <0.0100 |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.25  | PASS      | <0.0100 |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | <0.0100 |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0750 | 0.15  | PASS      | <0.0100 |           |
| TOTAL CHLORDANE                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CAPTAN                         | ppm  | 0.0700 | 0.350  | 0.7   | PASS      | <0.0700 |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |

|                                 |                    |                                       |                            |
|---------------------------------|--------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>4451, 585, 5268 | Weight:<br>0.2267g | Extraction date:<br>07/07/26 12:40:22 | Extracted by:<br>3335,3379 |
|---------------------------------|--------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100352PES

Instrument Used : DA-LCMS-005 (PES)

Analyzed Date : 07/08/26 11:43:41

Batch Date : 07/07/26 09:05:56

Dilution : 250

Reagent : 070226.R01; 012026.01; 070126.R03; 070126.R39; 070126.R38; 061626.R24; 070126.R01

Consumables : 947.110; 040724CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|                                 |                    |                                       |                                |
|---------------------------------|--------------------|---------------------------------------|--------------------------------|
| Analyzed by:<br>3335, 585, 5268 | Weight:<br>0.2267g | Extraction date:<br>07/07/26 12:40:22 | Extracted by:<br>3335,3379,585 |
|---------------------------------|--------------------|---------------------------------------|--------------------------------|

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100354VOL

Instrument Used : DA-GCMS-010

Analyzed Date : 07/08/26 11:42:57

Batch Date : 07/07/26 09:07:36

Dilution : 250

Reagent : 070226.R01; 012026.01; 070126.R26; 070126.R27

Consumables : 947.110; 040724CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label DBOG Distillate AIO 2.0 g

Strain: Durban OG

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 5 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60706004-004

Batch #: ID2012 DBOG DSP2 (S)  
Harvest/Lot ID: 052126-OGDX-WCP  
Seed to sale: 8737584848698075

Expires: 07/06/27

Ordered: 07/06/26

Sampled: 07/06/26

Completed: 07/09/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | UNIT | LOD   | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------------|------|-------|-------|-------|-----------|--------|-----------|
| 1,1-DICHLOROETHENE   | ppm  | 0.800 | 4.00  | 8     | PASS      | <0.800 |           |
| 1,2-DICHLOROETHANE   | ppm  | 0.200 | 1.00  | 2     | PASS      | <0.200 |           |
| 2-PROPANOL           | ppm  | 50.0  | 250   | 500   | PASS      | <50.0  |           |
| ACETONE              | ppm  | 75.0  | 375   | 750   | PASS      | <75.0  |           |
| ACETONITRILE         | ppm  | 6.00  | 30.0  | 60    | PASS      | <6.00  |           |
| BENZENE              | ppm  | 0.100 | 0.500 | 1     | PASS      | <0.100 |           |
| BUTANES (N-BUTANE)   | ppm  | 500   | 2500  | 5000  | PASS      | <500   |           |
| CHLOROFORM           | ppm  | 0.200 | 1.00  | 2     | PASS      | <0.200 |           |
| DICHLOROMETHANE      | ppm  | 12.5  | 62.5  | 125   | PASS      | <12.5  |           |
| ETHANOL              | ppm  | 500   | 2500  | 5000  | PASS      | <500   |           |
| ETHYL ACETATE        | ppm  | 40.0  | 200   | 400   | PASS      | <40.0  |           |
| ETHYL ETHER          | ppm  | 50.0  | 250   | 500   | PASS      | <50.0  |           |
| ETHYLENE OXIDE       | ppm  | 0.500 | 2.50  | 5     | PASS      | <0.500 |           |
| HEPTANE              | ppm  | 500   | 2500  | 5000  | PASS      | <500   |           |
| METHANOL             | ppm  | 25.0  | 125   | 250   | PASS      | <25.0  |           |
| N-HEXANE             | ppm  | 25.0  | 125   | 250   | PASS      | <25.0  |           |
| PENTANES (N-PENTANE) | ppm  | 75.0  | 375   | 750   | PASS      | <75.0  |           |
| PROPANE              | ppm  | 500   | 1080  | 5000  | PASS      | <500   |           |
| TOLUENE              | ppm  | 15.0  | 75.0  | 150   | PASS      | <15.0  |           |
| TOTAL XYLENES        | ppm  | 15.0  | 75.0  | 150   | PASS      | <15.0  |           |
| TRICHLOROETHYLENE    | ppm  | 2.50  | 12.5  | 25    | PASS      | <2.50  |           |

Analyzed by:  
4444, 585, 5268

Weight:  
0.0268g

Extraction date:  
07/07/26 13:16:48

Extracted by:  
4444

Analysis Method : SOP.T.40.041.FL

Analytical Batch : MI100374SOL

Instrument Used : DA-GCMS-003

Analyzed Date : 07/08/26 11:42:23

Batch Date : 07/07/26 12:59:17

Dilution : 1

Reagent : 061323.06

Consumables : 431526; 325202

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | UNIT  | LOD   | LOQ   | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-------|-------|-------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS NIGER        | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ECOLI - SHIGELLA         | RFU   | 1900  | 1900  | 1949   | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g | 10.0  | 10.0  | 100000 | PASS      | <10.0       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label DBOG Distillate AIO 2.0 g

Strain: Durban OG

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 6 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60706004-004

Batch #: ID2012 DBOG DSP2 (S)  
Harvest/Lot ID: 052126-OGDX-WCP  
Seed to sale: 8737584848698075

Expires: 07/06/27

Ordered: 07/06/26  
Sampled: 07/06/26  
Completed: 07/09/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | UNIT              | LOD                                   | LOQ                        | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|----------------------------|-------|-----------|--------|-----------|
| Analyzed by:<br>3621, 4520, 585, 5268                                                                                                                                                                                                                                                                                                                                                                                                                                    | Weight:<br>0.891g | Extraction date:<br>07/07/26 12:32:26 | Extracted by:<br>4520,3621 |       |           |        |           |
| Analysis Method : SOP.T.40.056C<br>Analytical Batch : MI100345MIC<br>Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)<br>Analyzed Date : 07/09/26 10:37:35<br>Dilution : 10<br>Reagent : 041326.01; 041326.02; 051326.R45; 031026.15<br>Consumables : 7590002061<br>Pipette : N/A<br>Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39. |                   |                                       |                            |       |           |        |           |
| Batch Date : 07/07/26 08:13:40                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   |                                       |                            |       |           |        |           |

|                                                                                                                                                                                                                                                                                                                                                                                 |                   |                                       |                            |  |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|----------------------------|--|--|--|--|
| Analyzed by:<br>4892, 585, 5268                                                                                                                                                                                                                                                                                                                                                 | Weight:<br>1.096g | Extraction date:<br>07/07/26 12:31:44 | Extracted by:<br>4520,4892 |  |  |  |  |
| Analysis Method : SOP.T.40.209.FL<br>Analytical Batch : MI100346TYM<br>Instrument Used : DA-328 (25°C Incubator)<br>Analyzed Date : 07/09/26 11:45:12<br>Dilution : 10<br>Reagent : 022626.99; 041526.R47<br>Consumables : N/A<br>Pipette : N/A<br>Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |                   |                                       |                            |  |  |  |  |
| Batch Date : 07/07/26 08:13:44                                                                                                                                                                                                                                                                                                                                                  |                   |                                       |                            |  |  |  |  |



## Mycotoxins

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | UNIT               | LOD                                   | LOQ                        | LIMIT | PASS/FAIL | RESULT   | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|----------------------------|-------|-----------|----------|-----------|
| AFLATOXIN B1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN B2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| OCHRATOXIN A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| Analyzed by:<br>4451, 585, 5268                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Weight:<br>0.2267g | Extraction date:<br>07/07/26 12:40:22 | Extracted by:<br>3335,3379 |       |           |          |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL<br>Analytical Batch : MI100353MYC<br>Instrument Used : DA-LCMS-005 (MYC)<br>Analyzed Date : 07/08/26 11:47:55<br>Dilution : 250<br>Reagent : 070226.R01; 012026.01; 070126.R03; 070126.R39; 070126.R38; 061626.R24; 070126.R01<br>Consumables : 947.110; 040724CH01; 6822423-02<br>Pipette : DA-093; DA-094; DA-219<br>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                    |                                       |                            |       |           |          |           |
| Batch Date : 07/07/26 09:07:29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                    |                                       |                            |       |           |          |           |



## Water Activity

**PASSED**

| ANALYTES       | UNIT | LOD   | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw   | 0.010 | 0.10 | 0.85  | PASS      | 0.57   |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/09/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label DBOG Distillate AIO 2.0 g  
Strain: Durban OG  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Distillate



# Certificate of Analysis

Pages 7 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60706004-004

Batch #: ID2012 DBOG DSP2 (S)  
Harvest/Lot ID: 052126-OGDX-WCP  
Seed to sale: 8737584848698075

## Expires: 07/06/27

Ordered: 07/06/26  
Sampled: 07/06/26  
Completed: 07/09/26

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                                                                                                                                            | UNIT              | LOD                                   | LOQ | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|-----|-------|-----------|-----------------------|-----------|
| Analyzed by:<br>4056, 585, 5268                                                                                                                                     | Weight:<br>0.515g | Extraction date:<br>07/07/26 16:29:43 |     |       |           | Extracted by:<br>4056 |           |
| Analysis Method : SOP.T.40.019<br>Analytical Batch : MI100379WAT<br>Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)<br>Analyzed Date : 07/08/26 10:45:39 |                   |                                       |     |       |           |                       |           |
| Batch Date : 07/07/26 14:53:26                                                                                                                                      |                   |                                       |     |       |           |                       |           |
| Dilution : N/A<br>Reagent : 050726.03<br>Consumables : PS-14<br>Pipette : N/A                                                                                       |                   |                                       |     |       |           |                       |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                                                                                                                              | UNIT               | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                     | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-------|-----------|----------------------------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                                                                                                                         | ppm                | 0.0800                                | 0.400 | 1.1   | PASS      | <0.0800                    |           |
| ARSENIC                                                                                                                                                                                                                               | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | <0.0200                    |           |
| CADMIUM                                                                                                                                                                                                                               | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | <0.0200                    |           |
| LEAD                                                                                                                                                                                                                                  | ppm                | 0.0200                                | 0.100 | 0.5   | PASS      | <0.0200                    |           |
| MERCURY                                                                                                                                                                                                                               | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | <0.0200                    |           |
| Analyzed by:<br>1022, 585, 5268                                                                                                                                                                                                       | Weight:<br>0.2491g | Extraction date:<br>07/07/26 13:05:24 |       |       |           | Extracted by:<br>1022,5122 |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL<br>Analytical Batch : MI100363HEA<br>Instrument Used : DA-ICPMS-005<br>Analyzed Date : 07/08/26 12:19:12                                                                           |                    |                                       |       |       |           |                            |           |
| Batch Date : 07/07/26 09:34:49                                                                                                                                                                                                        |                    |                                       |       |       |           |                            |           |
| Dilution : 50<br>Reagent : 060126.R03; 063026.R24; 062426.R44; 070626.R51; 070626.R48; 070626.R49; 070626.R50; 070626.02; 052826.R08; 032326.01<br>Consumables : 030125CH01; J609879-0193; 179436<br>Pipette : DA-191; DA-215; DA-435 |                    |                                       |       |       |           |                            |           |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

| ANALYTES                                                                                                                                                          | UNIT          | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------|-------|-------|-----------|-----------------------|-----------|
| FILTRATION AND FOREIGN MATERIAL                                                                                                                                   | %             | 0.100                                 | 0.500 | 1     | PASS      | <0.100                |           |
| Analyzed by:<br>4571, 585, 5268                                                                                                                                   | Weight:<br>1g | Extraction date:<br>07/08/26 10:51:01 |       |       |           | Extracted by:<br>4571 |           |
| Analysis Method : SOP.T.40.090<br>Analytical Batch : MI100412FIL<br>Instrument Used : Filtration/Foreign Material Microscope<br>Analyzed Date : 07/08/26 12:22:07 |               |                                       |       |       |           |                       |           |
| Batch Date : 07/08/26 10:49:03                                                                                                                                    |               |                                       |       |       |           |                       |           |
| Dilution : N/A<br>Reagent : N/A<br>Consumables : N/A<br>Pipette : N/A                                                                                             |               |                                       |       |       |           |                       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/09/26  
Laboratory License #: 900013