



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: DB1460 MB UE
Retail Batch #: GEL-737-SBRY-F
Batch Date: 07/02/26
Harvest Date: 04/17/26
Production Method: Other - Not Listed
Total Amount: 1301 units
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 42.1282 gram
Retail Serving Size: 4.5 gram
Servings: 10
Seed To Sale #: 1295925901816191

Lab ID: MI60708012-001
Sampled: 07/08/26
Sampling Method: SOP.T.20.010
Sample Size: 8 units
Completed: 07/12/26
Expires: 07/08/27
Manifest #: 5983030037508865
Source Facility: Lake Wales

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US

License #: M00007CULPROLakeWales001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.242%

Total THC/Container : 102 mg



Total CBD
0.00572%

Total CBD/Container : 2.41 mg



Total Cannabinoids
0.271%

Total Cannabinoids/Container : 114 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.242	<0.0000670	0.00572	<0.0000670	<0.0000670	0.00951	<0.0000670	0.0116	0.00123	<0.0000670	<0.0000670	0.000706
mg/unit	102	<0.0000670	2.41	<0.0000670	<0.0000670	4.00	<0.0000670	4.90	0.520	<0.0000670	<0.0000670	0.297
LOD	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670
LOQ	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
5150, 1665, 585, 4056

Weight:
3.1343g

Extraction date:
07/09/26 12:23:07

Extracted by:
4640

Analysis Method: SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch: MI100450POT

Instrument Used: DA-LC-008 (Edible)

Analyzed Date: 07/10/26 10:28:08

Batch Date: 07/09/26 10:33:10

Dilution: 40

Reagent: 061226.R31; 061226.R30

Consumables: 947.110; 04312111; 030125CH01; 0000355309

Pipette: DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/12/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
FRÜTFUL SBRY - Gels 10 pack
Strain: SBRY
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 2 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60708012-001

Batch #: GEL-737-SBRY-F
Harvest/Lot ID: DB1460 MB UE
Seed to sale: 1295925901816191

Expires: 07/08/27

Ordered: 07/08/26
Sampled: 07/08/26
Completed: 07/12/26

PASSED



Label Claim Verification

TESTED

ANALYTES

PACKAGE LABEL DEVIATION (THC)

UNIT

LOD

LOQ

LIMIT

PASS/FAIL

RESULT

QUALIFIER

%

-100

-100

TESTED

1.92

Analyzed by:

Weight:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 07/10/26 10:28:07

Batch Date : N/A



Pesticide

PASSED

ANALYTES

TOTAL CONTAMINANT LOAD (PESTICIDES)

UNIT

LOD

LOQ

LIMIT

PASS/FAIL

RESULT

QUALIFIER

ppm

0.0100

0.0500

30

PASS

<0.0100

TOTAL DIMETHOMORPH

ppm

0.0100

0.0500

3

PASS

<0.0100

TOTAL PERMETHRIN

ppm

0.0100

0.0500

1

PASS

<0.0100

TOTAL PYRETHRINS

ppm

0.0100

0.0500

1

PASS

<0.0100

TOTAL SPINETORAM

ppm

0.0100

0.0500

3

PASS

<0.0100

TOTAL SPINOSAD

ppm

0.0100

0.0500

3

PASS

<0.0100

ABAMECTIN B1A

ppm

0.0100

0.0500

0.3

PASS

<0.0100

ACEPHATE

ppm

0.0100

0.0500

3

PASS

<0.0100

ACEQUINOCYL

ppm

0.0100

0.0500

2

PASS

<0.0100

ACETAMIPRID

ppm

0.0100

0.0500

3

PASS

<0.0100

ALDICARB

ppm

0.0100

0.0500

0.1

PASS

<0.0100

AZOXYSTROBIN

ppm

0.0100

0.0500

3

PASS

<0.0100

BIFENAZATE

ppm

0.0100

0.0500

3

PASS

<0.0100

CHLORPYRIFOS

ppm

0.0100

0.0500

0.1

PASS

<0.0100

BIFENTHRIN

ppm

0.0100

0.0500

0.5

PASS

<0.0100

BOSCALID

ppm

0.0100

0.0500

3

PASS

<0.0100

CARBARYL

ppm

0.0100

0.0500

0.5

PASS

<0.0100

CLOFENTEZINE

ppm

0.0100

0.0500

0.5

PASS

<0.0100

CARBOFURAN

ppm

0.0100

0.0500

0.1

PASS

<0.0100

COUMAPHOS

ppm

0.0100

0.0500

0.1

PASS

<0.0100

CHLORANTRANILIPROLE

ppm

0.0100

0.0500

3

PASS

<0.0100

CHLORMEQUAT CHLORIDE

ppm

0.0100

0.0500

3

PASS

<0.0100

DAMINOZIDE

ppm

0.0100

0.0500

0.1

PASS

<0.0100

DIAZINON

ppm

0.0100

0.0500

0.2

PASS

<0.0100

DICHLORVOS

ppm

0.0100

0.0500

0.1

PASS

<0.0100

DIMETHOATE

ppm

0.0100

0.0500

0.1

PASS

<0.0100

ETHOPROPHOS

ppm

0.0100

0.0500

0.1

PASS

<0.0100

ETOFENPROX

ppm

0.0100

0.0500

0.1

PASS

<0.0100

ETOXAZOLE

ppm

0.0100

0.0500

1.5

PASS

<0.0100

FENHEXAMID

ppm

0.0100

0.0500

3

PASS

<0.0100

FENOXYCARB

ppm

0.0100

0.0500

0.1

PASS

<0.0100

FENPYROXIMATE

ppm

0.0100

0.0500

2

PASS

<0.0100

FIPRONIL

ppm

0.0100

0.0500

0.1

PASS

<0.0100

FLONICAMID

ppm

0.0100

0.0500

2

PASS

<0.0100

FLUDIOXONIL

ppm

0.0100

0.0500

3

PASS

<0.0100

HEXYTHIAZOX

ppm

0.0100

0.0500

2

PASS

<0.0100

IMAZALIL

ppm

0.0100

0.0500

0.1

PASS

<0.0100

IMIDACLOPRID

ppm

0.0100

0.0500

3

PASS

<0.0100

KRESOXIM-METHYL

ppm

0.0100

0.0500

1

PASS

<0.0100

MALATHION

ppm

0.0100

0.0500

2

P



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
FRÜTFUL SBRY - Gels 10 pack
Strain: SBRY
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 3 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60708012-001

Batch #: GEL-737-SBRY-F
Harvest/Lot ID: DB1460 MB UE
Seed to sale: 1295925901816191

Expires: 07/08/27

Ordered: 07/08/26
Sampled: 07/08/26
Completed: 07/12/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	3	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	3	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	1	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	3	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0750	0.2	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CAPTAN	ppm	0.0700	0.350	3	PASS	<0.0700	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	1	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	1	PASS	<0.0500	

Analyzed by: 4451, 585, 4056 Weight: 0.928g Extraction date: 07/09/26 11:51:38 Extracted by: 3335

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100432PES

Instrument Used : DA-LCMS-004 (PES)

Analyzed Date : 07/10/26 15:48:31

Batch Date : 07/09/26 09:43:53

Dilution : 250

Reagent : 070226.R01; 012026.01; 070826.R03; 070826.R32; 070826.R30; 061626.R24; 070826.R01

Consumables : 947.110; 040724CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 4056 Weight: 0.928g Extraction date: 07/09/26 11:51:38 Extracted by: 3335

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100435VOL

Instrument Used : DA-GCMS-001

Analyzed Date : 07/10/26 11:04:07

Batch Date : 07/09/26 09:47:24

Dilution : 250

Reagent : 070226.R01; 012026.01; 070126.R26; 070126.R27

Consumables : 947.110; 040724CH01; 6822423-02

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/12/26
Laboratory License #: 900013



Certificate of Analysis

Pages 4 of 7

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60708012-001
Batch #: GEL-737-SBRY-F
Harvest/Lot ID: DB1460 MB UE
Seed to sale: 1295925901816191

Expires: 07/08/27
Ordered: 07/08/26
Sampled: 07/08/26
Completed: 07/12/26

PASSED



Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	<0.800	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	<0.200	
2-PROPANOL	ppm	50.0	250	5000	PASS	<50.0	
ACETONE	ppm	75.0	375	5000	PASS	<75.0	
ACETONITRILE	ppm	6.00	30.0	410	PASS	<6.00	
BENZENE	ppm	0.100	0.500	1	PASS	<0.100	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	<500	
CHLOROFORM	ppm	0.200	1.00	2	PASS	<0.200	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	<12.5	
ETHANOL	ppm	500	2500	5000	PASS	<500	
ETHYL ACETATE	ppm	40.0	200	5000	PASS	<40.0	
ETHYL ETHER	ppm	50.0	250	5000	PASS	<50.0	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	<0.500	
HEPTANE	ppm	500	2500	5000	PASS	<500	
METHANOL	ppm	25.0	125	3000	PASS	<25.0	
N-HEXANE	ppm	25.0	125	250	PASS	<25.0	
PENTANES (N-PENTANE)	ppm	75.0	375	5000	PASS	<75.0	
PROPANE	ppm	500	1080	5000	PASS	<500	
TOLUENE	ppm	15.0	75.0	890	PASS	<15.0	
TOTAL XYLENES	ppm	15.0	75.0	2170	PASS	<15.0	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	<2.50	

Analyzed by: 4444, 585, 4056 **Weight:** 0.0244g **Extraction date:** 07/09/26 13:06:59 **Extracted by:** 4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI100454SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 07/10/26 10:22:55

Batch Date : 07/09/26 12:36:31

Dilution : 1
Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS FUMIGATUS	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS NIGER	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS TERREUS	RFU	10000	10000	10000	PASS	Not Present	
ECOLI - SHIGELLA	RFU	1900	1900	1949	PASS	Not Present	
SALMONELLA SPECIFIC GENE	RFU	10000	10000	10000	PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director



State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/12/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
FRÜTFUL SBRY - Gels 10 pack
Strain: SBRY
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 5 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60708012-001

Batch #: GEL-737-SBRY-F
Harvest/Lot ID: DB1460 MB UE
Seed to sale: 1295925901816191

Expires: 07/08/27

Ordered: 07/08/26
Sampled: 07/08/26
Completed: 07/12/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4520, 4892, 585, 4056	Weight: 0.925g	Extraction date: 07/09/26 10:24:18	Extracted by: 4520,4892				
Analysis Method : SOP.T.40.056C Analytical Batch : MI100426MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 07/11/26 13:42:10 Dilution : 10 Reagent : 041326.03; 051326.R45; 031026.15 Consumables : N/A Pipette : N/A							
Batch Date : 07/09/26 07:38:11							

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 4571, 585, 4056	Weight: 0.86g	Extraction date: 07/09/26 10:27:08	Extracted by: 4520,4892				
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI100427TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 07/11/26 13:46:52 Dilution : 10 Reagent : 022626.117; 022626.118; 022626.119; 041526.R47 Consumables : N/A Pipette : N/A							
Batch Date : 07/09/26 07:39:03							

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
Analyzed by: 4451, 973, 585, 4056, 3291	Weight: 0.928g	Extraction date: 07/09/26 11:51:38	Extracted by: 3335				
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI100434MYC Instrument Used : DA-LCMS-004 (MYC) Analyzed Date : 07/11/26 13:40:17 Dilution : 250 Reagent : 070226.R01; 012026.01; 070826.R03; 070826.R32; 070826.R30; 061626.R24; 070826.R01 Consumables : 947.110; 040724CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219							
Batch Date : 07/09/26 09:47:20							

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.54	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/12/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
FRÜTFUL SBRY - Gels 10 pack
Strain: SBRY
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 6 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60708012-001

Batch #: GEL-737-SBRY-F
Harvest/Lot ID: DB1460 MB UE
Seed to sale: 1295925901816191

Expires: 07/08/27

Ordered: 07/08/26
Sampled: 07/08/26
Completed: 07/12/26

PASSED



Water Activity

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: 4056, 585		Weight: 11.246g		Extraction date: 07/09/26 15:27:22		Extracted by: 4056		
Analysis Method : SOP.T.40.019								
Analytical Batch : MI100459WAT								
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)						Batch Date : 07/09/26 15:06:47		
Analyzed Date : 07/10/26 10:05:36								
Dilution : N/A								
Reagent : 050726.03								
Consumables : PS-14								
Pipette : N/A								



Homogeneity Testing

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL THC - HOMOGENEITY (RSD)	%	0.00100	0.00100	25	PASS	1.13	
Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Analytical Batch : MI100423HOM Instrument Used : DA-LC-006 Analyzed Date : 07/10/26 08:26:42 Batch Date : 07/09/26 07:17:12							
Dilution : 40 Reagent : 070626.02; 010825.18; 062626.R03; 063026.R06 Consumables : 947.110; 04312111; 031425CH01; 1009318445; 1010929284; 0000214700 Pipette : DA-108; DA-421							

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

ANALYTES		UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS		ppm	0.0800	0.400	5	PASS	<0.0800	
ARSENIC		ppm	0.0200	0.100	1.5	PASS	<0.0200	
CADMIUM		ppm	0.0200	0.100	0.5	PASS	<0.0200	
LEAD		ppm	0.0200	0.100	0.5	PASS	<0.0200	
MERCURY		ppm	0.0200	0.100	3	PASS	<0.0200	
Analyzed by: 1022, 585, 4056		Weight: 0.2756g	Extraction date: 07/09/26 11:54:23			Extracted by: 1022,5122		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL								
Analytical Batch : MI100443HEA								
Instrument Used : DA-ICPMS-005				Batch Date : 07/09/26 10:19:31				
Analyzed Date : 07/10/26 09:52:55								
Dilution : 50								
Reagent : 070826.R29; 070826.R34; 062426.R44; 070626.R51; 070626.R48; 070626.R49; 070626.R50; 070626.02; 052826.R08; 032326.01								
Consumables : 030125CH01; J609879-0193; 179436								
Pipette : DA-191; DA-215; DA-435								

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/12/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
FRÜTFUL SBRY - Gels 10 pack
Strain: SBRY
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 7 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60708012-001

Batch #: GEL-737-SBRY-F
Harvest/Lot ID: DB1460 MB UE
Seed to sale: 1295925901816191

Expires: 07/08/27

Ordered: 07/08/26
Sampled: 07/08/26
Completed: 07/12/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

FILTH AND FOREIGN MATERIAL

UNIT

LOD

LOQ

LIMIT

PASS/FAIL

RESULT

QUALIFIER

Analyzed by:
4571, 585, 4056

Weight:
1g

Extraction date:
07/09/26 11:28:37

Extracted by:
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI100453FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/09/26 13:56:17

Batch Date : 07/09/26 11:26:51

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian
Celestino**
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/12/26
Laboratory License #: 900013