



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 052726-JLBN-WCP  
**Retail Batch #:** ID2035 FIRE CRT1  
**Batch Date:** 07/09/26  
**Harvest Date:** 05/27/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 1185 units  
**Cultivation Facility:** Lake Wales  
**Processing Facility:** Lake Wales  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Seed To Sale #:** 1575696173530597

**Lab ID:** MI60710010-001  
**Sampled:** 07/10/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 16 units  
**Completed:** 07/14/26  
**Expires:** 07/10/27  
**Manifest #:** 2897333662257068  
**Source Facility:** Lake Wales

### GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US

**License #:** M00007CULPROLakeWales001



### SAFETY RESULTS

### MISC.



**Pesticide**  
**PASSED**



**Heavy Metals**  
**PASSED**



**Microbial**  
**PASSED**



**Mycotoxins**  
**PASSED**



**Solvents**  
**PASSED**



**Filtration/Foreign Material**  
**PASSED**



**Water Activity**  
**PASSED**



**Moisture Content**  
**NOT TESTED**



**Terpenes**  
**TESTED**



### Cannabinoid

**TESTED**



**Total THC**  
**86.7%**

**Total THC/Container : 867 mg**



**Total CBD**  
**0.257%**

**Total CBD/Container : 2.57 mg**



**Total Cannabinoids**  
**90.3%**

**Total Cannabinoids/Container : 903 mg**

|           | D9-THC  | THCA     | CBD     | CBDA     | D8-THC   | CBG     | CBGA     | CBN     | THCV    | CBDV     | CBC     | THCVA    |
|-----------|---------|----------|---------|----------|----------|---------|----------|---------|---------|----------|---------|----------|
| %         | 86.7    | <0.00100 | 0.257   | <0.00100 | <0.00100 | 1.11    | <0.00100 | 0.576   | 0.625   | <0.00100 | 1.04    | <0.00100 |
| mg/unit   | 867     | <0.00100 | 2.57    | <0.00100 | <0.00100 | 11.1    | <0.00100 | 5.76    | 6.25    | <0.00100 | 10.4    | <0.00100 |
| LOD       | 0.00100 | 0.00100  | 0.00100 | 0.00100  | 0.00100  | 0.00100 | 0.00100  | 0.00100 | 0.00100 | 0.00100  | 0.00100 | 0.00100  |
| LOQ       | 0.0100  | 0.0100   | 0.0100  | 0.0100   | 0.0100   | 0.0100  | 0.0100   | 0.0100  | 0.0100  | 0.0100   | 0.0100  | 0.0100   |
| Qualifier | %       | %        | %       | %        | %        | %       | %        | %       | %       | %        | %       | %        |

**Analyzed by:**  
5150, 1665, 585, 4571

**Weight:**  
0.1014g

**Extraction date:**  
07/11/26 16:47:53

**Extracted by:**  
5150

**Analysis Method :** SOP.T.40.031.FL, SOP.T.30.031

**Analytical Batch :** MI100516POT

**Instrument Used :** DA-LC-005 (Flower)

**Analyzed Date :** 07/13/26 11:03:07

**Batch Date :** 07/11/26 12:16:43

**Dilution :** 400

**Reagent :** 061226.R29; 042926.43; 061226.R28

**Consumables :** 947.110; 04312111; 030125CH01; 0000355309

**Pipette :** DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director



State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/14/26  
**Laboratory License #:** 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label FIRE Cart 1.0 g

Strain: Firecracker

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 2 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60710010-001

Batch #: ID2035 FIRE CRT1  
Harvest/Lot ID: 052726-JLBN-WCP  
Seed to sale: 1575696173530597

Expires: 07/10/27

Ordered: 07/10/26

Sampled: 07/10/26

Completed: 07/14/26

**PASSED**



## Label Claim Verification

**PASSED**

| ANALYTES                          | UNIT    | LOD              | LOQ           | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------|---------|------------------|---------------|-------|-----------|--------|-----------|
| Analyzed by:                      | Weight: | Extraction date: | Extracted by: |       |           |        |           |
| Analysis Method : N/A             |         |                  |               |       |           |        |           |
| Analytical Batch : N/A            |         |                  |               |       |           |        |           |
| Instrument Used : N/A             |         |                  |               |       |           |        |           |
| Analyzed Date : 07/13/26 11:03:06 |         |                  |               |       |           |        |           |
|                                   |         |                  |               |       |           |        |           |



## Terpenes

**TESTED**

| ANALYTES            | LOD     | LOQ     | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---------------------|---------|---------|-------|-----------|------------|-----------|-----------|
| TOTAL TERPENES      | 0.00700 | 0.0200  |       | TESTED    | 3.94       | 39.4      |           |
| BETA-MYRCENE        | 0.00700 | 0.0200  |       | TESTED    | 1.11       | 11.1      |           |
| LIMONENE            | 0.00700 | 0.0200  |       | TESTED    | 0.906      | 9.06      |           |
| BETA-CARYOPHYLLENE  | 0.00700 | 0.0200  |       | TESTED    | 0.763      | 7.63      |           |
| BETA-PINENE         | 0.00700 | 0.0200  |       | TESTED    | 0.240      | 2.40      |           |
| LINALOOL            | 0.00700 | 0.0200  |       | TESTED    | 0.237      | 2.37      |           |
| ALPHA-PINENE        | 0.00700 | 0.0200  |       | TESTED    | 0.227      | 2.27      |           |
| ALPHA-BISABOLOL     | 0.00700 | 0.0200  |       | TESTED    | 0.134      | 1.34      |           |
| FENCHYL ALCOHOL     | 0.00700 | 0.0200  |       | TESTED    | 0.0924     | 0.924     |           |
| ALPHA-TERPINEOL     | 0.00700 | 0.0200  |       | TESTED    | 0.0795     | 0.795     |           |
| VALENCENE           | 0.00700 | 0.0200  |       | TESTED    | 0.0763     | 0.763     |           |
| CAMPHENE            | 0.00700 | 0.0200  |       | TESTED    | 0.0274     | 0.274     |           |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200  |       | TESTED    | 0.0243     | 0.243     |           |
| ALPHA-TERPINOLENE   | 0.00700 | 0.0200  |       | TESTED    | 0.0209     | 0.209     |           |
| 3-CARENE            | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200    |           |
| ALPHA-CEDRENE       | 0.00500 | 0.0160  |       | TESTED    | <0.0160    | <0.160    |           |
| ALPHA-HUMULENE      | 0.00700 | 0.0200  |       | TESTED    | <0.0200    | <0.200    |           |
| BORNEOL             | 0.0130  | 0.0400  |       | TESTED    | <0.0130    | <0.400    |           |
| CAMPHOR             | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| CEDROL              | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| EUCALYPTOL          | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| FARNESENE           | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| FENCHONE            | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| GERANIOL            | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| GERANYL ACETATE     | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| GUAIOL              | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| HEXAHYDROTHYMOL     | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| ISOBORNEOL          | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| ISOPULEGOL          | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| NEROL               | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| OCIMENE             | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| PULEGONE            | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| SABINENE            | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| SABINENE HYDRATE    | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| ALPHA-PHELLANDRENE  | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| ALPHA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| CIS-NEROLIDOL       | 0.00300 | 0.00800 |       | TESTED    | <0.00300   | <0.0800   |           |
| GAMMA-TERPINENE     | 0.00700 | 0.0200  |       | TESTED    | <0.00700   | <0.200    |           |
| TRANS-NEROLIDOL     | 0.00500 | 0.0160  |       | TESTED    | <0.00500   | <0.160    |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/14/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label FIRE Cart 1.0 g  
Strain: Firecracker  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Distillate



# Certificate of Analysis

Pages 3 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60710010-001

Batch #: ID2035 FIRE CRT1  
Harvest/Lot ID: 052726-JLBN-WCP  
Seed to sale: 1575696173530597

## Expires: 07/10/27

Ordered: 07/10/26  
Sampled: 07/10/26  
Completed: 07/14/26

**PASSED**



## Terpenes

**TESTED**

| ANALYTES                                                                       | LOD                | LOQ                                   | LIMIT | PASS/FAIL | RESULT (%)            | (MG/UNIT) QUALIFIER |
|--------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-----------|-----------------------|---------------------|
| Analyzed by:<br>3379, 585, 4571                                                | Weight:<br>0.2238g | Extraction date:<br>07/13/26 12:29:17 |       |           | Extracted by:<br>3379 |                     |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                           |                    |                                       |       |           |                       |                     |
| Analytical Batch : MI100526TER                                                 |                    |                                       |       |           |                       |                     |
| Instrument Used : DA-GCMS-009                                                  |                    |                                       |       |           |                       |                     |
| Analyzed Date : 07/14/26 10:05:44                                              |                    |                                       |       |           |                       |                     |
| Batch Date : 07/13/26 09:27:21                                                 |                    |                                       |       |           |                       |                     |
| Dilution : 10                                                                  |                    |                                       |       |           |                       |                     |
| Reagent : 041326.42                                                            |                    |                                       |       |           |                       |                     |
| Consumables : 927.100; 04312111; 2240626; 0000355309                           |                    |                                       |       |           |                       |                     |
| Pipette : DA-065                                                               |                    |                                       |       |           |                       |                     |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. |                    |                                       |       |           |                       |                     |



## Pesticide

**PASSED**

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 5     | PASS      | <0.0100 |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.0100 | 0.0500 | 1     | PASS      | <0.0100 |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.0100 | 0.0500 | 1     | PASS      | <0.0100 |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENOXYCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENPYROXIMATE                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FIPRONIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLONICAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLUDIOXONIL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| HEXYTHIAZOX                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| IMAZALIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/14/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label FIRE Cart 1.0 g

Strain: Firecracker

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 4 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60710010-001

Batch #: ID2035 FIRE CRT1  
Harvest/Lot ID: 052726-JLBN-WCP  
Seed to sale: 1575696173530597

## Expires: 07/10/27

Ordered: 07/10/26  
Sampled: 07/10/26  
Completed: 07/14/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | <0.0100 |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.25  | PASS      | <0.0100 |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.0100 | 0.0500 | 3     | PASS      | <0.0100 |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0750 | 0.15  | PASS      | <0.0100 |           |
| TOTAL CHLORDANE                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CAPTAN                         | ppm  | 0.0700 | 0.350  | 0.7   | PASS      | <0.0700 |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |

|                                 |                    |                                       |                            |
|---------------------------------|--------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>4451, 585, 4571 | Weight:<br>0.2454g | Extraction date:<br>07/13/26 08:11:45 | Extracted by:<br>4640,4451 |
|---------------------------------|--------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100506PES

Instrument Used : DA-LCMS-004 (PES)

Batch Date : 07/11/26 11:25:32

Analyzed Date : 07/14/26 09:44:28

Dilution : 250

Reagent : 070826.R03; 071326.R01; 071326.R02; 071026.R01; 061626.R24; 070826.R01; 012026.01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

|                                 |                    |                                       |                            |
|---------------------------------|--------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>3335, 585, 4571 | Weight:<br>0.2454g | Extraction date:<br>07/13/26 08:11:45 | Extracted by:<br>4640,4451 |
|---------------------------------|--------------------|---------------------------------------|----------------------------|

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100510VOL

Instrument Used : DA-GCMS-010

Batch Date : 07/11/26 11:32:43

Analyzed Date : 07/14/26 09:39:42

Dilution : 250

Reagent : 071326.R01; 012026.01; 070826.R43; 070826.R44

Consumables : 947.110; 040724CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/14/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label FIRE Cart 1.0 g  
Strain: Firecracker  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Distillate



# Certificate of Analysis

Pages 5 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60710010-001

Batch #: ID2035 FIRE CRT1  
Harvest/Lot ID: 052726-JLBN-WCP  
Seed to sale: 1575696173530597

## Expires: 07/10/27

Ordered: 07/10/26  
Sampled: 07/10/26  
Completed: 07/14/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | UNIT | LOD   | LOQ   | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------------|------|-------|-------|-------|-----------|--------|-----------|
| 1,1-DICHLOROETHENE   | ppm  | 0.800 | 4.00  | 8     | PASS      | <0.800 |           |
| 1,2-DICHLOROETHANE   | ppm  | 0.200 | 1.00  | 2     | PASS      | <0.200 |           |
| 2-PROPANOL           | ppm  | 50.0  | 250   | 500   | PASS      | <50.0  |           |
| ACETONE              | ppm  | 75.0  | 375   | 750   | PASS      | <75.0  |           |
| ACETONITRILE         | ppm  | 6.00  | 30.0  | 60    | PASS      | <6.00  |           |
| BENZENE              | ppm  | 0.100 | 0.500 | 1     | PASS      | <0.100 |           |
| BUTANES (N-BUTANE)   | ppm  | 500   | 2500  | 5000  | PASS      | <500   |           |
| CHLOROFORM           | ppm  | 0.200 | 1.00  | 2     | PASS      | <0.200 |           |
| DICHLOROMETHANE      | ppm  | 12.5  | 62.5  | 125   | PASS      | <12.5  |           |
| ETHANOL              | ppm  | 500   | 2500  | 5000  | PASS      | <500   |           |
| ETHYL ACETATE        | ppm  | 40.0  | 200   | 400   | PASS      | <40.0  |           |
| ETHYL ETHER          | ppm  | 50.0  | 250   | 500   | PASS      | <50.0  |           |
| ETHYLENE OXIDE       | ppm  | 0.500 | 2.50  | 5     | PASS      | <0.500 |           |
| HEPTANE              | ppm  | 500   | 2500  | 5000  | PASS      | <500   |           |
| METHANOL             | ppm  | 25.0  | 125   | 250   | PASS      | <25.0  |           |
| N-HEXANE             | ppm  | 25.0  | 125   | 250   | PASS      | <25.0  |           |
| PENTANES (N-PENTANE) | ppm  | 75.0  | 375   | 750   | PASS      | <75.0  |           |
| PROPANE              | ppm  | 500   | 1080  | 5000  | PASS      | <500   |           |
| TOLUENE              | ppm  | 15.0  | 75.0  | 150   | PASS      | <15.0  |           |
| TOTAL XYLENES        | ppm  | 15.0  | 75.0  | 150   | PASS      | <15.0  |           |
| TRICHLOROETHYLENE    | ppm  | 2.50  | 12.5  | 25    | PASS      | <2.50  |           |

Analyzed by:  
4444, 585, 4571

Weight:  
0.0213g

Extraction date:  
07/12/26 08:54:47

Extracted by:  
4571,585

Analysis Method : SOP.T.40.041.FL

Analytical Batch : MI100518SOL

Instrument Used : DA-GCMS-003

Analyzed Date : 07/14/26 12:00:29

Batch Date : 07/12/26 08:35:07

Dilution : 1

Reagent : 061323.06

Consumables : 431526; 325202

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | UNIT  | LOD   | LOQ   | LIMIT  | PASS/FAIL | RESULT      | QUALIFIER |
|--------------------------|-------|-------|-------|--------|-----------|-------------|-----------|
| ASPERGILLUS FLAVUS       | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS FUMIGATUS    | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS NIGER        | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ASPERGILLUS TERREUS      | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| ECOLI - SHIGELLA         | RFU   | 1900  | 1900  | 1949   | PASS      | Not Present |           |
| SALMONELLA SPECIFIC GENE | RFU   | 10000 | 10000 | 10000  | PASS      | Not Present |           |
| TOTAL YEAST AND MOLD     | CFU/g | 10.0  | 10.0  | 100000 | PASS      | <10.0       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/14/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label FIRE Cart 1.0 g

Strain: Firecracker

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 6 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60710010-001

Batch #: ID2035 FIRE CRT1  
Harvest/Lot ID: 052726-JLBN-WCP  
Seed to sale: 1575696173530597

## Expires: 07/10/27

Ordered: 07/10/26  
Sampled: 07/10/26  
Completed: 07/14/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | UNIT              | LOD                                   | LOQ                        | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|----------------------------|-------|-----------|--------|-----------|
| Analyzed by:<br>4892, 4520, 585, 4571                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Weight:<br>0.867g | Extraction date:<br>07/11/26 11:37:20 | Extracted by:<br>4892,5008 |       |           |        |           |
| Analysis Method : SOP.T.40.056C<br>Analytical Batch : MI100504MIC<br>Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)<br>Batch Date : 07/11/26 09:47:39<br>Analyzed Date : 07/13/26 13:09:47<br>Dilution : 10<br>Reagent : 041326.04; 041326.07; 041326.08; 051326.R45; 031026.15<br>Consumables : 7591001020<br>Pipette : N/A<br>Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39. |                   |                                       |                            |       |           |        |           |

|                                                                                                                                                                                                                                                                                                                                                                                                                                |                   |                                       |                            |  |  |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------|----------------------------|--|--|--|--|
| Analyzed by:<br>5008, 585, 4571                                                                                                                                                                                                                                                                                                                                                                                                | Weight:<br>0.898g | Extraction date:<br>07/11/26 11:38:42 | Extracted by:<br>4892,5008 |  |  |  |  |
| Analysis Method : SOP.T.40.209.FL<br>Analytical Batch : MI100505TYM<br>Instrument Used : DA-328 (25°C Incubator)<br>Batch Date : 07/11/26 09:47:46<br>Analyzed Date : 07/14/26 09:51:15<br>Dilution : 10<br>Reagent : 022626.120; 022626.121; 041526.R47<br>Consumables : N/A<br>Pipette : N/A<br>Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |                   |                                       |                            |  |  |  |  |



## Mycotoxins

**PASSED**

| ANALYTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | UNIT               | LOD                                   | LOQ                        | LIMIT | PASS/FAIL | RESULT   | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|----------------------------|-------|-----------|----------|-----------|
| AFLATOXIN B1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN B2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| OCHRATOXIN A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | ppm                | 0.00200                               | 0.0100                     | 0.02  | PASS      | <0.00200 |           |
| Analyzed by:<br>4451, 585, 4571                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Weight:<br>0.2454g | Extraction date:<br>07/13/26 08:11:45 | Extracted by:<br>4640,4451 |       |           |          |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL<br>Analytical Batch : MI100508MYC<br>Instrument Used : DA-LCMS-004 (MYC)<br>Batch Date : 07/11/26 11:32:10<br>Analyzed Date : 07/14/26 09:42:39<br>Dilution : 250<br>Reagent : 070826.R03; 071326.R01; 071326.R02; 071026.R01; 061626.R24; 070826.R01; 012026.01<br>Consumables : 947.110; 030125CH01; 6822423-02<br>Pipette : DA-093; DA-094; DA-219<br>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                    |                                       |                            |       |           |          |           |



## Water Activity

**PASSED**

| ANALYTES       | UNIT | LOD   | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw   | 0.010 | 0.10 | 0.85  | PASS      | 0.53   |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/14/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Black Label FIRE Cart 1.0 g  
Strain: Firecracker  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Distillate



# Certificate of Analysis

Pages 7 of 7

**GrowHealthy**  
309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

**Sample: MI60710010-001**  
**Batch #:** ID2035 FIRE CRT1  
**Harvest/Lot ID:** 052726-JLBN-WCP  
**Seed to sale:** 1575696173530597

**Expires:** 07/10/27  
**Ordered:** 07/10/26  
**Sampled:** 07/10/26  
**Completed:** 07/14/26

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                                                                                                                                            | UNIT               | LOD                                   | LOQ | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-----|-------|-----------|-----------------------|-----------|
| Analyzed by:<br>4056, 585, 4571                                                                                                                                     | Weight:<br>0.4674g | Extraction date:<br>07/13/26 16:52:32 |     |       |           | Extracted by:<br>4056 |           |
| Analysis Method : SOP.T.40.019<br>Analytical Batch : MI100523WAT<br>Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)<br>Analyzed Date : 07/14/26 09:37:10 |                    |                                       |     |       |           |                       |           |
| Batch Date : 07/12/26 09:55:19                                                                                                                                      |                    |                                       |     |       |           |                       |           |
| Dilution : N/A<br>Reagent : 050726.03<br>Consumables : PS-14<br>Pipette : N/A                                                                                       |                    |                                       |     |       |           |                       |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                                                                                                                              | UNIT               | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-------|-----------|-----------------------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                                                                                                                         | ppm                | 0.0800                                | 0.400 | 1.1   | PASS      | <0.0800               |           |
| ARSENIC                                                                                                                                                                                                                               | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | <0.0200               |           |
| CADMIUM                                                                                                                                                                                                                               | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | <0.0200               |           |
| LEAD                                                                                                                                                                                                                                  | ppm                | 0.0200                                | 0.100 | 0.5   | PASS      | <0.0200               |           |
| MERCURY                                                                                                                                                                                                                               | ppm                | 0.0200                                | 0.100 | 0.2   | PASS      | <0.0200               |           |
| Analyzed by:<br>1022, 585, 4571                                                                                                                                                                                                       | Weight:<br>0.2235g | Extraction date:<br>07/11/26 14:13:14 |       |       |           | Extracted by:<br>5122 |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL<br>Analytical Batch : MI100513HEA<br>Instrument Used : DA-ICPMS-005<br>Analyzed Date : 07/14/26 11:31:27                                                                           |                    |                                       |       |       |           |                       |           |
| Batch Date : 07/11/26 11:58:41                                                                                                                                                                                                        |                    |                                       |       |       |           |                       |           |
| Dilution : 50<br>Reagent : 070826.R29; 070826.R34; 062426.R44; 070626.R51; 070626.R48; 070626.R49; 070626.R50; 070626.02; 052826.R08; 032326.01<br>Consumables : 030125CH01; J609879-0193; 179436<br>Pipette : DA-191; DA-215; DA-435 |                    |                                       |       |       |           |                       |           |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

| ANALYTES                                                                                                                                                          | UNIT          | LOD                                   | LOQ   | LIMIT | PASS/FAIL | RESULT                | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------|-------|-------|-----------|-----------------------|-----------|
| FILTRATION AND FOREIGN MATERIAL                                                                                                                                   | %             | 0.100                                 | 0.500 | 1     | PASS      | <0.100                |           |
| Analyzed by:<br>4571, 585                                                                                                                                         | Weight:<br>1g | Extraction date:<br>07/12/26 09:43:29 |       |       |           | Extracted by:<br>4571 |           |
| Analysis Method : SOP.T.40.090<br>Analytical Batch : MI100522FIL<br>Instrument Used : Filtration/Foreign Material Microscope<br>Analyzed Date : 07/13/26 10:57:51 |               |                                       |       |       |           |                       |           |
| Batch Date : 07/12/26 09:42:13                                                                                                                                    |               |                                       |       |       |           |                       |           |
| Dilution : N/A<br>Reagent : N/A<br>Consumables : N/A<br>Pipette : N/A                                                                                             |               |                                       |       |       |           |                       |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/14/26  
Laboratory License #: 900013