



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 053026-FLPZ-LR-FF  
**Retail Batch #:** DLR-799-FLPZ LRC.5  
**Batch Date:** 07/11/26  
**Harvest Date:** 05/30/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 739 units  
**Cultivation Facility:** Lake Wales  
**Processing Facility:** Lake Wales  
**Retail Product Size:** 0.5 gram  
**Retail Serving Size:** 0.5 gram  
**Servings:** 1  
**Seed To Sale #:** 5316330596359453

**Lab ID:** MI60714004-003  
**Sampled:** 07/13/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 31 units  
**Completed:** 07/16/26  
**Expires:** 07/14/27  
**Manifest #:** 8453666370201758  
**Source Facility:** Lake Wales

### GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US

License #: M00007CULPROLakeWales001



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**NOT TESTED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**TESTED**



Terpenes  
**TESTED**



### Cannabinoid

### TESTED



**Total THC**  
**75.4%**

Total THC/Container : 377 mg



**Total CBD**  
**0.451%**

Total CBD/Container : 2.25 mg



**Total Cannabinoids**  
**78.7%**

Total Cannabinoids/Container : 393 mg

|         | D9-THC  | THCA    | CBD     | CBDA    | D8-THC   | CBG     | CBGA     | CBN      | THCV    | CBDV     | CBC     | THCVA    |
|---------|---------|---------|---------|---------|----------|---------|----------|----------|---------|----------|---------|----------|
| %       | 75.1    | 0.306   | 0.250   | 0.230   | <0.00200 | 1.54    | <0.00200 | <0.00200 | 0.389   | <0.00200 | 0.823   | <0.00200 |
| mg/unit | 376     | 1.53    | 1.25    | 1.15    | <0.00200 | 7.72    | <0.00200 | <0.00200 | 1.95    | <0.00200 | 4.12    | <0.00200 |
| LOD     | 0.00200 | 0.00200 | 0.00200 | 0.00200 | 0.00200  | 0.00200 | 0.00200  | 0.00200  | 0.00200 | 0.00200  | 0.00200 | 0.00200  |
| LOQ     | 0.0200  | 0.0200  | 0.0200  | 0.0200  | 0.0200   | 0.0200  | 0.0200   | 0.0200   | 0.0200  | 0.0200   | 0.0200  | 0.0200   |
| %       | %       | %       | %       | %       | %        | %       | %        | %        | %       | %        | %       | %        |

Qualifier

Analyzed by:  
5150, 1665, 585, 1440

Weight:  
0.1061g

Extraction date:  
07/14/26 11:17:43

Extracted by:  
5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100550POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 07/15/26 10:18:43

Batch Date : 07/14/26 09:27:48

Dilution : 400

Reagent : 102725.04

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
07/16/26  
**Laboratory License #:** 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX FLPZ Live Rosin Cart 0.5 g

Strain: Fruit Loopz

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



# Certificate of Analysis

Pages 2 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60714004-003

Batch #: DLR-799-FLPZ LRC.5  
Harvest/Lot ID: 053026-FLPZ-LR-FF  
Seed to sale: 5316330596359453

Expires: 07/14/27

Ordered: 07/13/26

Sampled: 07/13/26

Completed: 07/16/26

**PASSED**



## Label Claim Verification

**PASSED**

### ANALYTES

UNIT LOD

LOQ

LIMIT

PASS/FAIL

RESULT

QUALIFIER

Analyzed by:

Weight:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 07/15/26 10:18:42

Batch Date : N/A



## Terpenes

**TESTED**

### ANALYTES

LOD

LOQ

LIMIT

PASS/FAIL

RESULT (%)

(MG/UNIT) QUALIFIER

|                     |         |         |        |          |         |
|---------------------|---------|---------|--------|----------|---------|
| TOTAL TERPENES      | 0.00700 | 0.0200  | TESTED | 7.96     | 39.8    |
| BETA-CARYOPHYLLENE  | 0.00700 | 0.0200  | TESTED | 2.21     | 11.1    |
| LIMONENE            | 0.00700 | 0.0200  | TESTED | 1.37     | 6.83    |
| ALPHA-HUMULENE      | 0.00700 | 0.0200  | TESTED | 0.985    | 4.93    |
| BETA-MYRCENE        | 0.00700 | 0.0200  | TESTED | 0.917    | 4.58    |
| GUAIOL              | 0.00700 | 0.0200  | TESTED | 0.536    | 2.68    |
| TRANS-NEROLIDOL     | 0.00500 | 0.0160  | TESTED | 0.378    | 1.89    |
| LINALOOL            | 0.00700 | 0.0200  | TESTED | 0.372    | 1.86    |
| ALPHA-BISABOLOL     | 0.00700 | 0.0200  | TESTED | 0.282    | 1.41    |
| ALPHA-PINENE        | 0.00700 | 0.0200  | TESTED | 0.157    | 0.783   |
| BETA-PINENE         | 0.00700 | 0.0200  | TESTED | 0.140    | 0.701   |
| ALPHA-TERPINEOL     | 0.00700 | 0.0110  | TESTED | 0.127    | 0.634   |
| FENCHYL ALCOHOL     | 0.00700 | 0.0200  | TESTED | 0.0988   | 0.494   |
| FARNESENE           | 0.00100 | 0.00100 | TESTED | 0.0754   | 0.377   |
| BORNEOL             | 0.0130  | 0.0400  | TESTED | 0.0684   | 0.342   |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200  | TESTED | 0.0656   | 0.328   |
| CAMPHENE            | 0.00700 | 0.0200  | TESTED | 0.0493   | 0.247   |
| ALPHA-TERPINOLENE   | 0.00700 | 0.0200  | TESTED | 0.0401   | 0.201   |
| OCIMENE             | 0.00700 | 0.0200  | TESTED | 0.0312   | 0.156   |
| FENCHONE            | 0.00700 | 0.0200  | TESTED | 0.0280   | 0.140   |
| EUCALYPTOL          | 0.00700 | 0.0200  | TESTED | 0.0267   | 0.133   |
| ALPHA-TERPINENE     | 0.00700 | 0.0200  | TESTED | 0.0190   | 0.0950  |
| 3-CARENE            | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| CAMPHOR             | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| CEDROL              | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| GERANIOL            | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| GERANYL ACETATE     | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| HEXAHYDROTHYMOL     | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| ISOBORNEOL          | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| ISOPULEGOL          | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| NEROL               | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| PULEGONE            | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| SABINENE            | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| SABINENE HYDRATE    | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| VALENCENE           | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| ALPHA-CEDRENE       | 0.00500 | 0.0160  | TESTED | <0.00500 | <0.160  |
| ALPHA-PHELLANDRENE  | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |
| CIS-NEROLIDOL       | 0.00300 | 0.00800 | TESTED | <0.00300 | <0.0800 |
| GAMMA-TERPINENE     | 0.00700 | 0.0200  | TESTED | <0.00700 | <0.200  |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/16/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX FLPZ Live Rosin Cart 0.5 g

Strain: Fruit Loopz

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



# Certificate of Analysis

Pages 3 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60714004-003

Batch #: DLR-799-FLPZ LRC.5  
Harvest/Lot ID: 053026-FLPZ-LR-FF  
Seed to sale: 5316330596359453

Expires: 07/14/27

Ordered: 07/13/26

Sampled: 07/13/26

Completed: 07/16/26

**PASSED**



## Terpenes

**TESTED**

| ANALYTES                                                                       | LOD                | LOQ                                   | LIMIT | PASS/FAIL | RESULT (%)                 | (MG/UNIT) QUALIFIER |
|--------------------------------------------------------------------------------|--------------------|---------------------------------------|-------|-----------|----------------------------|---------------------|
| Analized by:<br>4451, 3379, 585, 1440                                          | Weight:<br>0.2443g | Extraction date:<br>07/14/26 14:20:23 |       |           | Extracted by:<br>4797,4451 |                     |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                           |                    |                                       |       |           |                            |                     |
| Analytical Batch : MI100553TER                                                 |                    |                                       |       |           |                            |                     |
| Instrument Used : DA-GCMS-004                                                  |                    |                                       |       |           |                            |                     |
| Batch Date : 07/14/26 09:56:57                                                 |                    |                                       |       |           |                            |                     |
| Analized Date : 07/15/26 10:18:45                                              |                    |                                       |       |           |                            |                     |
| Dilution : 10                                                                  |                    |                                       |       |           |                            |                     |
| Reagent : 041326.42                                                            |                    |                                       |       |           |                            |                     |
| Consumables : 947.110; 04312111; 2240626; 0000214700                           |                    |                                       |       |           |                            |                     |
| Pipette : DA-063                                                               |                    |                                       |       |           |                            |                     |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. |                    |                                       |       |           |                            |                     |



## Pesticide

**PASSED**

| ANALYTES                            | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|-------------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm  | 0.0100 | 0.0500 | 5     | PASS      | <0.0100 |           |
| TOTAL DIMETHOMORPH                  | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL PERMETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TOTAL PYRETHRINS                    | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TOTAL SPINETORAM                    | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| TOTAL SPINOSAD                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ABAMECTIN B1A                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEPHATE                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACEQUINOCYL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ACETAMIPRID                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ALDICARB                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| AZOXYSTROBIN                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENAZATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORPYRIFOS                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BIFENTHRIN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| BOSCALID                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CARBARYL                            | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| CLOFENTEZINE                        | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| CARBOFURAN                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| COUMAPHOS                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CHLORANTRANILIPROLE                 | ppm  | 0.100  | 0.500  | 1     | PASS      | <0.100  |           |
| CHLORMEQUAT CHLORIDE                | ppm  | 0.100  | 0.500  | 1     | PASS      | <0.100  |           |
| DAMINOZIDE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIAZINON                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DICHLORVOS                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| DIMETHOATE                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETHOPROPHOS                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOFENPROX                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| ETOXAZOLE                           | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENHEXAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENOXYCARB                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FENPYROXIMATE                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FIPRONIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLONICAMID                          | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| FLUDIOXONIL                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| HEXYTHIAZOX                         | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| IMAZALIL                            | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/16/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX FLPZ Live Rosin Cart 0.5 g

Strain: Fruit Loopz

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



# Certificate of Analysis

Pages 4 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60714004-003

Batch #: DLR-799-FLPZ LRC.5  
Harvest/Lot ID: 053026-FLPZ-LR-FF  
Seed to sale: 5316330596359453

Expires: 07/14/27

Ordered: 07/13/26

Sampled: 07/13/26

Completed: 07/16/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | UNIT | LOD    | LOQ    | LIMIT | PASS/FAIL | RESULT  | QUALIFIER |
|--------------------------------|------|--------|--------|-------|-----------|---------|-----------|
| IMIDACLOPRID                   | ppm  | 0.0100 | 0.0500 | 0.4   | PASS      | <0.0100 |           |
| KRESOXIM-METHYL                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MALATHION                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| METALAXYL                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHIOCARB                     | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| METHOMYL                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MEVINPHOS                      | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| MYCLOBUTANIL                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| NALED                          | ppm  | 0.0100 | 0.0500 | 0.25  | PASS      | <0.0100 |           |
| OXAMYL                         | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| PACLOBUTRAZOL                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PHOSMET                        | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PIPERONYL BUTOXIDE             | ppm  | 0.100  | 0.500  | 3     | PASS      | <0.100  |           |
| PRALLETHRIN                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPICONAZOLE                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PROPOXUR                       | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PYRIDABEN                      | ppm  | 0.0100 | 0.0500 | 0.2   | PASS      | <0.0100 |           |
| SPIROMESIFEN                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROTETRAMAT                  | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| SPIROXAMINE                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| TEBUCONAZOLE                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIACLOPRID                    | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| THIAMETHOXAM                   | ppm  | 0.0100 | 0.0500 | 0.5   | PASS      | <0.0100 |           |
| TRIFLOXYSTROBIN                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PENTACHLORONITROBENZENE (PCNB) | ppm  | 0.0100 | 0.0750 | 0.15  | PASS      | <0.0100 |           |
| TOTAL CHLORDANE                | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| PARATHION-METHYL               | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CAPTAN                         | ppm  | 0.0700 | 0.350  | 0.7   | PASS      | <0.0700 |           |
| CHLORFENAPYR                   | ppm  | 0.0100 | 0.0500 | 0.1   | PASS      | <0.0100 |           |
| CYFLUTHRIN                     | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |
| CYPERMETHRIN                   | ppm  | 0.0500 | 0.250  | 0.5   | PASS      | <0.0500 |           |

Analyzed by:  
4451, 585, 1440

Weight:  
0.2323g

Extraction date:  
07/14/26 10:47:30

Extracted by:  
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100540PES

Instrument Used : DA-LCMS-004 (PES)

Batch Date : 07/14/26 08:37:22

Analyzed Date : 07/15/26 10:24:24

Dilution : 250

Reagent : 071326.R01; 012026.01; 070826.R03; 071326.R02; 071426.R01; 061626.R24; 070826.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/16/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX FLPZ Live Rosin Cart 0.5 g

Strain: Fruit Loopz

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



# Certificate of Analysis

Pages 5 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60714004-003

Batch #: DLR-799-FLPZ LRC.5  
Harvest/Lot ID: 053026-FLPZ-LR-FF  
Seed to sale: 5316330596359453

## Expires: 07/14/27

Ordered: 07/13/26  
Sampled: 07/13/26  
Completed: 07/16/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                                                                                                                                              | UNIT               | LOD                                   | LOQ | LIMIT                          | PASS/FAIL             | RESULT | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-----|--------------------------------|-----------------------|--------|-----------|
| Analyzed by:<br>3335, 585, 1440                                                                                                                       | Weight:<br>0.2323g | Extraction date:<br>07/14/26 10:47:30 |     |                                | Extracted by:<br>4451 |        |           |
| Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL                                                                                                   |                    |                                       |     |                                |                       |        |           |
| Analytical Batch : MI100542VOL                                                                                                                        |                    |                                       |     |                                |                       |        |           |
| Instrument Used : DA-GCMS-010                                                                                                                         |                    |                                       |     | Batch Date : 07/14/26 08:38:42 |                       |        |           |
| Analyzed Date : 07/15/26 10:23:11                                                                                                                     |                    |                                       |     |                                |                       |        |           |
| Dilution : 250                                                                                                                                        |                    |                                       |     |                                |                       |        |           |
| Reagent : 071326.R01; 012026.01; 070826.R43; 070826.R44                                                                                               |                    |                                       |     |                                |                       |        |           |
| Consumables : 947.110; 030125CH01; 6822423-02; 17473601                                                                                               |                    |                                       |     |                                |                       |        |           |
| Pipette : DA-080; DA-146; DA-218                                                                                                                      |                    |                                       |     |                                |                       |        |           |
| Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |                    |                                       |     |                                |                       |        |           |



## Microbial

**PASSED**

| ANALYTES                                                                                                                                        | UNIT  | LOD               | LOQ   | LIMIT                                 | PASS/FAIL | RESULT                         | QUALIFIER |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------------------|-------|---------------------------------------|-----------|--------------------------------|-----------|
| ASPERGILLUS FLAVUS                                                                                                                              | RFU   | 10000             | 10000 | 10000                                 | PASS      | Not Present                    |           |
| ASPERGILLUS FUMIGATUS                                                                                                                           | RFU   | 10000             | 10000 | 10000                                 | PASS      | Not Present                    |           |
| ASPERGILLUS NIGER                                                                                                                               | RFU   | 10000             | 10000 | 10000                                 | PASS      | Not Present                    |           |
| ASPERGILLUS TERREUS                                                                                                                             | RFU   | 10000             | 10000 | 10000                                 | PASS      | Not Present                    |           |
| ECOLI - SHIGELLA                                                                                                                                | RFU   | 1900              | 1900  | 1949                                  | PASS      | Not Present                    |           |
| SALMONELLA SPECIFIC GENE                                                                                                                        | RFU   | 10000             | 10000 | 10000                                 | PASS      | Not Present                    |           |
| TOTAL YEAST AND MOLD                                                                                                                            | CFU/g | 10.0              | 10.0  | 100000                                | PASS      | <10.0                          |           |
| Analyzed by:<br>3621, 4520, 585, 1440                                                                                                           |       | Weight:<br>0.995g |       | Extraction date:<br>07/14/26 10:46:20 |           | Extracted by:<br>4892          |           |
| Analysis Method : SOP.T.40.056C                                                                                                                 |       |                   |       |                                       |           |                                |           |
| Analytical Batch : MI100546MIC                                                                                                                  |       |                   |       |                                       |           |                                |           |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) |       |                   |       |                                       |           | Batch Date : 07/14/26 09:12:05 |           |
| Analyzed Date : 07/16/26 10:30:36                                                                                                               |       |                   |       |                                       |           |                                |           |
| Dilution : 10                                                                                                                                   |       |                   |       |                                       |           |                                |           |
| Reagent : 041326.08; 051326.R45; 031026.15                                                                                                      |       |                   |       |                                       |           |                                |           |
| Consumables : 7591001022                                                                                                                        |       |                   |       |                                       |           |                                |           |
| Pipette : N/A                                                                                                                                   |       |                   |       |                                       |           |                                |           |
| Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.                                                            |       |                   |       |                                       |           |                                |           |
|                                                                                                                                                 |       |                   |       |                                       |           |                                |           |
| Analyzed by:<br>3621, 4520, 585, 1440                                                                                                           |       | Weight:<br>1.053g |       | Extraction date:<br>07/14/26 10:47:15 |           | Extracted by:<br>4892          |           |
| Analysis Method : SOP.T.40.209.FL                                                                                                               |       |                   |       |                                       |           |                                |           |
| Analytical Batch : MI100547TYM                                                                                                                  |       |                   |       |                                       |           |                                |           |
| Instrument Used : DA-328 (25°C Incubator)                                                                                                       |       |                   |       | Batch Date : 07/14/26 09:12:11        |           |                                |           |
| Analyzed Date : 07/16/26 13:08:38                                                                                                               |       |                   |       |                                       |           |                                |           |
| Dilution : 10                                                                                                                                   |       |                   |       |                                       |           |                                |           |
| Reagent : 022626.121; 041526.R47                                                                                                                |       |                   |       |                                       |           |                                |           |
| Consumables : N/A                                                                                                                               |       |                   |       |                                       |           |                                |           |
| Pipette : N/A                                                                                                                                   |       |                   |       |                                       |           |                                |           |
| Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.                    |       |                   |       |                                       |           |                                |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/16/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX FLPZ Live Rosin Cart 0.5 g

Strain: Fruit Loopz

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



# Certificate of Analysis

Pages 6 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60714004-003

Batch #: DLR-799-FLPZ LRC.5  
Harvest/Lot ID: 053026-FLPZ-LR-FF  
Seed to sale: 5316330596359453

Expires: 07/14/27

Ordered: 07/13/26

Sampled: 07/13/26

Completed: 07/16/26

**PASSED**



## Mycotoxins

**PASSED**

### ANALYTES

|              | UNIT | LOD     | LOQ    | LIMIT | PASS/FAIL | RESULT   | QUALIFIER |
|--------------|------|---------|--------|-------|-----------|----------|-----------|
| AFLATOXIN B1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN B2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| OCHRATOXIN A | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G1 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |
| AFLATOXIN G2 | ppm  | 0.00200 | 0.0100 | 0.02  | PASS      | <0.00200 |           |

Analyzed by:  
4451, 585, 1440

Weight:  
0.2323g

Extraction date:  
07/14/26 10:47:30

Extracted by:  
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100541MYC

Instrument Used : DA-LCMS-004 (MYC)

Analyzed Date : 07/15/26 10:18:47

Batch Date : 07/14/26 08:38:39

Dilution : 250

Reagent : 071326.R01; 012026.01; 071526.R03; 071326.R02; 071426.R01; 061626.R24; 070826.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Water Activity

**PASSED**

### ANALYTES

|                | UNIT | LOD   | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|----------------|------|-------|------|-------|-----------|--------|-----------|
| WATER ACTIVITY | aw   | 0.010 | 0.10 | 0.85  | PASS      | 0.56   |           |

Analyzed by:  
4056, 585, 1440

Weight:  
0.5752g

Extraction date:  
07/14/26 15:17:57

Extracted by:  
4056

Analysis Method : SOP.T.40.019

Analytical Batch : MI100558WAT

Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date : 07/15/26 09:34:48

Batch Date : 07/14/26 14:10:05

Dilution : N/A

Reagent : 050726.03

Consumables : PS-14

Pipette : N/A



## Moisture Content

**TESTED**

### ANALYTES

|                  | UNIT | LOD  | LOQ  | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|------------------|------|------|------|-------|-----------|--------|-----------|
| MOISTURE CONTENT | %    | 1.00 | 1.00 |       | TESTED    | 3.51   |           |

Analyzed by:  
4056, 585, 1440

Weight:  
0.855g

Extraction date:  
07/14/26 15:31:33

Extracted by:  
4056

Analysis Method : SOP.T.40.021.FL

Analytical Batch : MI100556MOI

Instrument Used : DA-003 Moisture Analyzer

Analyzed Date : 07/15/26 09:39:46

Batch Date : 07/14/26 14:09:19

Dilution : N/A

Reagent : 070626.02; 031523.19

Consumables : N/A

Pipette : DA-066

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/16/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX FLPZ Live Rosin Cart 0.5 g

Strain: Fruit Loopz

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



# Certificate of Analysis

Pages 7 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60714004-003

Batch #: DLR-799-FLPZ LRC.5  
Harvest/Lot ID: 053026-FLPZ-LR-FF  
Seed to sale: 5316330596359453

## Expires: 07/14/27

Ordered: 07/13/26  
Sampled: 07/13/26  
Completed: 07/16/26

**PASSED**



## Heavy Metals

**PASSED**

### ANALYTES

TOTAL CONTAMINANT LOAD METALS

ARSENIC

CADMIUM

LEAD

MERCURY

UNIT LOD

LOQ

LIMIT

PASS/FAIL

RESULT

QUALIFIER

ppm

0.0800

0.400

1.1

PASS

<0.0800

ppm

0.0200

0.100

0.2

PASS

<0.0200

ppm

0.0200

0.100

0.2

PASS

<0.0200

ppm

0.0500

0.250

0.5

PASS

<0.0500

ppm

0.0200

0.100

0.2

PASS

<0.0200

Analyzed by:

1022, 585, 1440

Weight:

0.2545g

Extraction date:

07/14/26 11:32:32

Extracted by:

5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : MI100552HEA

Instrument Used : DA-ICPMS-004

Analyzed Date : 07/16/26 14:35:32

Batch Date : 07/14/26 09:33:05

Dilution : 50

Reagent : 070826.R29; 070826.R34; 062426.R44; 070626.R48; 071326.R11; 071326.R13; 070626.02; 052826.R08; 032326.01

Consumables : 030125CH01; J609879-0193; 179436

Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

### ANALYTES

FILTRATION AND FOREIGN MATERIAL

UNIT LOD

LOQ

LIMIT

PASS/FAIL

RESULT

QUALIFIER

%

0.100

0.500

1

PASS

<0.100

Analyzed by:

4571, 585, 1440

Weight:

1g

Extraction date:

07/15/26 09:43:43

Extracted by:

4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI100570FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 07/15/26 10:18:09

Batch Date : 07/15/26 09:42:07

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/16/26  
Laboratory License #: 900013