



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: THC.061026.DIST
Retail Batch #: MC.V.KL.070926.ARC
Batch Date: 07/09/26
Harvest Date: 06/10/26
Production Method: Other - Not Listed
Total Amount: 1,713 units (1,713 grams)
Cultivation Facility: Tampa Cultivation
Processing Facility: Arcadia Processing
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 8616393090629559

Lab ID: MI60716003-002
Sampled: 07/15/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 07/20/26
Expires: 07/16/27
Manifest #: 2956751416718075
Source Facility: Arcadia Processing

Mint Cannabis

1528 SW HWY 17
Arcadia, FL, 34266, US
www.col-care.com
License #: M00011PROFASArcadia001



MINT
CANNABIS

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
85.4%

Total THC/Container : 854 mg



Total CBD
0.215%

Total CBD/Container : 2.15 mg



Total Cannabinoids
90.1%

Total Cannabinoids/Container : 901 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	85.4	<0.00200	0.215	<0.00200	<0.00200	2.05	<0.00200	0.510	0.503	<0.00200	1.32	0.176
mg/unit	854	<0.00200	2.15	<0.00200	<0.00200	20.5	<0.00200	5.10	5.03	<0.00200	13.2	1.76
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.0936 g	0.0936 g	0.0936 g	0.0936 g	0.0936 g	0.0936 g	0.0936 g	0.0936 g	0.0936 g	0.0936 g	0.0936 g	0.0936 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
5150, 1665, 585, 1440

Weight:
0.0936g

Extraction date:
07/16/26 12:49:33

Extracted by:
4640,5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100607POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 07/16/26 21:44:45

Batch Date : 07/16/26 10:00:31

Dilution : 400

Reagent : 102725.04

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-055; DA-063; DA-067

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Mint Cannabis - 1.0g Vaporizer - King Louie XIII
Strain: King Louie XIII
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 2 of 7

Mint Cannabis

1528 SW HWY 17
Arcadia, FL, 34266, US
www.col-care.com
License #: M00011PROFASArcadia001

Sample: MI60716003-002

Batch #: MC.V.KL.070926.ARC
Harvest/Lot ID: THC.061026.DIST
Seed to sale: 8616393090629559

Expires: 07/16/27

Ordered: 07/15/26
Sampled: 07/15/26
Completed: 07/20/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.



Label Claim Verification

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:	Weight:	Extraction date:	Extracted by:
Analysis Method : N/A			
Analytical Batch : N/A			
Instrument Used : N/A			
Analyzed Date : 07/17/26 11:50:44			
		Batch Date : N/A	



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

TOTAL TERPENES	0.2727 g	10 ml	1 x	0.00700	0.0200	8.37	83.7		TESTED
LIMONENE	0.2727 g	10 ml	1 x	0.00700	0.0200	2.57	25.7		TESTED
BETA-MYRCENE	0.2727 g	10 ml	1 x	0.00700	0.0200	1.78	17.8		TESTED
BETA-CARYOPHYLLENE	0.2727 g	10 ml	1 x	0.00700	0.0200	1.74	17.4		TESTED
LINALOOL	0.2727 g	10 ml	1 x	0.00700	0.0200	0.633	6.33		TESTED
BETA-PINENE	0.2727 g	10 ml	1 x	0.00700	0.0200	0.518	5.18		TESTED
ALPHA-PINENE	0.2727 g	10 ml	1 x	0.00700	0.0200	0.264	2.64		TESTED
FENCHYL ALCOHOL	0.2727 g	10 ml	1 x	0.00700	0.0200	0.251	2.51		TESTED
ALPHA-TERPINEOL	0.2727 g	10 ml	1 x	0.00700	0.0200	0.227	2.27		TESTED
ALPHA-BISABOLOL	0.2727 g	10 ml	1 x	0.00700	0.0200	0.173	1.73		TESTED
CAMPHENE	0.2727 g	10 ml	1 x	0.00700	0.0200	0.0665	0.665		TESTED
ALPHA-TERPINOLENE	0.2727 g	10 ml	1 x	0.00700	0.0200	0.0657	0.657		TESTED
CAMPHOR	0.2727 g	10 ml	1 x	0.00700	0.0200	0.0271	0.271		TESTED
GERANIOL	0.2727 g	10 ml	1 x	0.00700	0.0200	0.0219	0.219		TESTED
ALPHA-HUMULENE	0.2727 g	10 ml	1 x	0.00700	0.0200	0.0215	0.215		TESTED
ALPHA-CEDRENE	0.2727 g	10 ml	1 x	0.00500	0.0160	0.0166	0.166		TESTED
OCIMENE	0.2727 g	10 ml	1 x	0.00700	0.0200	0.0110	0.110	J	TESTED
CARYOPHYLLENE OXIDE	0.2727 g	10 ml	1 x	0.00700	0.0200	0.0104	0.104	J	TESTED
3-CARENE	0.2727 g	10 ml	1 x	0.00700	0.0200	0.00812	0.0812	J	TESTED
HEXAHYDROTHYMOL	0.2727 g	10 ml	1 x	0.00700	0.0200	0.00769	0.0769	J	TESTED
BORNEOL	0.2727 g	10 ml	1 x	0.0130	0.0400	<0.0130	<0.400		TESTED
CEDROL	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
EUCALYPTOL	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
FARNESENE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
FENCHONE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
GUAIOL	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ISOBORNEOL	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
NEROL	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE HYDRATE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
VALENCENE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-PHELLANDRENE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-TERPINENE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
CIS-NEROLIDOL	0.2727 g	10 ml	1 x	0.00300	0.00800	<0.00300	<0.0800		TESTED
GAMMA-TERPINENE	0.2727 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
TRANS-NEROLIDOL	0.2727 g	10 ml	1 x	0.00500	0.0160	<0.00500	<0.160		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Mint Cannabis - 1.0g Vaporizer - King Louie XIII
Strain: King Louie XIII
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 3 of 7

Mint Cannabis

1528 SW HWY 17
Arcadia, FL, 34266, US
www.col-care.com
License #: M00011PROFASArcadia001

Sample: MI60716003-002

Batch #: MC.V.KL.070926.ARC
Harvest/Lot ID: THC.061026.DIST
Seed to sale: 8616393090629559

Expires: 07/16/27

Ordered: 07/15/26
Sampled: 07/15/26
Completed: 07/20/26

PASSED



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by: 4531, 585, 1440	Weight: 0.2727g	Extraction date: 07/16/26 14:32:54	Extracted by: 3379
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL			
Analytical Batch : MI100615TER			
Instrument Used : DA-GCMS-009			
Analyzed Date : 07/17/26 12:26:00			
Batch Date : 07/16/26 11:52:28			
Dilution : 10			
Reagent : 041326.42			
Consumables : 927.100; 04312111; 32164278; 2240626			
Pipette : DA-063			
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.			



Pesticide

PASSED

ANALYTES

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.2512 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL DIMETHOMORPH	0.2512 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL PERMETHRIN	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL PYRETHRINS	0.2512 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL SPINETORAM	0.2512 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL SPINOSAD	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ABAMECTIN B1A	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACEPHATE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACEQUINOCYL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACETAMIPRID	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ALDICARB	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
AZOXYSTROBIN	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BIFENAZATE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CHLORPYRIFOS	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BIFENTHRIN	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BOSCALID	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CARBARYL	0.2512 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CLOFENTEZINE	0.2512 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CARBOFURAN	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
COUMAPHOS	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CHLORANTRANILIPROLE	0.2512 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm	PASS	PASS
CHLORMEQUAT CHLORIDE	0.2512 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm	PASS	PASS
DAMINOZIDE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DIAZINON	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DICHLORVOS	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DIMETHOATE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETHOPROPHOS	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETOFENPROX	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETOXAZOLE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENHEXAMID	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENOXYCARB	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENPYROXIMATE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FIPRONIL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FLONICAMID	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FLUDIOXONIL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
HEXYTHIAZOX	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
IMAZALIL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
IMIDACLOPRID	0.2512 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm	PASS	PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Mint Cannabis - 1.0g Vaporizer - King Louie XIII

Strain: King Louie XIII

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 4 of 7

Mint Cannabis

1528 SW HWY 17
Arcadia, FL, 34266, US
www.col-care.com
License #: M00011PROFASArcadia001

Sample: MI60716003-002

Batch #: MC.V.KL.070926.ARC
Harvest/Lot ID: THC.061026.DIST
Seed to sale: 8616393090629559

Expires: 07/16/27

Ordered: 07/15/26

Sampled: 07/15/26

Completed: 07/20/26

PASSED



Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MALATHION	0.2512 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.2512 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.2512 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.2512 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.2512 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.2512 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.2512 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.2512 g	25 ml	1 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.2512 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.2512 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.2512 g	25 ml	1 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.2512 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.2512 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.2512 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by:
4451, 585, 1440

Weight:
0.2512g

Extraction date:
07/16/26 11:03:20

Extracted by:
3335,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100598PES

Instrument Used : DA-LCMS-005 (PES)

Analyzed Date : 07/16/26 18:46:00

Batch Date : 07/16/26 08:59:07

Dilution : 250

Reagent : 071326.R01; 012026.01; 071526.R03; 071326.R03; 071426.R02; 061626.R24; 071526.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Mint Cannabis - 1.0g Vaporizer - King Louie XIII
Strain: King Louie XIII
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 5 of 7

Mint Cannabis

1528 SW HWY 17
Arcadia, FL, 34266, US
www.col-care.com
License #: M00011PROFASArcadia001

Sample: MI60716003-002

Batch #: MC.V.KL.070926.ARC
Harvest/Lot ID: THC.061026.DIST
Seed to sale: 8616393090629559

Expires: 07/16/27

Ordered: 07/15/26
Sampled: 07/15/26
Completed: 07/20/26

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 3335, 585, 1440	Weight: 0.2512g		Extraction date: 07/16/26 11:03:20					Extracted by: 3335,4451		
Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL										
Analytical Batch : MI100600VOL										
Instrument Used : DA-GCMS-011										
Batch Date : 07/16/26 09:00:32										
Analyzed Date : 07/16/26 19:07:00										
Dilution : 250										
Reagent : 071326.R01; 012026.01; 071526.R34; 071526.R33										
Consumables : 947.110; 030125CH01; 6822423-02; 17473601										
Pipette : DA-080; DA-146; DA-218										

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Residual Solvents	PASSED
--	--------------------------	---------------

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0261 g	1 ml	1 x	8	0.800	4.00	<0.800	ppm		PASS
1,2-DICHLOROETHANE	0.0261 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
2-PROPANOL	0.0261 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ACETONE	0.0261 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
ACETONITRILE	0.0261 g	1 ml	1 x	60	6.00	30.0	<6.00	ppm		PASS
BENZENE	0.0261 g	1 ml	1 x	1	0.100	0.500	<0.100	ppm		PASS
BUTANES (N-BUTANE)	0.0261 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
CHLOROFORM	0.0261 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
DICHLOROMETHANE	0.0261 g	1 ml	1 x	125	12.5	62.5	<12.5	ppm		PASS
ETHANOL	0.0261 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
ETHYL ACETATE	0.0261 g	1 ml	1 x	400	40.0	200	<40.0	ppm		PASS
ETHYL ETHER	0.0261 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ETHYLENE OXIDE	0.0261 g	1 ml	1 x	5	0.500	2.50	<0.500	ppm		PASS
HEPTANE	0.0261 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
METHANOL	0.0261 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
N-HEXANE	0.0261 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
PENTANES (N-PENTANE)	0.0261 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
PROPANE	0.0261 g	1 ml	1 x	5000	500	1080	<500	ppm		PASS
TOLUENE	0.0261 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TOTAL XYLENES	0.0261 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TRICHLOROETHYLENE	0.0261 g	1 ml	1 x	25	2.50	12.5	<2.50	ppm		PASS

Analyzed by: 4444, 585, 1440	Weight: 0.0261g	Extraction date: 07/16/26 12:01:24	Extracted by: 4444
Analysis Method : SOP.T.40.041.FL			
Analytical Batch : MI100614SOL			
Instrument Used : DA-GCMS-012			
Batch Date : 07/16/26 11:28:47			
Analyzed Date : 07/17/26 11:48:14			
Dilution : 1			
Reagent : 061323.06			
Consumables : 431526; 325202			
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)			

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Mint Cannabis - 1.0g Vaporizer - King Louie XIII
Strain: King Louie XIII
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 6 of 7

Mint Cannabis

1528 SW HWY 17
Arcadia, FL, 34266, US
www.col-care.com
License #: M00011PROFASArcadia001

Sample: MI60716003-002

Batch #: MC.V.KL.070926.ARC
Harvest/Lot ID: THC.061026.DIST
Seed to sale: 8616393090629559

Expires: 07/16/27

Ordered: 07/15/26
Sampled: 07/15/26
Completed: 07/20/26

PASSED



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
SALMONELLA SPECIFIC GENE	1.012 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.012 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.012 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.012 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.012 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FLAVUS	1.012 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.005 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by: 4520, 4892, 585, 1440	Weight: 1.012g	Extraction date: 07/16/26 10:12:49	Extracted by: 4892,4520
---------------------------------------	-------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.056C
Analytical Batch : MI100595MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 07/16/26 07:42:09
Analyzed Date : 07/18/26 14:14:04

Dilution : 10
Reagent : 041326.09; 051326.R45; 031026.15
Consumables : 7591001018
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4520, 4571, 585, 1440	Weight: 1.005g	Extraction date: 07/16/26 10:17:47	Extracted by: 4892,4520
---------------------------------------	-------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI100596TYM
Instrument Used : DA-328 (25°C Incubator)
Batch Date : 07/16/26 07:42:57
Analyzed Date : 07/19/26 00:46:07

Dilution : 10
Reagent : 022626.122; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.2512 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.2512 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.2512 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.2512 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.2512 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS

Analyzed by: 4451, 585, 1440	Weight: 0.2512g	Extraction date: 07/16/26 11:03:20	Extracted by: 3335,4451
---------------------------------	--------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100599MYC
Instrument Used : DA-LCMS-005 (MYC)
Batch Date : 07/16/26 09:00:28
Analyzed Date : 07/16/26 18:46:00

Dilution : 250
Reagent : 071326.R01; 012026.01; 071526.R03; 071326.R03; 071426.R02; 061626.R24; 071526.R01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Mint Cannabis - 1.0g Vaporizer - King Louie XIII
Strain: King Louie XIII
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 7 of 7

Mint Cannabis

1528 SW HWY 17
Arcadia, FL, 34266, US
www.col-care.com
License #: M00011PROFASArcadia001

Sample: MI60716003-002

Batch #: MC.V.KL.070926.ARC
Harvest/Lot ID: THC.061026.DIST
Seed to sale: 8616393090629559

Expires: 07/16/27

Ordered: 07/15/26
Sampled: 07/15/26
Completed: 07/20/26

PASSED



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.7296 g			0.85	0.010	0.10	0.58	aw		PASS
Analyzed by: 4056, 585, 1440	Weight: 0.7296g		Extraction date: 07/16/26 15:16:33					Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : MI100618WAT Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 07/17/26 10:41:11										
Batch Date : 07/16/26 14:20:08										
Dilution : N/A Reagent : 050726.03 Consumables : PS-14 Pipette : N/A										



Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2468 g	50 ml	1 x	1.1	0.0800	0.400	<0.0800	ppm		PASS
ARSENIC	0.2468 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2468 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2468 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2468 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
Analyzed by: 1022, 585, 1440	Weight: 0.2468g		Extraction date: 07/16/26 12:08:27					Extracted by: 5122,1022		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI100611HEA Instrument Used : DA-ICPMS-005 Analyzed Date : 07/16/26 21:05:00										
Batch Date : 07/16/26 10:13:18										
Dilution : 50 Reagent : 070826.R29; 070826.R34; 062426.R44; 070626.R48; 071326.R11; 071326.R13; 070626.02; 052826.R08; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-191; DA-215; DA-435										

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filtration/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL		1 g			1	0.100	0.500	<0.100	%	PASS
Analyzed by: 585, 1440	Weight: 1g		Extraction date: 07/18/26 11:45:32					Extracted by: 585		
Analysis Method : SOP.T.40.090 Analytical Batch : MI100668FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/18/26 14:23:37										
Batch Date : 07/18/26 11:43:30										
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013