



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 042626-TROP-LR-FF
Retail Batch #: DLR-800-CTYJ LRC.5
Batch Date: 07/14/26
Harvest Date: 04/26/26
Production Method: Other - Not Listed
Total Amount: 373 units (186.5 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 2647505971328629

Lab ID: MI60716016-001
Sampled: 07/16/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 07/20/26
Expires: 07/16/27
Manifest #: 8740719972846834
Source Facility: Lake Wales

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US

License # : M00007CULPROLakeWales001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
NOT TESTED



Filtration/Foreign Material
PASSED



Water Activity
PASSED



Moisture Content
TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
72.7%

Total THC/Container : 364 mg



Total CBD
0.278%

Total CBD/Container : 1.39 mg



Total Cannabinoids
77.7%

Total Cannabinoids/Container : 388 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	66.7	6.91	0.127	0.172	<0.00200	1.24	1.39	0.115	0.268	<0.00200	0.604	0.158
mg/unit	333	34.6	0.637	0.860	<0.00200	6.22	6.93	0.577	1.34	<0.00200	3.02	0.788
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.104 g	0.104 g	0.104 g	0.104 g	0.104 g	0.104 g	0.104 g	0.104 g	0.104 g	0.104 g	0.104 g	0.104 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
5150, 1665, 585, 4056

Weight:
0.104g

Extraction date:
07/17/26 12:20:25

Extracted by:
5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100636POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 07/17/26 20:47:52

Batch Date : 07/17/26 09:42:59

Dilution : 400

Reagent : 102725.04

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-055; DA-063; DA-067

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX CTJ Live Rosin Cart 0.5 g

Strain: City Juice

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



Certificate of Analysis

Pages 2 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60716016-001

Batch #: DLR-800-CTJ LRC.5
Harvest/Lot ID: 042626-TROP-LR-FF
Seed to sale: 2647505971328629

Expires: 07/16/27

Ordered: 07/16/26

Sampled: 07/16/26

Completed: 07/20/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.



Label Claim Verification

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:	Weight:	Extraction date:	Extracted by:
Analysis Method : N/A Analytical Batch : N/A Instrument Used : N/A Analyzed Date : 07/20/26 09:36:31			Batch Date : N/A



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

TOTAL TERPENES	0.2376 g	10 ml	1 x	0.00700	0.0200	6.40	32.0	TESTED	
BETA-CARYOPHYLLENE	0.2376 g	10 ml	1 x	0.00700	0.0200	1.87	9.35	TESTED	
LIMONENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.911	4.56	TESTED	
LINALOOL	0.2376 g	10 ml	1 x	0.00700	0.0200	0.705	3.53	TESTED	
ALPHA-HUMULENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.653	3.27	TESTED	
TRANS-NEROLIDOL	0.2376 g	10 ml	1 x	0.00500	0.0160	0.613	3.07	TESTED	
FARNESENE	0.2376 g	10 ml	1 x	0.00100	0.00100	0.382	1.91	TESTED	
ALPHA-PINENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.201	1.00	TESTED	
ALPHA-BISABOLOL	0.2376 g	10 ml	1 x	0.00700	0.0200	0.201	1.00	TESTED	
ALPHA-TERPINEOL	0.2376 g	10 ml	1 x	0.00700	0.0110	0.153	0.766	TESTED	
FENCHYL ALCOHOL	0.2376 g	10 ml	1 x	0.00700	0.0200	0.142	0.711	TESTED	
BETA-PINENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.105	0.525	TESTED	
BETA-MYRCENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0757	0.378	TESTED	
BORNEOL	0.2376 g	10 ml	1 x	0.0130	0.0400	0.0748	0.374	TESTED	
CAMPHENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0569	0.284	TESTED	
GERANIOL	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0508	0.254	TESTED	
ALPHA-TERPINOLENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0347	0.173	TESTED	
EUCALYPTOL	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0344	0.172	TESTED	
OCIMENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0323	0.161	TESTED	
FENCHONE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0312	0.156	TESTED	
GAMMA-TERPINENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0275	0.138	TESTED	
ISOBORNEOL	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0267	0.133	TESTED	
ALPHA-TERPINENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0210	0.105	TESTED	
ALPHA-PHELLANDRENE	0.2376 g	10 ml	1 x	0.00700	0.0200	0.0126	0.0628	TESTED	J
3-CARENE	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
CAMPHOR	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
CARYOPHYLLENE OXIDE	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
CEDROL	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
GERANYL ACETATE	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
GUAIOL	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
HEXAHYDROTHYMOL	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
ISOPULEGOL	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
NEROL	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
PULEGONE	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
SABINENE	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
SABINENE HYDRATE	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
VALENCENE	0.2376 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
ALPHA-CEDRENE	0.2376 g	10 ml	1 x	0.00500	0.0160	<0.00500	<0.160	TESTED	
CIS-NEROLIDOL	0.2376 g	10 ml	1 x	0.00300	0.00800	<0.00300	<0.0800	TESTED	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX CTJ Live Rosin Cart 0.5 g

Strain: City Juice

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



Certificate of Analysis

Pages 3 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60716016-001

Batch #: DLR-800-CTJ LRC.5
Harvest/Lot ID: 042626-TROP-LR-FF
Seed to sale: 2647505971328629

Expires: 07/16/27

Ordered: 07/16/26
Sampled: 07/16/26
Completed: 07/20/26

PASSED



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:
4531, 585, 4056

Weight:
0.2376g

Extraction date:
07/17/26 12:11:32

Extracted by:
3379

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI100639TER

Instrument Used : DA-GCMS-004

Analyzed Date : 07/20/26 11:18:10

Batch Date : 07/17/26 09:50:07

Dilution : 10

Reagent : 041326.42

Consumables : 927.100; 04402004; 328074291; 2240626

Pipette : DA-063

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Pesticide

PASSED

ANALYTES

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.2286 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL DIMETHOMORPH	0.2286 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL PERMETHRIN	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL PYRETHRINS	0.2286 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL SPINETORAM	0.2286 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL SPINOSAD	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ABAMECTIN B1A	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACEPHATE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACEQUINOCYL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACETAMIPRID	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ALDICARB	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
AZOXYSTROBIN	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BIFENAZATE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CHLORPYRIFOS	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BIFENTHRIN	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BOSCALID	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CARBARYL	0.2286 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CLOFENTEZINE	0.2286 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CARBOFURAN	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
COUMAPHOS	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CHLORANTRANILIPROLE	0.2286 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm	PASS	PASS
CHLORMEQUAT CHLORIDE	0.2286 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm	PASS	PASS
DAMINOZIDE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DIAZINON	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DICHLORVOS	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DIMETHOATE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETHOPROPHOS	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETOFENPROX	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETOXAZOLE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENHEXAMID	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENOXYCARB	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENPYROXIMATE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FIPRONIL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FLONICAMID	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FLUDIOXONIL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
HEXYTHIAZOX	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
IMAZALIL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
IMIDACLOPRID	0.2286 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm	PASS	PASS
KRESOXIM-METHYL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX CTJ Live Rosin Cart 0.5 g

Strain: City Juice

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



Certificate of Analysis

Pages 4 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60716016-001

Batch #: DLR-800-CTJ LRC.5
Harvest/Lot ID: 042626-TROP-LR-FF
Seed to sale: 2647505971328629

Expires: 07/16/27

Ordered: 07/16/26
Sampled: 07/16/26
Completed: 07/20/26

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	0.2286 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.2286 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.2286 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.2286 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.2286 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.2286 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.2286 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.2286 g	25 ml	1 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.2286 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.2286 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.2286 g	25 ml	1 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.2286 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.2286 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.2286 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by: 4451, 585, 4056	Weight: 0.2286g	Extraction date: 07/17/26 10:45:42	Extracted by: 4451
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100629PES

Instrument Used : DA-LCMS-004 (PES)

Analyzed Date : 07/17/26 16:31:00

Batch Date : 07/17/26 08:40:59

Dilution : 250

Reagent : 071626.R01; 012026.01; 071526.R03; 071326.R03; 071426.R02; 061626.R24; 071526.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 4056	Weight: 0.2286g	Extraction date: 07/17/26 10:45:42	Extracted by: 4451
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100631VOL

Instrument Used : DA-GCMS-011

Analyzed Date : 07/17/26 15:27:00

Batch Date : 07/17/26 08:42:14

Dilution : 250

Reagent : 071626.R01; 012026.01; 071526.R34; 071526.R33

Consumables : 947.110; 030125CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX CTJ Live Rosin Cart 0.5 g

Strain: City Juice

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



Certificate of Analysis

Pages 5 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60716016-001

Batch #: DLR-800-CTJ LRC.5
Harvest/Lot ID: 042626-TROP-LR-FF
Seed to sale: 2647505971328629

Expires: 07/16/27

Ordered: 07/16/26
Sampled: 07/16/26
Completed: 07/20/26

PASSED



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
SALMONELLA SPECIFIC GENE	1.092 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.092 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.092 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.092 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.092 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FLAVUS	1.092 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.085 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by: 4520, 585, 4056 Weight: 1.092g Extraction date: 07/17/26 09:59:56 Extracted by: 4520,3621

Analysis Method : SOP.T.40.056C

Analytical Batch : MI100625MIC

Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)

Batch Date : 07/17/26 08:11:21

Analyzed Date : 07/20/26 11:59:22

Dilution : 10

Reagent : 041326.10; 041326.22; 051326.R45; 031026.15

Consumables : 7591001018

Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 5008, 585, 4056 Weight: 1.085g Extraction date: 07/17/26 09:59:53 Extracted by: 4520

Analysis Method : SOP.T.40.209.FL

Analytical Batch : MI100626TYM

Instrument Used : DA-328 (25°C Incubator)

Batch Date : 07/17/26 08:11:26

Analyzed Date : 07/20/26 09:57:44

Dilution : 10

Reagent : 022626.123; 022626.124; 041526.R47

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.2286 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.2286 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.2286 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.2286 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.2286 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS

Analyzed by: 4451, 585, 4056 Weight: 0.2286g Extraction date: 07/17/26 10:45:42 Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100630MYC

Instrument Used : DA-LCMS-004 (MYC)

Batch Date : 07/17/26 08:42:09

Analyzed Date : 07/17/26 16:31:00

Dilution : 250

Reagent : 071626.R01; 012026.01; 071326.R02; 071626.R02; 061626.R24; 071526.R01; 071526.R03

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX CTJ Live Rosin Cart 0.5 g

Strain: City Juice

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



Certificate of Analysis

Pages 6 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60716016-001

Batch #: DLR-800-CTJ LRC.5
Harvest/Lot ID: 042626-TROP-LR-FF
Seed to sale: 2647505971328629

Expires: 07/16/27

Ordered: 07/16/26
Sampled: 07/16/26
Completed: 07/20/26

PASSED



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.7241 g			0.85	0.010	0.10	0.55	aw		PASS
Analyzed by: 4056, 585	Weight: 0.7241g		Extraction date: 07/17/26 13:58:24					Extracted by: 4056		
Analysis Method : SOP.T.40.019 Analytical Batch : MI100645WAT Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 07/20/26 09:35:55										
Dilution : N/A Reagent : 050726.03 Consumables : PS-14 Pipette : N/A										
Batch Date : 07/17/26 13:07:04										



Moisture Content

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.591 g				1.00	1.00	2.88	%		TESTED
Analyzed by: 4056, 585	Weight: 0.591g		Extraction date: 07/17/26 14:35:56					Extracted by: 4056		
Analysis Method : SOP.T.40.021.FL Analytical Batch : MI100643MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 07/20/26 09:35:06										
Dilution : N/A Reagent : 071626.12; 070626.02 Consumables : N/A Pipette : DA-066										
Batch Date : 07/17/26 13:06:51										



Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2265 g	50 ml	1 x	1.1	0.0800	0.400	<0.0800	ppm		PASS
ARSENIC	0.2265 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2265 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2265 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2265 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
Analyzed by: 5122, 1022, 585, 4056	Weight: 0.2265g		Extraction date: 07/17/26 11:13:49					Extracted by: 5122		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI100641HEA Instrument Used : DA-ICPMS-005 Analyzed Date : 07/17/26 19:41:00										
Dilution : 50 Reagent : 070826.R29; 070826.R34; 062426.R44; 071626.R10; 071326.R11; 071326.R13; 070626.02; 052826.R08; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-191; DA-215; DA-435										
Batch Date : 07/17/26 09:56:09										

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX CTYJ Live Rosin Cart 0.5 g

Strain: City Juice

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Rosin Cart



Certificate of Analysis

Pages 7 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60716016-001

Batch #: DLR-800-CTYJ LRC.5
Harvest/Lot ID: 042626-TROP-LR-FF
Seed to sale: 2647505971328629

Expires: 07/16/27

Ordered: 07/16/26
Sampled: 07/16/26
Completed: 07/20/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

FILTH AND FOREIGN MATERIAL

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

1 g 1 0.100 0.500 <0.100 % PASS

Analyzed by:
585, 4056

Weight:
1g

Extraction date:
07/18/26 11:45:32

Extracted by:
585

Analysis Method : SOP.T.40.090

Analytical Batch : MI100668FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/18/26 14:29:32

Batch Date : 07/18/26 11:43:30

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/20/26
Laboratory License #: 900013