



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 061926-RNTZ-LR-FF
Retail Batch #: B1191-LR-RNTZ TB1
Batch Date: 07/22/26
Harvest Date: 06/19/26
Production Method: Other - Not Listed
Total Amount: 481 units (481 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 6634326345321944

Lab ID: MI60724005-004
Sampled: 07/23/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 07/30/26
Expires: 07/24/27
Manifest #: 2462322715873490
Source Facility: Lake Wales

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US

License #: M00007CULPROLakeWales001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
56.8%

Total THC/Container : 568 mg



Total CBD
0.184%

Total CBD/Container : 1.84 mg



Total Cannabinoids
66.6%

Total Cannabinoids/Container : 666 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.964	63.6	<0.00200	0.210	0.102	0.0919	0.897	<0.00200	<0.00200	<0.00200	0.296	0.390
mg/unit	9.64	636	<0.00200	2.10	1.02	0.919	8.97	<0.00200	<0.00200	<0.00200	2.96	3.90
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.101 g	0.101 g	0.101 g	0.101 g	0.101 g	0.101 g	0.101 g	0.101 g	0.101 g	0.101 g	0.101 g	0.101 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
5150, 1665, 3379, 4640, 1440

Extraction date:
07/24/26 11:46:15

Extracted by:
5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100805POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 07/27/26 16:32:00

Batch Date : 07/24/26 08:59:02

Reagent : 072126.R02; 102725.04; 072126.R01

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

The Vault RNTZ Temple Ball 1.0 g
Strain: Runtz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 2 of 7

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60724005-004
Batch #: B1191-LR-RNTZ TB1
Harvest/Lot ID: 061926-RNTZ-LR-FF
Seed to sale: 6634326345321944

Expires: 07/24/27
Ordered: 07/23/26
Sampled: 07/23/26
Completed: 07/30/26

PASSED



Label Claim Verification

PASSED

ANALYTES **WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL**

Analyzed by: Extraction date: Extracted by:
Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Batch Date : N/A
Analyzed Date : 07/28/26 10:49:36



Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2011 g	10 ml	1 x		0.00700	0.0200	5.69	56.9	TESTED	
BETA-MYRCENE	0.2011 g	10 ml	1 x		0.00700	0.0200	1.60	16.0	TESTED	
BETA-CARYOPHYLLENE	0.2011 g	10 ml	1 x		0.00700	0.0200	1.33	13.3	TESTED	
LIMONENE	0.2011 g	10 ml	1 x		0.00700	0.0200	0.602	6.02	TESTED	
FARNESENE	0.2011 g	10 ml	1 x		0.00100	0.00100	0.486	4.86	TESTED	
ALPHA-HUMULENE	0.2011 g	10 ml	1 x		0.00700	0.0200	0.419	4.19	TESTED	
TRANS-NEROLIDOL	0.2011 g	10 ml	1 x		0.00500	0.0160	0.349	3.49	TESTED	
LINALOOL	0.2011 g	10 ml	1 x		0.00700	0.0200	0.289	2.89	TESTED	
BETA-PINENE	0.2011 g	10 ml	1 x		0.00700	0.0200	0.166	1.66	TESTED	
ALPHA-PINENE	0.2011 g	10 ml	1 x		0.00700	0.0200	0.0871	0.871	TESTED	
ALPHA-TERPINEOL	0.2011 g	10 ml	1 x		0.00700	0.0110	0.0738	0.738	TESTED	
FENCHYL ALCOHOL	0.2011 g	10 ml	1 x		0.00700	0.0200	0.0677	0.677	TESTED	
BORNEOL	0.2011 g	10 ml	1 x		0.0130	0.0400	0.0606	0.606	TESTED	
ALPHA-BISABOLOL	0.2011 g	10 ml	1 x		0.00700	0.0200	0.0506	0.506	TESTED	
CAMPHENE	0.2011 g	10 ml	1 x		0.00700	0.0200	0.0384	0.384	TESTED	
ALPHA-TERPINOLENE	0.2011 g	10 ml	1 x		0.00700	0.0200	0.0322	0.322	TESTED	
GAMMA-TERPINENE	0.2011 g	10 ml	1 x		0.00700	0.0200	0.0253	0.253	TESTED	
SABINENE	0.2011 g	10 ml	1 x		0.00700	0.0200	0.0224	0.224	TESTED	
3-CARENE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
CAMPHOR	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
CARYOPHYLLENE OXIDE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
CEDROL	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
EUCALYPTOL	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
FENCHONE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
GERANIOL	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
GERANYL ACETATE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
GUAIOL	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
HEXAHYDROTHYMOL	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
ISOBORNEOL	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
ISOPULEGOL	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
NEROL	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
OCIMENE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
PULEGONE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
SABINENE HYDRATE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
VALENCENE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
ALPHA-CEDRENE	0.2011 g	10 ml	1 x		0.00500	0.0160	<0.00500	<0.160	TESTED	
ALPHA-PHELLANDRENE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
ALPHA-TERPINENE	0.2011 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200	TESTED	
CIS-NEROLIDOL	0.2011 g	10 ml	1 x		0.00300	0.00800	<0.00300	<0.0800	TESTED	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

The Vault RNTZ Temple Ball 1.0 g

Strain: Runtz

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 3 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60724005-004

Batch #: B1191-LR-RNTZ TB1
Harvest/Lot ID: 061926-RNT2-LR-FF
Seed to sale: 6634326345321944

Expires: 07/24/27

Ordered: 07/23/26

Sampled: 07/23/26

Completed: 07/30/26

PASSED



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:
4531, 3379, 1440

Extraction date:
07/24/26 11:38:44

Extracted by:
4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI100803TER

Instrument Used : DA-GCMS-004

Analyzed Date : 07/25/26 00:43:00

Batch Date : 07/24/26 08:55:43

Reagent : 041326.42

Consumables : 947.110; 04312111; 2240626; 0000355309

Pipette : DA-465 (MIC) Dispenser

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Pesticide

PASSED

ANALYTES

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.2884 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL DIMETHOMORPH	0.2884 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PERMETHRIN	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PYRETHRINS	0.2884 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINETORAM	0.2884 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINOSAD	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ABAMECTIN B1A	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEPHATE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEQUINOCYL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACETAMIPRID	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ALDICARB	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
AZOXYSTROBIN	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENAZATE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORPYRIFOS	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENTHRIN	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BOSCALID	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CARBARYL	0.2884 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CLOFENTEZINE	0.2884 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
CARBOFURAN	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
COUMAPHOS	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORANTRANILIPROLE	0.2884 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
CHLORMEQUAT CHLORIDE	0.2884 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
DAMINOZIDE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIAZINON	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DICHLORVOS	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIMETHOATE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETHOPROPHOS	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOFENPROX	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOXAZOLE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENHEXAMID	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENOXYCARB	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENPYROXIMATE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FIPRONIL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLONICAMID	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLUDIOXONIL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
HEXYTHIAZOX	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMAZALIL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMIDACLOPRID	0.2884 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS
KRESOXIM-METHYL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
The Vault RNTZ Temple Ball 1.0 g
Strain: Runtz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 4 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60724005-004

Batch #: B1191-LR-RNTZ TB1
Harvest/Lot ID: 061926-RNT2-LR-FF
Seed to sale: 6634326345321944

Expires: 07/24/27

Ordered: 07/23/26
Sampled: 07/23/26
Completed: 07/30/26

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	0.2884 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.2884 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.2884 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.2884 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.2884 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.2884 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.2884 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.2884 g	25 ml	1 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.2884 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.2884 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.2884 g	25 ml	1 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.2884 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.2884 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.2884 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by:
4451, 585, 1440

Extraction date:
07/24/26 11:36:21

Extracted by:
4451,4640

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100806PES

Instrument Used : DA-LCMS-005 (PES)

Batch Date : 07/24/26 09:02:22

Analyzed Date : 07/25/26 04:46:00

Reagent : 072226.R37; 012026.01; 072226.R03; 072426.R01; 072026.R04; 061626.R24; 072226.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
3335, 585, 1440

Extraction date:
07/24/26 11:36:21

Extracted by:
4451,4640

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100808VOL

Instrument Used : DA-GCMS-010

Batch Date : 07/24/26 09:04:18

Analyzed Date : 07/24/26 23:38:00

Reagent : 072226.R37; 012026.01; 072226.R26; 072226.R27

Consumables : 947.110; 030125CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

The Vault RNTZ Temple Ball 1.0 g

Strain: Runtz

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 5 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60724005-004

Batch #: B1191-LR-RNTZ TB1
Harvest/Lot ID: 061926-RNT2-LR-FF
Seed to sale: 6634326345321944

Expires: 07/24/27

Ordered: 07/23/26

Sampled: 07/23/26

Completed: 07/30/26

PASSED



Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0285 g	1 ml	1 x	8	0.800	4.00	<0.800	ppm		PASS
1,2-DICHLOROETHANE	0.0285 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
2-PROPANOL	0.0285 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ACETONE	0.0285 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
ACETONITRILE	0.0285 g	1 ml	1 x	60	6.00	30.0	<6.00	ppm		PASS
BENZENE	0.0285 g	1 ml	1 x	1	0.100	0.500	<0.100	ppm		PASS
BUTANES (N-BUTANE)	0.0285 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
CHLOROFORM	0.0285 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
DICHLOROMETHANE	0.0285 g	1 ml	1 x	125	12.5	62.5	<12.5	ppm		PASS
ETHANOL	0.0285 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
ETHYL ACETATE	0.0285 g	1 ml	1 x	400	40.0	200	<40.0	ppm		PASS
ETHYL ETHER	0.0285 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ETHYLENE OXIDE	0.0285 g	1 ml	1 x	5	0.500	2.50	<0.500	ppm		PASS
HEPTANE	0.0285 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
METHANOL	0.0285 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
N-HEXANE	0.0285 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
PENTANES (N-PENTANE)	0.0285 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
PROPANE	0.0285 g	1 ml	1 x	5000	500	1080	<500	ppm		PASS
TOLUENE	0.0285 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TOTAL XYLENES	0.0285 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TRICHLOROETHYLENE	0.0285 g	1 ml	1 x	25	2.50	12.5	<2.50	ppm		PASS

Analyzed by:
4444, 585, 1440

Extraction date:
07/24/26 11:29:52

Extracted by:
3379

Analysis Method : SOP.T.40.041.FL

Analytical Batch : MI100815SOL

Instrument Used : DA-GCMS-012

Analyzed Date : 07/25/26 07:11:08

Batch Date : 07/24/26 11:04:23

Reagent : 061323.06

Consumables : R2017.167; 325202

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
SALMONELLA SPECIFIC GENE	1.048 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.048 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.048 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.048 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.048 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FLAVUS	1.048 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.028 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

The Vault RNTZ Temple Ball 1.0 g
Strain: Runtz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 6 of 7

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60724005-004
Batch #: B1191-LR-RNTZ TB1
Harvest/Lot ID: 061926-RNT2-LR-FF
Seed to sale: 6634326345321944

Expires: 07/24/27
Ordered: 07/23/26
Sampled: 07/23/26
Completed: 07/30/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 4520, 585, 3390, 1440 Extraction date: 07/24/26 10:34:21 Extracted by: 4892										
Analysis Method : SOP.T.40.056C Analytical Batch : MI100799MIC Instrument Used : DA-111 (PathogenDx Scanner),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Analyzed Date : 07/28/26 13:30:58 Batch Date : 07/24/26 08:14:52										
Reagent : 041326.16; 051326.R45; 031026.15 Consumables : 7590002015 Pipette : N/A										
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.										

Analyzed by: 4520, 5008, 585, 1440 Extraction date: 07/24/26 10:40:01 Extracted by: 4892,5008										
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI100800TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 07/27/26 10:28:50 Batch Date : 07/24/26 08:14:57										
Reagent : 022626.67; 022626.125; 041526.R47 Consumables : N/A Pipette : N/A										
Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.										

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.2884 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm	PASS	PASS
AFLATOXIN B2	0.2884 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm	PASS	PASS
OCHRATOXIN A	0.2884 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm	PASS	PASS
AFLATOXIN G1	0.2884 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm	PASS	PASS
AFLATOXIN G2	0.2884 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm	PASS	PASS
Analyzed by: 4451, 585, 1440 Extraction date: 07/24/26 11:36:21 Extracted by: 4451,4640										
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI100807MYC Instrument Used : DA-LCMS-005 (MYC) Analyzed Date : 07/25/26 04:46:00 Batch Date : 07/24/26 09:04:14										
Reagent : 072226.R37; 012026.01; 072226.R03; 072426.R01; 072026.R04; 061626.R24; 072226.R01 Consumables : 947.110; 030125CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	1.1563 g			0.85	0.010	0.10	0.57	aw	PASS	PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017
Accreditation PJLA-Testing 97164

Signature 07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
The Vault RNTZ Temple Ball 1.0 g
Strain: Runtz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 7 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60724005-004

Batch #: B1191-LR-RNTZ TB1
Harvest/Lot ID: 061926-RNT2-LR-FF
Seed to sale: 6634326345321944

Expires: 07/24/27

Ordered: 07/23/26
Sampled: 07/23/26
Completed: 07/30/26

PASSED



Water Activity

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:
4056, 585, 1440

Extraction date:
07/24/26 16:31:41

Extracted by:
4056

Analysis Method : SOP.T.40.019

Analytical Batch : MI100820WAT

Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date : 07/27/26 10:16:59

Batch Date : 07/24/26 15:00:32

Reagent : 050726.03

Consumables : PS-14

Pipette : N/A



Heavy Metals

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

TOTAL CONTAMINANT LOAD METALS

0.2503 g

50 ml

1 x

1.1

0.0200

0.100

0.381

ppm

PASS

ARSENIC

0.2503 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

CADMIUM

0.2503 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

LEAD

0.2503 g

50 ml

1 x

0.5

0.0500

0.250

0.110

ppm

J

PASS

MERCURY

0.2503 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

NICKEL

0.2503 g

50 ml

1 x

0.5

0.0500

0.250

0.271

ppm

PASS

TIN

0.2503 g

50 ml

1 x

4

0.400

2.00

<0.400

ppm

PASS

Analyzed by:
1022, 585, 1440

Extraction date:
07/24/26 11:23:35

Extracted by:
1022,5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : MI100814HEA

Instrument Used : DA-ICPMS-004

Analyzed Date : 07/24/26 20:08:00

Batch Date : 07/24/26 09:33:24

Reagent : 070826.R29; 071726.R13; 062426.R44; 071626.R10; 072026.R09; 072026.R08; 070626.02; 071726.R12; 032326.01

Consumables : 030125CH01; J609879-0193; 179436

Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filtration/Foreign Material

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100

0.500

<0.100

%

PASS

Analyzed by:
4571, 585, 1440

Extraction date:
07/24/26 13:03:03

Extracted by:
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI100817FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/27/26 10:23:54

Batch Date : 07/24/26 12:32:17

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013