



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 060926-DBSD-LR-FF  
**Retail Batch #:** HLB-118-DBSD LBD1  
**Batch Date:** 07/21/26  
**Harvest Date:** 06/10/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 865 units (865 grams)  
**Cultivation Facility:** Lake Wales  
**Processing Facility:** Lake Wales  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Seed To Sale #:** 6885136033306273

**Lab ID:** MI60724005-005  
**Sampled:** 07/23/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 16 units  
**Completed:** 07/30/26  
**Expires:** 07/24/27  
**Manifest #:** 2462322715873490  
**Source Facility:** Lake Wales

### GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US

License # : M00007CULPROLakeWales001



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**TESTED**



### Cannabinoid

**TESTED**



**Total THC**  
**59.0%**

Total THC/Container : 590 mg



**Total CBD**  
**0.146%**

Total CBD/Container : 1.46 mg



**Total Cannabinoids**  
**70.3%**

Total Cannabinoids/Container : 703 mg

|           | D9-THC   | THCA     | CBD      | CBDA     | D8-THC   | CBG      | CBGA     | CBN      | THCV     | CBDV     | CBC      | THCVA    |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| %         | 2.36     | 64.6     | <0.00200 | 0.167    | <0.00200 | 0.123    | 2.51     | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 0.546    |
| mg/unit   | 23.6     | 646      | <0.00200 | 1.67     | <0.00200 | 1.23     | 25.1     | <0.00200 | <0.00200 | <0.00200 | <0.00200 | 5.46     |
| Qualifier |          |          |          |          |          |          |          |          |          |          |          |          |
| LOD (%)   | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  |
| LOQ (%)   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   |
| Weight    | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g | 0.1083 g |
| Volume    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    |
| Dilution  | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     |

Analyzed by:  
5150, 1665, 3379, 4640, 1440

Extraction date:  
07/24/26 11:46:15

Extracted by:  
5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100805POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 07/27/26 16:42:00

Batch Date : 07/24/26 08:59:02

Reagent : 072126.R02; 102725.04; 072126.R01

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
07/30/26  
**Laboratory License #:** 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX DBSD Live Badder 1.0 g

Strain: Durban Dawg

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Badder



# Certificate of Analysis

Pages 2 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60724005-005

Batch #: HLB-118-DBSD LBD1  
Harvest/Lot ID: 060926-DBSD-LR-FF  
Seed to sale: 6885136033306273

Expires: 07/24/27

Ordered: 07/23/26

Sampled: 07/23/26

Completed: 07/30/26

**PASSED**



## Label Claim Verification

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 07/28/26 10:52:32

Batch Date : N/A



## Terpenes

**TESTED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

|                     |          |       |     |         |         |          |         |        |  |
|---------------------|----------|-------|-----|---------|---------|----------|---------|--------|--|
| TOTAL TERPENES      | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 11.0     | 110     | TESTED |  |
| ALPHA-TERPINOLENE   | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 3.20     | 32.0    | TESTED |  |
| BETA-CARYOPHYLLENE  | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 2.37     | 23.7    | TESTED |  |
| OCIMENE             | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 1.20     | 12.0    | TESTED |  |
| ALPHA-HUMULENE      | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.823    | 8.23    | TESTED |  |
| BETA-MYRCENE        | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.710    | 7.10    | TESTED |  |
| LIMONENE            | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.586    | 5.86    | TESTED |  |
| FARNESENE           | 0.2296 g | 10 ml | 1 x | 0.00100 | 0.00100 | 0.525    | 5.25    | TESTED |  |
| ALPHA-BISABOOL      | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.239    | 2.39    | TESTED |  |
| BETA-PINENE         | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.218    | 2.18    | TESTED |  |
| ALPHA-TERPINEOL     | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0110  | 0.134    | 1.34    | TESTED |  |
| ALPHA-TERPINENE     | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.131    | 1.31    | TESTED |  |
| ALPHA-PHELLANDRENE  | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.125    | 1.25    | TESTED |  |
| ALPHA-PINENE        | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.118    | 1.18    | TESTED |  |
| 3-CARENE            | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0999   | 0.999   | TESTED |  |
| GAMMA-TERPINENE     | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0987   | 0.987   | TESTED |  |
| FENCHYL ALCOHOL     | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0869   | 0.869   | TESTED |  |
| SABINENE            | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0710   | 0.710   | TESTED |  |
| CARYOPHYLLENE OXIDE | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0693   | 0.693   | TESTED |  |
| BORNEOL             | 0.2296 g | 10 ml | 1 x | 0.0130  | 0.0400  | 0.0607   | 0.607   | TESTED |  |
| LINALOOL            | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0445   | 0.445   | TESTED |  |
| EUCALYPTOL          | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0410   | 0.410   | TESTED |  |
| CAMPHENE            | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0370   | 0.370   | TESTED |  |
| SABINENE HYDRATE    | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0287   | 0.287   | TESTED |  |
| ISOBORNEOL          | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0267   | 0.267   | TESTED |  |
| CAMPOR              | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| CEDROL              | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| FENCHONE            | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| GERANIOL            | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| GERANYL ACETATE     | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| GUAIOL              | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| HEXAHYDROTHYMOL     | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| ISOPULEGOL          | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| NEROL               | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| PULEGONE            | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| VALENCENE           | 0.2296 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  | TESTED |  |
| ALPHA-CEDRENE       | 0.2296 g | 10 ml | 1 x | 0.00500 | 0.0160  | <0.00500 | <0.160  | TESTED |  |
| CIS-NEROLIDOL       | 0.2296 g | 10 ml | 1 x | 0.00300 | 0.00800 | <0.00300 | <0.0800 | TESTED |  |
| TRANS-NEROLIDOL     | 0.2296 g | 10 ml | 1 x | 0.00500 | 0.0160  | <0.00500 | <0.160  | TESTED |  |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX DBSD Live Badder 1.0 g

Strain: Durban Dawg

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Badder



# Certificate of Analysis

Pages 3 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60724005-005

Batch #: HLB-118-DBSD LBD1  
Harvest/Lot ID: 060926-DBSD-LR-FF  
Seed to sale: 6885136033306273

Expires: 07/24/27

Ordered: 07/23/26

Sampled: 07/23/26

Completed: 07/30/26

**PASSED**



## Terpenes

**TESTED**

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:  
4531, 3379, 1440

Extraction date:  
07/24/26 11:38:44

Extracted by:  
4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI100803TER

Instrument Used : DA-GCMS-004

Analyzed Date : 07/25/26 01:08:00

Batch Date : 07/24/26 08:55:43

Reagent : 041326.42

Consumables : 947.110; 04312111; 2240626; 0000355309

Pipette : DA-465 (MIC) Dispenser

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



## Pesticide

**PASSED**

### ANALYTES

| ANALYTES                            | WEIGHT | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|-------------------------------------|--------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.24 g | 25 ml  | 10 x     | 5     | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL DIMETHOMORPH                  | 0.24 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL PERMETHRIN                    | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL PYRETHRINS                    | 0.24 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL SPINETORAM                    | 0.24 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL SPINOSAD                      | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ABAMECTIN B1A                       | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACEPHATE                            | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACEQUINOCYL                         | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACETAMIPRID                         | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ALDICARB                            | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| AZOXYSTROBIN                        | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BIFENAZATE                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CHLORPYRIFOS                        | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BIFENTHRIN                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BOSCALID                            | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CARBARYL                            | 0.24 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CLOFENTEZINE                        | 0.24 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CARBOFURAN                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| COUMAPHOS                           | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CHLORANTRANILIPROLE                 | 0.24 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| CHLORMEQUAT CHLORIDE                | 0.24 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| DAMINOZIDE                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DIAZINON                            | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DICHLORVOS                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DIMETHOATE                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETHOPROPHOS                         | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETOFENPROX                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETOXAZOLE                           | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENHEXAMID                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENOXYCARB                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENPYROXIMATE                       | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FIPRONIL                            | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FLONICAMID                          | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FLUDIOXONIL                         | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| HEXYTHIAZOX                         | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| IMAZALIL                            | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| IMIDACLOPRID                        | 0.24 g | 25 ml  | 10 x     | 0.4   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| KRESOXIM-METHYL                     | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX DBSD Live Badder 1.0 g

Strain: Durban Dawg

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Badder



# Certificate of Analysis

Pages 4 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60724005-005

Batch #: HLB-118-DBSD LBD1  
Harvest/Lot ID: 060926-DBSD-LR-FF  
Seed to sale: 6885136033306273

## Expires: 07/24/27

Ordered: 07/23/26  
Sampled: 07/23/26  
Completed: 07/30/26

**PASSED**

|  |                  |               |
|--|------------------|---------------|
|  | <b>Pesticide</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                       | WEIGHT | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------|--------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| MALATHION                      | 0.24 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METALAXYL                      | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHIOCARB                     | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHOMYL                       | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MEVINPHOS                      | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MYCLOBUTANIL                   | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| NALED                          | 0.24 g | 25 ml  | 10 x     | 0.25  | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| OXAMYL                         | 0.24 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PACLOBUTRAZOL                  | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PHOSMET                        | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PIPERONYL BUTOXIDE             | 0.24 g | 25 ml  | 10 x     | 3     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| PRALLETHRIN                    | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPICONAZOLE                  | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPOXUR                       | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PYRIDABEN                      | 0.24 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROMESIFEN                   | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROTETRAMAT                  | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROXAMINE                    | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TEBUCONAZOLE                   | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIACLOPRID                    | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIAMETHOXAM                   | 0.24 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TRIFLOXYSTROBIN                | 0.24 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PENTACHLORONITROBENZENE (PCNB) | 0.24 g | 25 ml  | 1 x      | 0.15  | 0.0100 | 0.0750 | <0.0100 | ppm  |           | PASS      |
| TOTAL CHLORDANE                | 0.24 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PARATHION-METHYL               | 0.24 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CAPTAN                         | 0.24 g | 25 ml  | 1 x      | 0.7   | 0.0700 | 0.350  | <0.0700 | ppm  |           | PASS      |
| CHLORFENAPYR                   | 0.24 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CYFLUTHRIN                     | 0.24 g | 25 ml  | 1 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |
| CYPERMETHRIN                   | 0.24 g | 25 ml  | 1 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |

Analyzed by:  
4451, 585, 1440

Extraction date:  
07/24/26 11:36:34

Extracted by:  
4451,4640

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100806PES

Instrument Used : DA-LCMS-005 (PES)

Batch Date : 07/24/26 09:02:22

Analyzed Date : 07/25/26 05:00:00

Reagent : 072226.R37; 012026.01; 072226.R03; 072426.R01; 072026.R04; 061626.R24; 072226.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:  
3335, 585, 1440

Extraction date:  
07/24/26 11:36:34

Extracted by:  
4451,4640

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100808VOL

Instrument Used : DA-GCMS-010

Batch Date : 07/24/26 09:04:18

Analyzed Date : 07/24/26 23:53:00

Reagent : 072226.R37; 012026.01; 072226.R26; 072226.R27

Consumables : 947.110; 030125CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX DBSD Live Badder 1.0 g

Strain: Durban Dawg

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Badder



# Certificate of Analysis

Pages 5 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60724005-005

Batch #: HLB-118-DBSD LBD1  
Harvest/Lot ID: 060926-DBSD-LR-FF  
Seed to sale: 6885136033306273

Expires: 07/24/27

Ordered: 07/23/26

Sampled: 07/23/26

Completed: 07/30/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD   | LOQ   | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------------------|----------|--------|----------|-------|-------|-------|--------|------|-----------|-----------|
| 1,1-DICHLOROETHENE   | 0.0278 g | 1 ml   | 1 x      | 8     | 0.800 | 4.00  | <0.800 | ppm  |           | PASS      |
| 1,2-DICHLOROETHANE   | 0.0278 g | 1 ml   | 1 x      | 2     | 0.200 | 1.00  | <0.200 | ppm  |           | PASS      |
| 2-PROPANOL           | 0.0278 g | 1 ml   | 1 x      | 500   | 50.0  | 250   | <50.0  | ppm  |           | PASS      |
| ACETONE              | 0.0278 g | 1 ml   | 1 x      | 750   | 75.0  | 375   | <75.0  | ppm  |           | PASS      |
| ACETONITRILE         | 0.0278 g | 1 ml   | 1 x      | 60    | 6.00  | 30.0  | <6.00  | ppm  |           | PASS      |
| BENZENE              | 0.0278 g | 1 ml   | 1 x      | 1     | 0.100 | 0.500 | <0.100 | ppm  |           | PASS      |
| BUTANES (N-BUTANE)   | 0.0278 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| CHLOROFORM           | 0.0278 g | 1 ml   | 1 x      | 2     | 0.200 | 1.00  | <0.200 | ppm  |           | PASS      |
| DICHLOROMETHANE      | 0.0278 g | 1 ml   | 1 x      | 125   | 12.5  | 62.5  | <12.5  | ppm  |           | PASS      |
| ETHANOL              | 0.0278 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| ETHYL ACETATE        | 0.0278 g | 1 ml   | 1 x      | 400   | 40.0  | 200   | <40.0  | ppm  |           | PASS      |
| ETHYL ETHER          | 0.0278 g | 1 ml   | 1 x      | 500   | 50.0  | 250   | <50.0  | ppm  |           | PASS      |
| ETHYLENE OXIDE       | 0.0278 g | 1 ml   | 1 x      | 5     | 0.500 | 2.50  | <0.500 | ppm  |           | PASS      |
| HEPTANE              | 0.0278 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| METHANOL             | 0.0278 g | 1 ml   | 1 x      | 250   | 25.0  | 125   | <25.0  | ppm  |           | PASS      |
| N-HEXANE             | 0.0278 g | 1 ml   | 1 x      | 250   | 25.0  | 125   | <25.0  | ppm  |           | PASS      |
| PENTANES (N-PENTANE) | 0.0278 g | 1 ml   | 1 x      | 750   | 75.0  | 375   | <75.0  | ppm  |           | PASS      |
| PROPANE              | 0.0278 g | 1 ml   | 1 x      | 5000  | 500   | 1080  | <500   | ppm  |           | PASS      |
| TOLUENE              | 0.0278 g | 1 ml   | 1 x      | 150   | 15.0  | 75.0  | <15.0  | ppm  |           | PASS      |
| TOTAL XYLENES        | 0.0278 g | 1 ml   | 1 x      | 150   | 15.0  | 75.0  | <15.0  | ppm  |           | PASS      |
| TRICHLOROETHYLENE    | 0.0278 g | 1 ml   | 1 x      | 25    | 2.50  | 12.5  | <2.50  | ppm  |           | PASS      |

Analyzed by:  
4444, 585, 1440

Extraction date:  
07/24/26 11:29:52

Extracted by:  
3379

Analysis Method : SOP.T.40.041.FL

Analytical Batch : MI100815SOL

Instrument Used : DA-GCMS-012

Batch Date : 07/24/26 11:04:23

Analyzed Date : 07/25/26 07:38:04

Reagent : 061323.06

Consumables : R2017.167; 325202

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | WEIGHT  | VOLUME | DILUTION | LIMIT             | LOD  | LOQ  | RESULT      | UNIT  | QUALIFIER | PASS/FAIL |
|--------------------------|---------|--------|----------|-------------------|------|------|-------------|-------|-----------|-----------|
| SALMONELLA SPECIFIC GENE | 1.079 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ECOLI - SHIGELLA         | 1.079 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS TERREUS      | 1.079 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS NIGER        | 1.079 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS FUMIGATUS    | 1.079 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS FLAVUS       | 1.079 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| TOTAL YEAST AND MOLD     | 1.018 g | 1 ml   | 10 x     | 100000            | 10.0 | 10.0 | <10.0       | CFU/g |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX DBSD Live Badder 1.0 g

Strain: Durban Dawg

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Badder



# Certificate of Analysis

Pages 6 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60724005-005

Batch #: HLB-118-DBSD LBD1  
Harvest/Lot ID: 060926-DBSD-LR-FF  
Seed to sale: 6885136033306273

Expires: 07/24/27

Ordered: 07/23/26  
Sampled: 07/23/26  
Completed: 07/30/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES | WEIGHT | VOLUME | DILUTION | LIMIT | LOD | LOQ | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------|--------|--------|----------|-------|-----|-----|--------|------|-----------|-----------|
|----------|--------|--------|----------|-------|-----|-----|--------|------|-----------|-----------|

|                                                                                                                                                                                                                                     |                                       |                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------|
| Analyzed by:<br>4520, 585, 3390, 3379, 1440                                                                                                                                                                                         | Extraction date:<br>07/24/26 10:34:21 | Extracted by:<br>4892 |
| Analysis Method : SOP.T.40.056C<br>Analytical Batch : MI100799MIC<br>Instrument Used : DA-111 (PathogenDx Scanner),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)<br>Analyzed Date : 07/28/26 14:24:50 |                                       |                       |
| Batch Date : 07/24/26 08:14:52                                                                                                                                                                                                      |                                       |                       |
| Reagent : 041326.16; 051326.R45; 031026.15<br>Consumables : 7590002015<br>Pipette : N/A                                                                                                                                             |                                       |                       |
| Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.                                                                                                                                                |                                       |                       |

|                                                                                                                                                       |                                       |                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>4520, 5008, 585, 1440                                                                                                                 | Extraction date:<br>07/24/26 10:40:01 | Extracted by:<br>4892,5008 |
| Analysis Method : SOP.T.40.209.FL<br>Analytical Batch : MI100800TYM<br>Instrument Used : DA-328 (25°C Incubator)<br>Analyzed Date : 07/27/26 10:28:51 |                                       |                            |
| Batch Date : 07/24/26 08:14:57                                                                                                                        |                                       |                            |
| Reagent : 022626.67; 022626.125; 041526.R47<br>Consumables : N/A<br>Pipette : N/A                                                                     |                                       |                            |
| Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.                          |                                       |                            |



## Mycotoxins

**PASSED**

| ANALYTES     | WEIGHT | VOLUME | DILUTION | LIMIT | LOD     | LOQ    | RESULT   | UNIT | QUALIFIER | PASS/FAIL |
|--------------|--------|--------|----------|-------|---------|--------|----------|------|-----------|-----------|
| AFLATOXIN B1 | 0.24 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |
| AFLATOXIN B2 | 0.24 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |
| OCHRATOXIN A | 0.24 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |
| AFLATOXIN G1 | 0.24 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |
| AFLATOXIN G2 | 0.24 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |

|                                                                                                                                                                                  |                                       |                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|----------------------------|
| Analyzed by:<br>4451, 585, 1440                                                                                                                                                  | Extraction date:<br>07/24/26 11:36:34 | Extracted by:<br>4451,4640 |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL<br>Analytical Batch : MI100807MYC<br>Instrument Used : DA-LCMS-005 (MYC)<br>Analyzed Date : 07/25/26 05:00:00                 |                                       |                            |
| Batch Date : 07/24/26 09:04:14                                                                                                                                                   |                                       |                            |
| Reagent : 072226.R37; 012026.01; 072226.R03; 072426.R01; 072026.R04; 061626.R24; 072226.R01<br>Consumables : 947.110; 030125CH01; 6822423-02<br>Pipette : DA-093; DA-094; DA-219 |                                       |                            |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.                                              |                                       |                            |



## Water Activity

**PASSED**

| ANALYTES       | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD   | LOQ  | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------------|----------|--------|----------|-------|-------|------|--------|------|-----------|-----------|
| WATER ACTIVITY | 1.1052 g |        |          | 0.85  | 0.010 | 0.10 | 0.58   | aw   |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX DBSD Live Badder 1.0 g

Strain: Durban Dawg

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Live Badder



# Certificate of Analysis

Pages 7 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60724005-005

Batch #: HLB-118-DBSD LBD1  
Harvest/Lot ID: 060926-DBSD-LR-FF  
Seed to sale: 6885136033306273

## Expires: 07/24/27

Ordered: 07/23/26  
Sampled: 07/23/26  
Completed: 07/30/26

**PASSED**



## Water Activity

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:  
4056, 585, 1440

Extraction date:  
07/24/26 16:31:41

Extracted by:  
4056

Analysis Method : SOP.T.40.019

Analytical Batch : MI100820WAT

Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date : 07/27/26 10:16:59

Batch Date : 07/24/26 15:00:32

Reagent : 050726.03

Consumables : PS-14

Pipette : N/A



## Heavy Metals

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

TOTAL CONTAMINANT LOAD METALS

0.2697 g

50 ml

1 x

1.1

0.0200

0.100

0.0790

ppm

J

PASS

ARSENIC

0.2697 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

CADMIUM

0.2697 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

LEAD

0.2697 g

50 ml

1 x

0.5

0.0500

0.250

<0.0500

ppm

PASS

MERCURY

0.2697 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

NICKEL

0.2697 g

50 ml

1 x

0.5

0.0500

0.250

0.0790

ppm

J

PASS

TIN

0.2697 g

50 ml

1 x

4

0.400

2.00

<0.400

ppm

PASS

Analyzed by:  
1022, 585, 1440

Extraction date:  
07/24/26 10:46:38

Extracted by:  
1022,5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : MI100814HEA

Instrument Used : DA-ICPMS-004

Analyzed Date : 07/24/26 18:02:00

Batch Date : 07/24/26 09:33:24

Reagent : 070826.R29; 071726.R13; 062426.R44; 071626.R10; 072026.R09; 072026.R08; 070626.02; 071726.R12; 032326.01

Consumables : 030125CH01; J609879-0193; 179436

Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100

0.500

<0.100

%

PASS

Analyzed by:  
4571, 585, 1440

Extraction date:  
07/24/26 13:03:03

Extracted by:  
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI100817FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/27/26 10:23:54

Batch Date : 07/24/26 12:32:17

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013