




# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 061726-NYSD-LR-FF  
**Retail Batch #:** HLB-116-NYSD DSP2  
**Batch Date:** 07/22/26  
**Harvest Date:** 06/17/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 211 units (422 grams)  
**Cultivation Facility:** Lake Wales  
**Processing Facility:** Lake Wales  
**Retail Product Size:** 2 gram  
**Retail Serving Size:** 2 gram  
**Servings:** 1  
**Seed To Sale #:** 5852518725988341

**Lab ID:** MI60725001-003  
**Sampled:** 07/24/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 9 units  
**Completed:** 07/30/26  
**Expires:** 07/25/27  
**Manifest #:** 4536401802975502  
**Source Facility:** Lake Wales

### GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US

License #: M00007CULPROLakeWales001



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**TESTED**



### Cannabinoid

**TESTED**



**Total THC**  
**71.5%**

Total THC/Container : 1430 mg



**Total CBD**  
**0.232%**

Total CBD/Container : 4.65 mg



**Total Cannabinoids**  
**73.3%**

Total Cannabinoids/Container : 1470 mg

|           | D9-THC   | THCA     | CBD      | CBDA     | D8-THC   | CBG      | CBGA     | CBN      | THCV     | CBDV     | CBC      | THCVA    |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| %         | 71.5     | <0.00200 | 0.232    | <0.00200 | <0.00200 | 0.346    | <0.00200 | 0.209    | 0.398    | <0.00200 | 0.441    | 0.211    |
| mg/unit   | 1430     | <0.00200 | 4.65     | <0.00200 | <0.00200 | 6.91     | <0.00200 | 4.18     | 7.96     | <0.00200 | 8.82     | 4.22     |
| Qualifier |          |          |          |          |          |          |          |          |          |          |          |          |
| LOD (%)   | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  |
| LOQ (%)   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   |
| Weight    | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g | 0.1059 g |
| Volume    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    |
| Dilution  | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     |

Analyzed by:  
4640, 1665, 585, 1440

Extraction date:  
07/27/26 09:04:41

Extracted by:  
5150,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100857POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 07/28/26 01:22:27

Batch Date : 07/27/26 06:51:21

Reagent : 072126.R02; 102725.04; 072126.R01

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164



Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

NYSD Live Resin Disposable Vaporizer 2.0 g  
Strain: New York Sour Diesel  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Resin



# Certificate of Analysis

Pages 2 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60725001-003

Batch #: HLB-116-NYSD DSP2  
Harvest/Lot ID: 061726-NYSD-LR-FF  
Seed to sale: 5852518725988341

Expires: 07/25/27

Ordered: 07/24/26  
Sampled: 07/24/26  
Completed: 07/30/26

**PASSED**



## Label Claim Verification

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 07/28/26 11:52:56

Batch Date : N/A



## Terpenes

**TESTED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

|                     |          |       |     |         |         |          |         |   |        |
|---------------------|----------|-------|-----|---------|---------|----------|---------|---|--------|
| TOTAL TERPENES      | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 8.05     | 161     |   | TESTED |
| BETA-CARYOPHYLLENE  | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 2.97     | 59.4    |   | TESTED |
| BETA-MYRCENE        | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 1.63     | 32.7    |   | TESTED |
| ALPHA-HUMULENE      | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 1.26     | 25.3    |   | TESTED |
| LIMONENE            | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.987    | 19.7    |   | TESTED |
| ALPHA-BISABOLOL     | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.332    | 6.65    |   | TESTED |
| TRANS-NEROLIDOL     | 0.2092 g | 10 ml | 1 x | 0.00500 | 0.0160  | 0.150    | 3.00    |   | TESTED |
| LINALOOL            | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.148    | 2.96    |   | TESTED |
| ALPHA-PINENE        | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.116    | 2.33    |   | TESTED |
| FENCHYL ALCOHOL     | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0774   | 1.55    |   | TESTED |
| BETA-PINENE         | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0697   | 1.39    |   | TESTED |
| CAMPHERE            | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0688   | 1.38    |   | TESTED |
| FARNESENE           | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0682   | 1.36    |   | TESTED |
| ALPHA-TERPINENE     | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0628   | 1.26    |   | TESTED |
| ALPHA-TERPINEOL     | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0369   | 0.738   |   | TESTED |
| GAMMA-TERPINENE     | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0357   | 0.714   |   | TESTED |
| GUAJOL              | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0162   | 0.323   | J | TESTED |
| BORNEOL             | 0.2092 g | 10 ml | 1 x | 0.0130  | 0.0400  | 0.0135   | 0.271   | J | TESTED |
| 3-CARENE            | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CAMPHOR             | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CARYOPHYLLENE OXIDE | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CEDROL              | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| EUCALYPTOL          | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| FENCHONE            | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANIOL            | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANYL ACETATE     | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| HEXAHYDROTHYMOL     | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOBORNEOL          | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOPULEGOL          | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| NEROL               | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| OCIMENE             | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| PULEGONE            | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE            | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE HYDRATE    | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| VALENCENE           | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-CEDRENE       | 0.2092 g | 10 ml | 1 x | 0.00500 | 0.0160  | <0.00500 | <0.160  |   | TESTED |
| ALPHA-PHELLANDRENE  | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-TERPINOLENE   | 0.2092 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CIS-NEROLIDOL       | 0.2092 g | 10 ml | 1 x | 0.00300 | 0.00800 | <0.00300 | <0.0800 |   | TESTED |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

NYSD Live Resin Disposable Vaporizer 2.0 g  
Strain: New York Sour Diesel  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Resin



# Certificate of Analysis

Pages 3 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60725001-003

Batch #: HLB-116-NYSD DSP2  
Harvest/Lot ID: 061726-NYSD-LR-FF  
Seed to sale: 5852518725988341

## Expires: 07/25/27

Ordered: 07/24/26  
Sampled: 07/24/26  
Completed: 07/30/26

**PASSED**



## Terpenes

**TESTED**

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:  
4571, 4531, 585, 1440

Extraction date:  
07/26/26 14:59:21

Extracted by:  
4571,4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI100845TER

Instrument Used : DA-GCMS-009

Analyzed Date : 07/27/26 06:51:00

Batch Date : 07/26/26 10:21:39

Reagent : 041326.42

Consumables : 947.110; 04312111; 2240626; 0000355309

Pipette : DA-465 (MIC) Dispenser

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



## Pesticide

**PASSED**

### ANALYTES

| ANALYTES                            | WEIGHT | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|-------------------------------------|--------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.2 g  | 25 ml  | 10 x     | 5     | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL DIMETHOMORPH                  | 0.2 g  | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL PERMETHRIN                    | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL PYRETHRINS                    | 0.2 g  | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL SPINETORAM                    | 0.2 g  | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| TOTAL SPINOSAD                      | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ABAMECTIN B1A                       | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACEPHATE                            | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACEQUINOCYL                         | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ACETAMIPRID                         | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ALDICARB                            | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| AZOXYSTROBIN                        | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BIFENAZATE                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CHLORPYRIFOS                        | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BIFENTHRIN                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| BOSCALID                            | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CARBARYL                            | 0.2 g  | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CLOFENTEZINE                        | 0.2 g  | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CARBOFURAN                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| COUMAPHOS                           | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| CHLORANTRANILIPROLE                 | 0.2 g  | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  | PASS      | PASS      |
| CHLORMEQUAT CHLORIDE                | 0.2 g  | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  | PASS      | PASS      |
| DAMINOZIDE                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DIAZINON                            | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DICHLORVOS                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| DIMETHOATE                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETHOPROPHOS                         | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETOFENPROX                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| ETOXAZOLE                           | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENHEXAMID                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENOXYCARB                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FENPYROXIMATE                       | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FIPRONIL                            | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FLONICAMID                          | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| FLUDIOXONIL                         | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| HEXYTHIAZOX                         | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| IMAZALIL                            | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| IMIDACLOPRID                        | 0.2 g  | 25 ml  | 10 x     | 0.4   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |
| KRESOXIM-METHYL                     | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  | PASS      | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

NYSD Live Resin Disposable Vaporizer 2.0 g  
Strain: New York Sour Diesel  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Resin



# Certificate of Analysis

Pages 4 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60725001-003

Batch #: HLB-116-NYSD DSP2  
Harvest/Lot ID: 061726-NYSD-LR-FF  
Seed to sale: 5852518725988341

## Expires: 07/25/27

Ordered: 07/24/26  
Sampled: 07/24/26  
Completed: 07/30/26

**PASSED**

|  |                  |               |
|--|------------------|---------------|
|  | <b>Pesticide</b> | <b>PASSED</b> |
|--|------------------|---------------|

| ANALYTES                       | WEIGHT | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------|--------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| MALATHION                      | 0.2 g  | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METALAXYL                      | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHIOCARB                     | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHOMYL                       | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MEVINPHOS                      | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MYCLOBUTANIL                   | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| NALED                          | 0.2 g  | 25 ml  | 10 x     | 0.25  | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| OXAMYL                         | 0.2 g  | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PACLOBUTRAZOL                  | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PHOSMET                        | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PIPERONYL BUTOXIDE             | 0.2 g  | 25 ml  | 10 x     | 3     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| PRALLETHRIN                    | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPICONAZOLE                  | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPOXUR                       | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PYRIDABEN                      | 0.2 g  | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROMESIFEN                   | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROTETRAMAT                  | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROXAMINE                    | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TEBUCONAZOLE                   | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIACLOPRID                    | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIAMETHOXAM                   | 0.2 g  | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TRIFLOXYSTROBIN                | 0.2 g  | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PENTACHLORONITROBENZENE (PCNB) | 0.2 g  | 25 ml  | 1 x      | 0.15  | 0.0100 | 0.0750 | <0.0100 | ppm  |           | PASS      |
| TOTAL CHLORDANE                | 0.2 g  | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PARATHION-METHYL               | 0.2 g  | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CAPTAN                         | 0.2 g  | 25 ml  | 1 x      | 0.7   | 0.0700 | 0.350  | <0.0700 | ppm  |           | PASS      |
| CHLORFENAPYR                   | 0.2 g  | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CYFLUTHRIN                     | 0.2 g  | 25 ml  | 1 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |
| CYPERMETHRIN                   | 0.2 g  | 25 ml  | 1 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |

Analyzed by:  
4451, 585, 1440

Extraction date:  
07/27/26 09:16:12

Extracted by:  
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100868PES

Instrument Used : DA-LCMS-004 (PES)

Batch Date : 07/27/26 07:28:01

Analyzed Date : 07/28/26 08:07:00

Reagent : 072426.R02; 012026.01; 072226.R03; 072726.R02; 072726.R01; 061626.R24; 072226.R01

Consumables : 947.110; 040724CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:  
3335, 585, 1440

Extraction date:  
07/27/26 09:16:12

Extracted by:  
4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100870VOL

Instrument Used : DA-GCMS-011

Batch Date : 07/27/26 07:29:22

Analyzed Date : 07/27/26 15:09:00

Reagent : 072426.R02; 012026.01; 072226.R26; 072226.R27

Consumables : 947.110; 040724CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

NYSD Live Resin Disposable Vaporizer 2.0 g  
Strain: New York Sour Diesel  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Resin



# Certificate of Analysis

Pages 5 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60725001-003

Batch #: HLB-116-NYSD DSP2  
Harvest/Lot ID: 061726-NYSD-LR-FF  
Seed to sale: 5852518725988341

Expires: 07/25/27

Ordered: 07/24/26  
Sampled: 07/24/26  
Completed: 07/30/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD   | LOQ   | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------------------|----------|--------|----------|-------|-------|-------|--------|------|-----------|-----------|
| 1,1-DICHLOROETHENE   | 0.0202 g | 1 ml   | 1 x      | 8     | 0.800 | 4.00  | <0.800 | ppm  |           | PASS      |
| 1,2-DICHLOROETHANE   | 0.0202 g | 1 ml   | 1 x      | 2     | 0.200 | 1.00  | <0.200 | ppm  |           | PASS      |
| 2-PROPANOL           | 0.0202 g | 1 ml   | 1 x      | 500   | 50.0  | 250   | <50.0  | ppm  |           | PASS      |
| ACETONE              | 0.0202 g | 1 ml   | 1 x      | 750   | 75.0  | 375   | <75.0  | ppm  |           | PASS      |
| ACETONITRILE         | 0.0202 g | 1 ml   | 1 x      | 60    | 6.00  | 30.0  | <6.00  | ppm  |           | PASS      |
| BENZENE              | 0.0202 g | 1 ml   | 1 x      | 1     | 0.100 | 0.500 | <0.100 | ppm  |           | PASS      |
| BUTANES (N-BUTANE)   | 0.0202 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| CHLOROFORM           | 0.0202 g | 1 ml   | 1 x      | 2     | 0.200 | 1.00  | <0.200 | ppm  |           | PASS      |
| DICHLOROMETHANE      | 0.0202 g | 1 ml   | 1 x      | 125   | 12.5  | 62.5  | <12.5  | ppm  |           | PASS      |
| ETHANOL              | 0.0202 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| ETHYL ACETATE        | 0.0202 g | 1 ml   | 1 x      | 400   | 40.0  | 200   | <40.0  | ppm  |           | PASS      |
| ETHYL ETHER          | 0.0202 g | 1 ml   | 1 x      | 500   | 50.0  | 250   | <50.0  | ppm  |           | PASS      |
| ETHYLENE OXIDE       | 0.0202 g | 1 ml   | 1 x      | 5     | 0.500 | 2.50  | <0.500 | ppm  |           | PASS      |
| HEPTANE              | 0.0202 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| METHANOL             | 0.0202 g | 1 ml   | 1 x      | 250   | 25.0  | 125   | <25.0  | ppm  |           | PASS      |
| N-HEXANE             | 0.0202 g | 1 ml   | 1 x      | 250   | 25.0  | 125   | <25.0  | ppm  |           | PASS      |
| PENTANES (N-PENTANE) | 0.0202 g | 1 ml   | 1 x      | 750   | 75.0  | 375   | <75.0  | ppm  |           | PASS      |
| PROPANE              | 0.0202 g | 1 ml   | 1 x      | 5000  | 500   | 1080  | <500   | ppm  |           | PASS      |
| TOLUENE              | 0.0202 g | 1 ml   | 1 x      | 150   | 15.0  | 75.0  | <15.0  | ppm  |           | PASS      |
| TOTAL XYLENES        | 0.0202 g | 1 ml   | 1 x      | 150   | 15.0  | 75.0  | <15.0  | ppm  |           | PASS      |
| TRICHLOROETHYLENE    | 0.0202 g | 1 ml   | 1 x      | 25    | 2.50  | 12.5  | <2.50  | ppm  |           | PASS      |

Analyzed by:  
4571, 4444, 585, 1440

Extraction date:  
07/26/26 08:45:19

Extracted by:  
4571, 585

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : MI100841SOL  
Instrument Used : DA-GCMS-012  
Analyzed Date : 07/27/26 02:46:23

Batch Date : 07/25/26 15:23:22

Reagent : 061323.06  
Consumables : 431526; 325202  
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | WEIGHT  | VOLUME | DILUTION | LIMIT             | LOD  | LOQ  | RESULT      | UNIT  | QUALIFIER | PASS/FAIL |
|--------------------------|---------|--------|----------|-------------------|------|------|-------------|-------|-----------|-----------|
| SALMONELLA SPECIFIC GENE | 0.916 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ECOLI - SHIGELLA         | 0.916 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS TERREUS      | 0.916 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS NIGER        | 0.916 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS FUMIGATUS    | 0.916 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS FLAVUS       | 0.916 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.0  | 1.0  | Not Present | CFU/g |           | PASS      |
| TOTAL YEAST AND MOLD     | 0.838 g | 1 ml   | 10 x     | 100000            | 10.0 | 10.0 | <10.0       | CFU/g |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

NYSD Live Resin Disposable Vaporizer 2.0 g  
Strain: New York Sour Diesel  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Resin



# Certificate of Analysis

Pages 6 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60725001-003

Batch #: HLB-116-NYSD DSP2  
Harvest/Lot ID: 061726-NYSD-LR-FF  
Seed to sale: 5852518725988341

## Expires: 07/25/27

Ordered: 07/24/26  
Sampled: 07/24/26  
Completed: 07/30/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                                                                                                                                        | WEIGHT | VOLUME | DILUTION                           | LIMIT | LOD | LOQ                | RESULT | UNIT | QUALIFIER                      | PASS/FAIL |
|-------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|------------------------------------|-------|-----|--------------------|--------|------|--------------------------------|-----------|
| Analyzed by: 5008, 4892, 3390, 3379, 1440                                                                                                       |        |        | Extraction date: 07/25/26 14:43:14 |       |     | Extracted by: 5008 |        |      |                                |           |
| Analysis Method : SOP.T.40.056C                                                                                                                 |        |        |                                    |       |     |                    |        |      |                                |           |
| Analytical Batch : MI100836MIC                                                                                                                  |        |        |                                    |       |     |                    |        |      |                                |           |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-171 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) |        |        |                                    |       |     |                    |        |      | Batch Date : 07/25/26 11:28:40 |           |
| Analyzed Date : 07/28/26 14:19:50                                                                                                               |        |        |                                    |       |     |                    |        |      |                                |           |
| Reagent : 041326.19; 051326.R45; 031026.13; 031026.15                                                                                           |        |        |                                    |       |     |                    |        |      |                                |           |
| Consumables : 7591001004                                                                                                                        |        |        |                                    |       |     |                    |        |      |                                |           |
| Pipette : N/A                                                                                                                                   |        |        |                                    |       |     |                    |        |      |                                |           |
| Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.                                                            |        |        |                                    |       |     |                    |        |      |                                |           |

|                                                                                                                              |  |                                              |  |                                       |  |
|------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------|--|---------------------------------------|--|
| <b>Analyzed by:</b><br>5008, 585, 1440                                                                                       |  | <b>Extraction date:</b><br>07/25/26 14:53:01 |  | <b>Extracted by:</b><br>5008          |  |
| <b>Analysis Method :</b> SOP.T.40.209.FL                                                                                     |  |                                              |  |                                       |  |
| <b>Analytical Batch :</b> MI100837TYM                                                                                        |  |                                              |  |                                       |  |
| <b>Instrument Used :</b> DA-328 (25°C Incubator)                                                                             |  |                                              |  | <b>Batch Date :</b> 07/25/26 11:31:57 |  |
| <b>Analyzed Date :</b> 07/28/26 11:51:28                                                                                     |  |                                              |  |                                       |  |
| <b>Reagent :</b> 022626.125; 022626.126; 041526.R47; 070726.R01                                                              |  |                                              |  |                                       |  |
| <b>Consumables :</b> N/A                                                                                                     |  |                                              |  |                                       |  |
| <b>Pipette :</b> N/A                                                                                                         |  |                                              |  |                                       |  |
| Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |  |                                              |  |                                       |  |



## Mycotoxins

**PASSED**

| ANALYTES                                                                                                                            | WEIGHT | VOLUME                                | DILUTION | LIMIT | LOD                            | LOQ    | RESULT   | UNIT                  | QUALIFIER | PASS/FAIL |
|-------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------|----------|-------|--------------------------------|--------|----------|-----------------------|-----------|-----------|
| AFLATOXIN B1                                                                                                                        | 0.2 g  | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN B2                                                                                                                        | 0.2 g  | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| OCHRATOXIN A                                                                                                                        | 0.2 g  | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN G1                                                                                                                        | 0.2 g  | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN G2                                                                                                                        | 0.2 g  | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| Analyzed by:<br>4451, 585, 1440                                                                                                     |        | Extraction date:<br>07/27/26 09:16:12 |          |       |                                |        |          | Extracted by:<br>4451 |           |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL                                                                                  |        |                                       |          |       |                                |        |          |                       |           |           |
| Analytical Batch : MI100869MYC                                                                                                      |        |                                       |          |       |                                |        |          |                       |           |           |
| Instrument Used : DA-LCMS-004 (MYC)                                                                                                 |        |                                       |          |       | Batch Date : 07/27/26 07:29:06 |        |          |                       |           |           |
| Analyzed Date : 07/28/26 08:07:00                                                                                                   |        |                                       |          |       |                                |        |          |                       |           |           |
| Reagent : 072426.R02; 012026.01; 072226.R03; 072726.R02; 072726.R01; 061626.R24; 072226.R01                                         |        |                                       |          |       |                                |        |          |                       |           |           |
| Consumables : 947.110; 040724CH01; 6822423-02                                                                                       |        |                                       |          |       |                                |        |          |                       |           |           |
| Pipette : DA-093; DA-094; DA-219                                                                                                    |        |                                       |          |       |                                |        |          |                       |           |           |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |        |                                       |          |       |                                |        |          |                       |           |           |



## Water Activity

**PASSED**

| ANALYTES       | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD   | LOQ  | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------------|----------|--------|----------|-------|-------|------|--------|------|-----------|-----------|
| WATER ACTIVITY | 0.8174 g |        |          | 0.85  | 0.010 | 0.10 | 0.53   | aw   |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-00013  
ISO 17025 Accreditation # ISO/IEC 17025:2017  
Accreditation PJLA-Testing 97164

Signature 07/30/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

NYSD Live Resin Disposable Vaporizer 2.0 g  
Strain: New York Sour Diesel  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Resin



# Certificate of Analysis

Pages 7 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60725001-003

Batch #: HLB-116-NYSD DSP2  
Harvest/Lot ID: 061726-NYSD-LR-FF  
Seed to sale: 5852518725988341

## Expires: 07/25/27

Ordered: 07/24/26  
Sampled: 07/24/26  
Completed: 07/30/26

**PASSED**



## Water Activity

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:  
4056, 585, 1440

Extraction date:  
07/27/26 16:37:21

Extracted by:  
4056

Analysis Method : SOP.T.40.019

Analytical Batch : MI100850WAT

Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)

Analyzed Date : 07/28/26 10:17:54

Batch Date : 07/26/26 16:29:24

Reagent : 050726.03

Consumables : PS-14

Pipette : N/A



## Heavy Metals

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

TOTAL CONTAMINANT LOAD METALS

0.2399 g

50 ml

1 x

1.1

0.0200

0.100

<0.0200

ppm

PASS

ARSENIC

0.2399 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

CADMIUM

0.2399 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

LEAD

0.2399 g

50 ml

1 x

0.5

0.0500

0.250

<0.0500

ppm

PASS

MERCURY

0.2399 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

PASS

NICKEL

0.2399 g

50 ml

1 x

0.5

0.0500

0.250

<0.0500

ppm

PASS

TIN

0.2399 g

50 ml

1 x

4

0.400

2.00

<0.400

ppm

PASS

Analyzed by:  
1022, 3379, 1440

Extraction date:  
07/27/26 14:10:35

Extracted by:  
1022,4056

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : MI100875HEA

Instrument Used : DA-ICPMS-004

Analyzed Date : 07/28/26 07:02:00

Batch Date : 07/27/26 12:29:56

Reagent : 070826.R29; 071726.R13; 071626.R10; 072026.R09; 072026.R08; 070626.02; 071726.R12; 032326.01

Consumables : 030125CH01; J609879-0193; 179436

Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100

0.500

<0.100

%

PASS

Analyzed by:  
585, 1440

Extraction date:  
07/26/26 16:33:30

Extracted by:  
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI100852FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/27/26 12:20:43

Batch Date : 07/26/26 16:31:26

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
07/30/26  
Laboratory License #: 900013