



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 061726-TROP-LR-FF  
**Retail Batch #:** ID1259-LR-TROP-LR.5  
**Batch Date:** 08/19/26  
**Harvest Date:** 06/17/26  
**Production Method:** Ice/Water  
**Total Amount:** 578 units (289 grams)  
**Cultivation Facility:** Lake Wales  
**Processing Facility:** Lake Wales  
**Retail Product Size:** 0.5 gram  
**Retail Serving Size:** 0.5 gram  
**Servings:** 1  
**Seed To Sale #:** 8823817562903643

**Lab ID:** MI60821006-006  
**Sampled:** 08/20/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 31 units  
**Completed:** 08/24/26  
**Expires:** 08/21/27  
**Manifest #:** 3925125617120086  
**Source Facility:** Lake Wales

### GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US

License # : M00007CULPROLakeWales001



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**NOT TESTED**



Filtration/Foreign  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**TESTED**



Terpenes  
**TESTED**



### Cannabinoid

**TESTED**



**Total THC**  
**66.7%**

Total THC/Container : 333 mg



**Total CBD**  
**0.202%**

Total CBD/Container : 1.01 mg



**Total Cannabinoids**  
**80.7%**

Total Cannabinoids/Container : 403 mg

|           | D9-THC   | THCA     | CBD      | CBDA     | D8-THC   | CBG      | CBGA     | CBN      | THCV     | CBDV     | CBC      | THCVA    |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| %         | 2.00     | 73.7     | <0.00200 | 0.230    | 0.105    | 0.332    | 3.30     | <0.00200 | <0.00200 | <0.00200 | 0.225    | 0.748    |
| mg/unit   | 10.0     | 369      | <0.00200 | 1.15     | 0.526    | 1.66     | 16.5     | <0.00200 | <0.00200 | <0.00200 | 1.13     | 3.74     |
| Qualifier |          |          |          |          |          |          |          |          |          |          |          |          |
| LOD (%)   | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  |
| LOQ (%)   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   |
| Weight    | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g | 0.1046 g |
| Volume    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    |
| Dilution  | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     |

Analyzed by:  
4640, 1665, 585, 1440

Extraction date:  
08/21/26 12:19:01

Extracted by:  
5150,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI101509POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 08/21/26 22:31:53

Batch Date : 08/21/26 10:44:36

Reagent : 081526.R01; 080426.56; 081426.R12

Consumables : 24197251; 04312111; DMAX06C26S; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
08/24/26  
**Laboratory License #:** 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX TROP Live Rosin 0.5 g  
Strain: Tropicana Cherries  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin



# Certificate of Analysis

Pages 2 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

Sample: MI60821006-006

Batch #: ID1259-LR-TROP-LR-5  
Harvest/Lot ID: 061726-TROP-LR-FF  
Seed to sale: 8823817562903643

Expires: 08/21/27

Ordered: 08/20/26  
Sampled: 08/20/26  
Completed: 08/24/26

**PASSED**



## Label Claim Verification

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 08/24/26 10:07:43

Batch Date : N/A



## Terpenes

**TESTED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

|                     |          |       |     |         |         |          |         |   |        |
|---------------------|----------|-------|-----|---------|---------|----------|---------|---|--------|
| TOTAL TERPENES      | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 6.95     | 34.7    |   | TESTED |
| BETA-CARYOPHYLLENE  | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 3.16     | 15.8    |   | TESTED |
| LIMONENE            | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 1.12     | 5.62    |   | TESTED |
| ALPHA-HUMULENE      | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.995    | 4.97    |   | TESTED |
| LINALOOL            | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.537    | 2.69    |   | TESTED |
| ALPHA-BISABOLOL     | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.256    | 1.28    |   | TESTED |
| BETA-PINENE         | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.174    | 0.868   |   | TESTED |
| TRANS-NEROLIDOL     | 0.2157 g | 10 ml | 1 x | 0.00500 | 0.0160  | 0.113    | 0.566   |   | TESTED |
| FARNESENE           | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.108    | 0.538   |   | TESTED |
| ALPHA-PINENE        | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.102    | 0.510   |   | TESTED |
| ALPHA-TERPINEOL     | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0908   | 0.454   |   | TESTED |
| FENCHYL ALCOHOL     | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0785   | 0.392   |   | TESTED |
| BETA-MYRCENE        | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0766   | 0.383   |   | TESTED |
| CARYOPHYLLENE OXIDE | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0495   | 0.247   |   | TESTED |
| CAMPENE             | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0306   | 0.153   |   | TESTED |
| BORNEOL             | 0.2157 g | 10 ml | 1 x | 0.0130  | 0.0400  | 0.0241   | 0.121   | J | TESTED |
| ALPHA-TERPINOLENE   | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0141   | 0.0704  | J | TESTED |
| EUCALYPTOL          | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.00928  | 0.0464  | J | TESTED |
| FENCHONE            | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.00881  | 0.0441  | J | TESTED |
| 3-CARENE            | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CAMPOR              | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CEDROL              | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANIOL            | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANYL ACETATE     | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GUAIOL              | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| HEXAHYDROTHYMOL     | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOBORNEOL          | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOPULEGOL          | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| NEROL               | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| OCIMENE             | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| PULEGONE            | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE            | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE HYDRATE    | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| VALENCENE           | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-CEDRENE       | 0.2157 g | 10 ml | 1 x | 0.00500 | 0.0160  | <0.00500 | <0.160  |   | TESTED |
| ALPHA-PHELLANDRENE  | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-TERPINENE     | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CIS-NEROLIDOL       | 0.2157 g | 10 ml | 1 x | 0.00300 | 0.00800 | <0.00300 | <0.0800 |   | TESTED |
| GAMMA-TERPINENE     | 0.2157 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
08/24/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX TROP Live Rosin 0.5 g  
Strain: Tropicana Cherries  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin



# Certificate of Analysis

Pages 3 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60821006-006

Batch #: ID1259-LR-TROP-LR.5  
Harvest/Lot ID: 061726-TROP-LR-FF  
Seed to sale: 8823817562903643

## Expires: 08/21/27

Ordered: 08/20/26  
Sampled: 08/20/26  
Completed: 08/24/26

**PASSED**



## Terpenes

**TESTED**

### ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:  
4531, 585, 1440

Extraction date:  
08/21/26 11:51:26

Extracted by:  
4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : MI101503TER  
Instrument Used : DA-GCMS-009  
Analyzed Date : 08/21/26 16:03:00

Batch Date : 08/21/26 10:26:26

Reagent : 041326.43; 041326.44  
Consumables : 24197251; 04312111; 2240626; 0000355309  
Pipette : DA-465 (MIC) Dispenser

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



## Pesticide

**PASSED**

### ANALYTES

| ANALYTES                            | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|-------------------------------------|----------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.2571 g | 25 ml  | 10 x     | 5     | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL DIMETHOMORPH                  | 0.2571 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL PERMETHRIN                    | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL PYRETHRINS                    | 0.2571 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL SPINETORAM                    | 0.2571 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL SPINOSAD                      | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ABAMECTIN B1A                       | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACEPHATE                            | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACEQUINOCYL                         | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACETAMIPRID                         | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ALDICARB                            | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| AZOXYSTROBIN                        | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BIFENAZATE                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CHLORPYRIFOS                        | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BIFENTHRIN                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BOSCALID                            | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CARBARYL                            | 0.2571 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CLOFENTEZINE                        | 0.2571 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CARBOFURAN                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| COUMAPHOS                           | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CHLORANTRANILIPROLE                 | 0.2571 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| CHLORMEQUAT CHLORIDE                | 0.2571 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| DAMINOZIDE                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DIAZINON                            | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DICHLORVOS                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DIMETHOATE                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETHOPROPHOS                         | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETOFENPROX                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETOXAZOLE                           | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENHEXAMID                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENOXYCARB                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENPYROXIMATE                       | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FIPRONIL                            | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FLONICAMID                          | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FLUDIOXONIL                         | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| HEXYTHIAZOX                         | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| IMAZALIL                            | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| IMIDACLOPRID                        | 0.2571 g | 25 ml  | 10 x     | 0.4   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| KRESOXIM-METHYL                     | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJA-Testing  
97164

Signature  
08/24/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX TROP Live Rosin 0.5 g  
Strain: Tropicana Cherries  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin



# Certificate of Analysis

Pages 4 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60821006-006

Batch #: ID1259-LR-TROP-LR.5  
Harvest/Lot ID: 061726-TROP-LR-FF  
Seed to sale: 8823817562903643

## Expires: 08/21/27

Ordered: 08/20/26  
Sampled: 08/20/26  
Completed: 08/24/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------|----------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| MALATHION                      | 0.2571 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METALAXYL                      | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHIOCARB                     | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHOMYL                       | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MEVINPHOS                      | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MYCLOBUTANIL                   | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| NALED                          | 0.2571 g | 25 ml  | 10 x     | 0.25  | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| OXAMYL                         | 0.2571 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PACLOBUTRAZOL                  | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PHOSMET                        | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PIPERONYL BUTOXIDE             | 0.2571 g | 25 ml  | 10 x     | 3     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| PRALLETHRIN                    | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPICONAZOLE                  | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPOXUR                       | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PYRIDABEN                      | 0.2571 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROMESIFEN                   | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROTETRAMAT                  | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROXAMINE                    | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TEBUCONAZOLE                   | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIACLOPRID                    | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIAMETHOXAM                   | 0.2571 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TRIFLOXYSTROBIN                | 0.2571 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PENTACHLORONITROBENZENE (PCNB) | 0.2571 g | 25 ml  | 1 x      | 0.15  | 0.0100 | 0.0750 | <0.0100 | ppm  |           | PASS      |
| TOTAL CHLORDANE                | 0.2571 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PARATHION-METHYL               | 0.2571 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CAPTAN                         | 0.2571 g | 25 ml  | 1 x      | 0.7   | 0.0700 | 0.350  | <0.0700 | ppm  |           | PASS      |
| CHLORFENAPYR                   | 0.2571 g | 25 ml  | 1 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CYFLUTHRIN                     | 0.2571 g | 25 ml  | 1 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |
| CYPERMETHRIN                   | 0.2571 g | 25 ml  | 1 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |

Analyzed by:  
4451, 585, 1440

Extraction date:  
08/21/26 11:37:10

Extracted by:  
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI101492PES

Instrument Used : DA-LCMS-003 (PES)

Batch Date : 08/21/26 08:25:49

Analyzed Date : 08/21/26 22:17:00

Reagent : 081726.R01; 012026.01; 081926.R11; 081926.R35; 081926.R39; 061626.R24; 081926.R09

Consumables : 24197251; DMAX06C265; 6894944-01

Pipette : DA-093; DA-094; DA-488

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:  
4451, 450, 585, 1440

Extraction date:  
08/21/26 11:37:10

Extracted by:  
4451,5072

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI101496VOL

Instrument Used : DA-GCMS-010

Batch Date : 08/21/26 08:30:24

Analyzed Date : 08/22/26 06:28:00

Reagent : 081726.R01; 012026.01; 081226.R30; 080526.R03

Consumables : 24197251; DMAX06C265; 6894944-01; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
08/24/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX TROP Live Rosin 0.5 g  
Strain: Tropicana Cherries  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin



# Certificate of Analysis

Pages 5 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60821006-006

Batch #: ID1259-LR-TROP-LR.5  
Harvest/Lot ID: 061726-TROP-LR-FF  
Seed to sale: 8823817562903643

## Expires: 08/21/27

Ordered: 08/20/26  
Sampled: 08/20/26  
Completed: 08/24/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                 | WEIGHT  | VOLUME | DILUTION | LIMIT             | LOD  | LOQ  | RESULT      | UNIT  | QUALIFIER | PASS/FAIL |
|--------------------------|---------|--------|----------|-------------------|------|------|-------------|-------|-----------|-----------|
| ASPERGILLUS FLAVUS       | 0.995 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS FUMIGATUS    | 0.995 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS NIGER        | 0.995 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS TERREUS      | 0.995 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ECOLI - SHIGELLA         | 0.995 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| LISTERIA MONOCYTOGENES   | 0.995 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| SALMONELLA SPECIFIC GENE | 0.995 g | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| TOTAL YEAST AND MOLD     | 0.814 g | 1 ml   | 10 x     | 100000            | 10.0 | 10.0 | <10.0       | CFU/g |           | PASS      |

Analyzed by:  
4520, 585, 1440

Extraction date:  
08/21/26 10:22:55

Extracted by:  
4520,4892

Analysis Method : SOP.T.40.056C

Analytical Batch : MI101493MIC

Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)

Batch Date : 08/21/26 08:26:51

Analyzed Date : 08/24/26 11:20:23

Reagent : 041326.26; 041326.40; 061226.R05; 031026.14

Consumables : 7589003088

Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by:  
4520, 4571, 585, 1440

Extraction date:  
08/21/26 10:24:47

Extracted by:  
4892

Analysis Method : SOP.T.40.209.FL

Analytical Batch : MI101494TYM

Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)

Batch Date : 08/21/26 08:26:58

Analyzed Date : 08/24/26 10:07:32

Reagent : 022626.75; 022626.76; 070726.R01

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



## Mycotoxins

**PASSED**

| ANALYTES     | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD     | LOQ    | RESULT   | UNIT | QUALIFIER | PASS/FAIL |
|--------------|----------|--------|----------|-------|---------|--------|----------|------|-----------|-----------|
| AFLATOXIN B1 | 0.2571 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |
| AFLATOXIN B2 | 0.2571 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |
| OCHRATOXIN A | 0.2571 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |
| AFLATOXIN G1 | 0.2571 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |
| AFLATOXIN G2 | 0.2571 g | 25 ml  | 10 x     | 0.02  | 0.00200 | 0.0100 | <0.00200 | ppm  |           | PASS      |

Analyzed by:  
4451, 585, 1440

Extraction date:  
08/21/26 11:37:10

Extracted by:  
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI101495MYC

Instrument Used : DA-LCMS-003 (MYC)

Batch Date : 08/21/26 08:30:02

Analyzed Date : 08/21/26 22:17:00

Reagent : 081726.R01; 012026.01; 081926.R11; 081926.R35; 081926.R39; 061626.R24; 081926.R09

Consumables : 24197251; DMAX06C26S; 6894944-01

Pipette : DA-093; DA-094; DA-488

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
08/24/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX TROP Live Rosin 0.5 g  
Strain: Tropicana Cherries  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin



# Certificate of Analysis

Pages 6 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

## Sample: MI60821006-006

Batch #: ID1259-LR-TROP-LR.5  
Harvest/Lot ID: 061726-TROP-LR-FF  
Seed to sale: 8823817562903643

## Expires: 08/21/27

Ordered: 08/20/26  
Sampled: 08/20/26  
Completed: 08/24/26

**PASSED**



## Water Activity

**PASSED**

| ANALYTES                                         | WEIGHT  | VOLUME                                | DILUTION | LIMIT | LOD                            | LOQ  | RESULT                | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------------------------|---------|---------------------------------------|----------|-------|--------------------------------|------|-----------------------|------|-----------|-----------|
| WATER ACTIVITY                                   | 0.175 g |                                       |          | 0.85  | 0.010                          | 0.10 | 0.61                  | aw   |           | PASS      |
| Analyzed by:<br>4571, 585, 1440                  |         | Extraction date:<br>08/21/26 12:18:09 |          |       |                                |      | Extracted by:<br>4571 |      |           |           |
| Analysis Method : SOP.T.40.019                   |         |                                       |          |       |                                |      |                       |      |           |           |
| Analytical Batch : MI101505WAT                   |         |                                       |          |       |                                |      |                       |      |           |           |
| Instrument Used : DA-256 (Hygrometer, Base Unit) |         |                                       |          |       | Batch Date : 08/21/26 10:28:48 |      |                       |      |           |           |
| Analyzed Date : 08/24/26 09:46:09                |         |                                       |          |       |                                |      |                       |      |           |           |
| Reagent : 072926.01                              |         |                                       |          |       |                                |      |                       |      |           |           |
| Consumables : PS-14                              |         |                                       |          |       |                                |      |                       |      |           |           |
| Pipette : N/A                                    |         |                                       |          |       |                                |      |                       |      |           |           |



## Moisture Content

**TESTED**

| ANALYTES                                   | WEIGHT  | VOLUME                                | DILUTION | LIMIT | LOD                            | LOQ | RESULT                | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------------------|---------|---------------------------------------|----------|-------|--------------------------------|-----|-----------------------|------|-----------|-----------|
| MOISTURE CONTENT                           | 0.498 g |                                       |          |       | 0.1                            | 0.1 | 1.4                   | %    |           | TESTED    |
| Analyzed by:<br>4571, 585, 1440            |         | Extraction date:<br>08/21/26 12:28:36 |          |       |                                |     | Extracted by:<br>4571 |      |           |           |
| Analysis Method : SOP.T.40.021.FL          |         |                                       |          |       |                                |     |                       |      |           |           |
| Analytical Batch : MI101504MOI             |         |                                       |          |       |                                |     |                       |      |           |           |
| Instrument Used : DA-003 Moisture Analyzer |         |                                       |          |       | Batch Date : 08/21/26 10:27:27 |     |                       |      |           |           |
| Analyzed Date : 08/24/26 09:47:02          |         |                                       |          |       |                                |     |                       |      |           |           |
| Reagent : 071626.12; 070626.02             |         |                                       |          |       |                                |     |                       |      |           |           |
| Consumables : N/A                          |         |                                       |          |       |                                |     |                       |      |           |           |
| Pipette : DA-066                           |         |                                       |          |       |                                |     |                       |      |           |           |



## Heavy Metals

**PASSED**

| ANALYTES                                                                                                                      | WEIGHT   | VOLUME                                | DILUTION | LIMIT | LOD                            | LOQ   | RESULT                | UNIT | QUALIFIER | PASS/FAIL |
|-------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------|----------|-------|--------------------------------|-------|-----------------------|------|-----------|-----------|
| TOTAL CONTAMINANT LOAD METALS                                                                                                 | 0.2314 g | 50 ml                                 | 1 x      | 1.1   | 0.0200                         | 0.100 | <0.0200               | ppm  |           | PASS      |
| ARSENIC                                                                                                                       | 0.2314 g | 50 ml                                 | 1 x      | 0.2   | 0.0200                         | 0.100 | <0.0200               | ppm  |           | PASS      |
| CADMIUM                                                                                                                       | 0.2314 g | 50 ml                                 | 1 x      | 0.2   | 0.0200                         | 0.100 | <0.0200               | ppm  |           | PASS      |
| LEAD                                                                                                                          | 0.2314 g | 50 ml                                 | 1 x      | 0.5   | 0.0500                         | 0.250 | <0.0500               | ppm  |           | PASS      |
| MERCURY                                                                                                                       | 0.2314 g | 50 ml                                 | 1 x      | 0.2   | 0.0200                         | 0.100 | <0.0200               | ppm  |           | PASS      |
| NICKEL                                                                                                                        | 0.2314 g | 50 ml                                 | 1 x      | 0.5   | 0.0500                         | 0.250 | <0.0500               | ppm  |           | PASS      |
| TIN                                                                                                                           | 0.2314 g | 50 ml                                 | 1 x      | 4     | 0.400                          | 2.00  | <0.400                | ppm  |           | PASS      |
| Analyzed by:<br>1022, 585, 1440                                                                                               |          | Extraction date:<br>08/21/26 13:35:26 |          |       |                                |       | Extracted by:<br>1022 |      |           |           |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL                                                                            |          |                                       |          |       |                                |       |                       |      |           |           |
| Analytical Batch : MI101501HEA                                                                                                |          |                                       |          |       |                                |       |                       |      |           |           |
| Instrument Used : DA-ICPMS-004                                                                                                |          |                                       |          |       | Batch Date : 08/21/26 09:52:31 |       |                       |      |           |           |
| Analyzed Date : 08/21/26 19:58:00                                                                                             |          |                                       |          |       |                                |       |                       |      |           |           |
| Reagent : 080626.R11; 081926.R34; 080326.R14; 081326.R01; 081826.R12; 081826.R11; 070626.02; 071726.R12; 032326.01            |          |                                       |          |       |                                |       |                       |      |           |           |
| Consumables : DMAX06C26S; J609879-0193; 179436                                                                                |          |                                       |          |       |                                |       |                       |      |           |           |
| Pipette : DA-191; DA-215; DA-435                                                                                              |          |                                       |          |       |                                |       |                       |      |           |           |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |          |                                       |          |       |                                |       |                       |      |           |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
08/24/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

MPX TROP Live Rosin 0.5 g  
Strain: Tropicana Cherries  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Live Rosin



# Certificate of Analysis

Pages 7 of 7

**GrowHealthy**  
309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : M00007CULPROLakeWales001

**Sample: MI60821006-006**  
**Batch #:** ID1259-LR-TROP-LR.5  
**Harvest/Lot ID:** 061726-TROP-LR-FF  
**Seed to sale:** 8823817562903643

**Expires:** 08/21/27  
**Ordered:** 08/20/26  
**Sampled:** 08/20/26  
**Completed:** 08/24/26

**PASSED**



## Filth/Foreign Material

**PASSED**

| ANALYTES                                                     |  | WEIGHT                                | VOLUME | DILUTION | LIMIT | LOD                   | LOQ   | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------------------------------------|--|---------------------------------------|--------|----------|-------|-----------------------|-------|--------|------|-----------|-----------|
| FILTH AND FOREIGN MATERIAL                                   |  | 1 g                                   |        |          | 1     | 0.100                 | 0.500 | <0.100 | %    |           | PASS      |
| Analyzed by:<br>4571, 585, 1440                              |  | Extraction date:<br>08/21/26 13:38:23 |        |          |       | Extracted by:<br>4571 |       |        |      |           |           |
| Analysis Method : SOP.T.40.090                               |  |                                       |        |          |       |                       |       |        |      |           |           |
| Analytical Batch : MI101512FIL                               |  |                                       |        |          |       |                       |       |        |      |           |           |
| Instrument Used : DA-027 (Filth/Foreign Material Microscope) |  |                                       |        |          |       |                       |       |        |      |           |           |
| Analyzed Date : 08/24/26 10:03:30                            |  |                                       |        |          |       |                       |       |        |      |           |           |
| Batch Date : 08/21/26 13:37:06                               |  |                                       |        |          |       |                       |       |        |      |           |           |
| Reagent : N/A                                                |  |                                       |        |          |       |                       |       |        |      |           |           |
| Consumables : N/A                                            |  |                                       |        |          |       |                       |       |        |      |           |           |
| Pipette : N/A                                                |  |                                       |        |          |       |                       |       |        |      |           |           |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
08/24/26  
**Laboratory License #:** 900013