



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: F37OZK0006292026
Retail Batch #: TLF0825202601MD
Batch Date: 08/25/26
Harvest Date: 06/29/26
Production Method: Cured
Total Amount: 3,073 units (10,755.5 grams)
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Mt. Dora Processing
Retail Product Size: 3.5 gram
Retail Serving Size: 3.5 gram
Servings: 1
Seed To Sale #: 6770309052182860

Lab ID: MI60827006-002
Sampled: 08/26/26
Sampling Method: SOP.T.20.010
Sample Size: 12 units
Completed: 09/01/26
Expires: 08/27/27
Manifest #: 1425646416318073
Source Facility: Mt. Dora Cultivation

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMountDora001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
NOT TESTED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
PASSED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
26.2%

Total THC/Container : 918 mg



Total CBD
0.0614%

Total CBD/Container : 2.15 mg



Total Cannabinoids
30.8%

Total Cannabinoids/Container : 1080 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.783	29.0	<0.00100	0.0701	<0.00100	0.0659	0.562	<0.00100	<0.00100	<0.00100	<0.00100	0.284
mg/unit	27.4	1020	<0.00100	2.45	<0.00100	2.30	19.7	<0.00100	<0.00100	<0.00100	<0.00100	9.95
Qualifier												
LOD (%)	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
LOQ (%)	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100
Weight	0.1810 g	0.1810 g	0.1810 g	0.1810 g	0.1810 g	0.1810 g	0.1810 g	0.1810 g	0.1810 g	0.1810 g	0.1810 g	0.1810 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
5150, 1665, 585, 1440

Extraction date:
08/27/26 14:08:55

Extracted by:
5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI101681POT

Instrument Used : DA-LC-005 (Flower)

Analyzed Date : 08/27/26 21:28:07

Batch Date : 08/27/26 11:35:04

Reagent : 081526.R02; 080426.S6; 081426.R13

Consumables : 24197251; 04402004; DMAX06C26S; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164



Signature
09/01/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

RF,Pre-Pack FL,OZK,,THC,0.125oz
Strain: (S) Orange Z
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 2 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMountDora001

Sample: MI60827006-002

Batch #: TLF0825202601MD
Harvest/Lot ID: F37OZK0006292026
Seed to sale: 6770309052182860

Expires: 08/27/27

Ordered: 08/26/26
Sampled: 08/26/26
Completed: 09/01/26

PASSED



Label Claim Verification

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:	Extraction date:	Extracted by:
Analysis Method : N/A		
Analytical Batch : N/A		
Instrument Used : N/A	Batch Date : N/A	
Analyzed Date : 08/28/26 10:01:53		



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

TOTAL TERPENES	0.858 g	10 ml	1 x	0.00700	0.0200	2.25	78.6	TESTED	
BETA-MYRCENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.507	17.7	TESTED	
LIMONENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.504	17.6	TESTED	
BETA-CARYOPHYLLENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.322	11.3	TESTED	
LINALOOL	0.858 g	10 ml	1 x	0.00700	0.0200	0.242	8.47	TESTED	
BETA-PINENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.118	4.13	TESTED	
ALPHA-PINENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.115	4.03	TESTED	
ALPHA-HUMULENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.0979	3.43	TESTED	
ALPHA-TERPINEOL	0.858 g	10 ml	1 x	0.00700	0.0110	0.0625	2.19	TESTED	
FENCHYL ALCOHOL	0.858 g	10 ml	1 x	0.00700	0.0200	0.0564	1.97	TESTED	
OCIMENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.0492	1.72	TESTED	
ALPHA-TERPINOLENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.0471	1.65	TESTED	
ALPHA-BISABOLOL	0.858 g	10 ml	1 x	0.00700	0.0200	0.0433	1.52	TESTED	
FARNESENE	0.858 g	10 ml	1 x	0.00100	0.00100	0.0300	1.05	TESTED	
TRANS-NEROLIDOL	0.858 g	10 ml	1 x	0.00500	0.0160	0.0250	0.876	TESTED	
CAMPHENE	0.858 g	10 ml	1 x	0.00700	0.0200	0.0140	0.489	TESTED	J
CARYOPHYLLENE OXIDE	0.858 g	10 ml	1 x	0.00700	0.0200	0.0134	0.470	TESTED	J
3-CARENE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
BORNEOL	0.858 g	10 ml	1 x	0.0130	0.0400	<0.0130	<0.400	TESTED	
CAMPHOR	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
CEDROL	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
EUCALYPTOL	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
FENCHONE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
GERANIOL	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
GERANYL ACETATE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
GUAIOL	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
HEXAHYDROTHYMOL	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
ISOBORNEOL	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
ISOPULEGOL	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
NEROL	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
PULEGONE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
SABINENE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
SABINENE HYDRATE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
VALENCENE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
ALPHA-CEDRENE	0.858 g	10 ml	1 x	0.00500	0.0160	<0.00500	<0.160	TESTED	
ALPHA-PHELLANDRENE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
ALPHA-TERPINENE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
CIS-NEROLIDOL	0.858 g	10 ml	1 x	0.00300	0.00800	<0.00300	<0.0800	TESTED	
GAMMA-TERPINENE	0.858 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017
Accreditation PJLA-Testing 97164

Signature 09/01/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

RF,Pre-Pack FL,OZK,,THC,0.125oz
Strain: (S) Orange Z
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 3 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMountDora001

Sample: MI60827006-002

Batch #: TLF0825202601MD
Harvest/Lot ID: F37OZK0006292026
Seed to sale: 6770309052182860

Expires: 08/27/27

Ordered: 08/26/26
Sampled: 08/26/26
Completed: 09/01/26

PASSED



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:
4531, 585, 1440

Extraction date:
08/27/26 14:07:00

Extracted by:
4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI101684TER

Instrument Used : DA-GCMS-004

Analyzed Date : 08/28/26 06:20:00

Batch Date : 08/27/26 11:51:34

Reagent : 063026.03

Consumables : 24197251; 04312111; 2240626; 0000355309

Pipette : DA-465 (MIC) Dispenser

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Pesticide

PASSED

ANALYTES

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.9534 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL DIMETHOMORPH	0.9534 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL PERMETHRIN	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL PYRETHRINS	0.9534 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL SPINETORAM	0.9534 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
TOTAL SPINOSAD	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ABAMECTIN B1A	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACEPHATE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACEQUINOCYL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ACETAMIPRID	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ALDICARB	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
AZOXYSTROBIN	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BIFENAZATE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CHLORPYRIFOS	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BIFENTHRIN	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
BOSCALID	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CARBARYL	0.9534 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CLOFENTEZINE	0.9534 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CARBOFURAN	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
COUMAPHOS	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
CHLORANTRANILIPROLE	0.9534 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm	PASS	PASS
CHLORMEQUAT CHLORIDE	0.9534 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm	PASS	PASS
DAMINOZIDE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DIAZINON	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DICHLORVOS	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
DIMETHOATE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETHOPROPHOS	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETOFENPROX	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
ETOXAZOLE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENHEXAMID	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENOXYCARB	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FENPYROXIMATE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FIPRONIL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FLONICAMID	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
FLUDIOXONIL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
HEXYTHIAZOX	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
IMAZALIL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS
IMIDACLOPRID	0.9534 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm	PASS	PASS
KRESOXIM-METHYL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS	PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
09/01/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

RF,Pre-Pack FL,OZK,,THC,0.125oz
Strain: (S) Orange Z
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 4 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMountDora001

Sample: MI60827006-002

Batch #: TLF0825202601MD
Harvest/Lot ID: F370ZK0006292026
Seed to sale: 6770309052182860

Expires: 08/27/27

Ordered: 08/26/26
Sampled: 08/26/26
Completed: 09/01/26

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	0.9534 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.9534 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.9534 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.9534 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.9534 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.9534 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.9534 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.9534 g	25 ml	1 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.9534 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.9534 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.9534 g	25 ml	1 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.9534 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.9534 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.9534 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by: 3379, 585, 1440	Extraction date: 08/27/26 13:27:47	Extracted by: 4451
---------------------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI101665PES

Instrument Used : DA-LCMS-004 (PES)

Batch Date : 08/27/26 10:46:46

Analyzed Date : 08/28/26 09:26:00

Reagent : 082626.R32; 012026.01; 082626.R03; 082626.R47; 061626.R24; 082626.R01

Consumables : 24197251; DMAX06C26S; 6894944-01

Pipette : DA-093; DA-094; DA-488

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 1440	Extraction date: 08/27/26 13:27:47	Extracted by: 4451
--------------------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI101667VOL

Instrument Used : DA-GCMS-010

Batch Date : 08/27/26 10:47:35

Analyzed Date : 08/28/26 20:42:00

Reagent : 082626.R32; 012026.01; 081226.R30; 080526.R03

Consumables : 24197251; DMAX06C26S; 6894944-01; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
09/01/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33187, US
(954) 368-7664

Kaycha Labs

RF,Pre-Pack FL,OZK,,THC,0.125oz
Strain: (S) Orange Z
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 5 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMountDora001

Sample: MI60827006-002

Batch #: TLF0825202601MD
Harvest/Lot ID: F37OZK0006292026
Seed to sale: 6770309052182860

Expires: 08/27/27

Ordered: 08/26/26
Sampled: 08/26/26
Completed: 09/01/26

PASSED



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.8524 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.8524 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.8524 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.8524 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.8524 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	0.8524 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.8524 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.841 g	1 ml	10 x	100000	10.0	10.0	313	CFU/g		PASS

Analyzed by:
4520, 4892, 585, 1440, 5008

Extraction date:
08/27/26 11:25:56

Extracted by:
4892,3621

Analysis Method : SOP.T.40.056C

Analytical Batch : MI101659MIC

Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)

Batch Date : 08/27/26 09:46:49

Analyzed Date : 09/01/26 10:52:17

Reagent : 063026.17; 063026.18; 061226.R05; 062526.04

Consumables : 7589003011

Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by:
4520, 5008, 585, 1440

Extraction date:
08/27/26 11:12:47

Extracted by:
3621

Analysis Method : SOP.T.40.209.FL

Analytical Batch : MI101660TYM

Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)

Batch Date : 08/27/26 09:47:52

Analyzed Date : 08/30/26 15:32:55

Reagent : 022326.31; 022326.32; 070726.R01

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.9534 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.9534 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.9534 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.9534 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.9534 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS

Analyzed by:
3379, 585, 1440

Extraction date:
08/27/26 13:27:47

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI101666MYC

Instrument Used : DA-LCMS-003 (MYC)

Batch Date : 08/27/26 10:47:30

Analyzed Date : 08/28/26 09:26:00

Reagent : 082626.R32; 012026.01; 082626.R03; 082626.R47; 061626.R24; 082626.R01

Consumables : 24197251; DMAX06C26S; 6894944-01

Pipette : DA-093; DA-094; DA-488

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/01/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

RF,Pre-Pack FL,OZK,,THC,0.125oz
Strain: (S) Orange Z
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 6 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License #: M00001CULPROMountDora001

Sample: MI60827006-002

Batch #: TLF0825202601MD
Harvest/Lot ID: F37OZK0006292026
Seed to sale: 6770309052182860

Expires: 08/27/27

Ordered: 08/26/26
Sampled: 08/26/26
Completed: 09/01/26

PASSED



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.248 g			0.65	0.010	0.10	0.57	aw		PASS
Analyzed by: 4571, 585, 1440		Extraction date: 08/27/26 14:54:28						Extracted by: 4571		
Analysis Method : SOP.T.40.019										
Analytical Batch : MI101677WAT										
Instrument Used : DA-256 (Hygrometer, Base Unit)					Batch Date : 08/27/26 11:28:04					
Analyzed Date : 08/28/26 09:49:37										
Reagent : 072926.01										
Consumables : PS-14										
Pipette : N/A										



Moisture Content

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.502 g			15	0.1	0.1	10.6	%		PASS
Analyzed by: 4571, 585, 1440	Extraction date: 08/27/26 14:51:44						Extracted by: 4571			
Analysis Method : SOP.T.40.021.FL										
Analytical Batch : MI101675MOI										
Instrument Used : DA-003 Moisture Analyzer				Batch Date : 08/27/26 11:25:04						
Analyzed Date : 08/28/26 09:48:12										
Reagent : 071626.12; 070626.02										
Consumables : N/A										
Pipette : DA-066										



Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2748 g	50 ml	1 x	1.1	0.0200	0.100	<0.0200	ppm		PASS
ARSENIC	0.2748 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2748 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2748 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2748 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
NICKEL	0.2748 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
TIN	0.2748 g	50 ml	1 x	4	0.400	2.00	<0.400	ppm		PASS
Analyzed by: 1022, 585, 1440		Extraction date: 08/27/26 11:27:46					Extracted by: 1022			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : MI101657HEA										
Instrument Used : DA-ICPMS-004										
Batch Date : 08/27/26 09:11:07										
Analyzed Date : 08/27/26 18:34:00										
Reagent : 080626.R11; 081926.R34; 080326.R14; 082626.R61; 082526.R15; 082526.R14; 070626.02; 071726.R12; 032326.01										
Consumables : DMAX06C265; J609879-0193; 179436										
Pipette : DA-191; DA-215; DA-435										

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017
Accreditation PJLA-Testing 97164

Signature 09/01/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

RF,Pre-Pack FL,OZK,,THC,0.125oz
Strain: (S) Orange Z
Matrix: Usable Whole Flower Marijuana
Type: Flower-Cured



Certificate of Analysis

Pages 7 of 7

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMountDora001

Sample: MI60827006-002

Batch #: TLF0825202601MD
Harvest/Lot ID: F37OZK0006292026
Seed to sale: 6770309052182860

Expires: 08/27/27

Ordered: 08/26/26
Sampled: 08/26/26
Completed: 09/01/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100

0.500

<0.100

%

PASS

Analyzed by:
4571, 585, 1440

Extraction date:
08/27/26 16:22:01

Extracted by:
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI101690FIL

Instrument Used : DA-027 (Filth/Foreign Material Microscope)

Analyzed Date : 08/28/26 09:57:32

Batch Date : 08/27/26 16:18:46

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/01/26
Laboratory License #: 900013