



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 072726-AMSR
Retail Batch #: ST-420-AMSR-BH.5
Batch Date: 09/06/26
Harvest Date: 07/27/26
Production Method: Ice/Water
Total Amount: 599 units (299.5 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 9308663612621801

Lab ID: MI60909001-005
Sampled: 09/08/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 09/11/26
Expires: 09/09/27
Manifest #: 9744569354418057
Source Facility: Lake Wales

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US

License #: M00007CULPROLakeWales001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
NOT TESTED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
56.0%

Total THC/Container : 280 mg



Total CBD
0.122%

Total CBD/Container : 0.611 mg



Total Cannabinoids
65.1%

Total Cannabinoids/Container : 326 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	1.24	62.4	<0.00200	0.139	0.0750	0.136	0.630	<0.00200	<0.00200	<0.00200	0.0770	0.371
mg/unit	6.22	312	<0.00200	0.696	0.375	0.679	3.15	<0.00200	<0.00200	<0.00200	0.385	1.86
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.1008 g	0.1008 g	0.1008 g	0.1008 g	0.1008 g	0.1008 g	0.1008 g	0.1008 g	0.1008 g	0.1008 g	0.1008 g	0.1008 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 585, 1440

Extraction date:
09/09/26 11:29:38

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI101978POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 09/09/26 17:51:23

Batch Date : 09/09/26 09:41:38

Reagent : 090526.R06; 090526.R05; 082026.10

Consumables : 24197251; 04312111; DMAX06C26S; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
09/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX AMSR Bubble Hash Granular 0.5 g
Strain: Amaretto Sour
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 2 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60909001-005

Batch #: ST-420-AMSR-BH.5
Harvest/Lot ID: 072726-AMSR
Seed to sale: 9308663612621801

Expires: 09/09/27

Ordered: 09/08/26
Sampled: 09/08/26
Completed: 09/11/26

PASSED



Label Claim Verification

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 09/10/26 14:13:43

Batch Date : N/A



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

TOTAL TERPENES	0.2151 g	10 ml	1 x	0.00700	0.0200	4.41	22.0	TESTED	
LIMONENE	0.2151 g	10 ml	1 x	0.00700	0.0200	1.34	6.71	TESTED	
BETA-CARYOPHYLLENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.370	1.85	TESTED	
BETA-PINENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.292	1.46	TESTED	
FENCHYL ALCOHOL	0.2151 g	10 ml	1 x	0.00700	0.0200	0.238	1.19	TESTED	
LINALOOL	0.2151 g	10 ml	1 x	0.00700	0.0200	0.230	1.15	TESTED	
ALPHA-PINENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.223	1.11	TESTED	
ALPHA-TERPINEOL	0.2151 g	10 ml	1 x	0.00700	0.0110	0.206	1.03	TESTED	
ALPHA-HUMULENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.182	0.908	TESTED	
ALPHA-BISABOLOL	0.2151 g	10 ml	1 x	0.00700	0.0200	0.181	0.906	TESTED	
GUAJOL	0.2151 g	10 ml	1 x	0.00700	0.0200	0.181	0.903	TESTED	
BETA-MYRCENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.157	0.786	TESTED	
OCIMENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.115	0.577	TESTED	
BORNEOL	0.2151 g	10 ml	1 x	0.0130	0.0400	0.0975	0.487	TESTED	
FARNESENE	0.2151 g	10 ml	1 x	0.00100	0.00100	0.0745	0.373	TESTED	
CAMPENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0663	0.332	TESTED	
TRANS-NEROLIDOL	0.2151 g	10 ml	1 x	0.00500	0.0160	0.0638	0.319	TESTED	
ALPHA-TERPINOLENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0566	0.283	TESTED	
GERANIOL	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0549	0.274	TESTED	
CARYOPHYLLENE OXIDE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0485	0.242	TESTED	
SABINENE HYDRATE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0444	0.222	TESTED	
FENCHONE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0421	0.211	TESTED	
GAMMA-TERPINENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0388	0.194	TESTED	
ISOBORNEOL	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0381	0.191	TESTED	
EUCALYPTOL	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0334	0.167	TESTED	
ALPHA-TERPINENE	0.2151 g	10 ml	1 x	0.00700	0.0200	0.0303	0.151	TESTED	
3-CARENE	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
CAMPOR	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
CEDROL	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
GERANYL ACETATE	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
HEXAHYDROTHYMOL	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
ISOPULEGOL	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
NEROL	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
PULEGONE	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
SABINENE	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
VALENCENE	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
ALPHA-CEDRENE	0.2151 g	10 ml	1 x	0.00500	0.0160	<0.00500	<0.160	TESTED	
ALPHA-PHELLANDRENE	0.2151 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200	TESTED	
CIS-NEROLIDOL	0.2151 g	10 ml	1 x	0.00300	0.00800	<0.00300	<0.0800	TESTED	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX AMSR Bubble Hash Granular 0.5 g
Strain: Amaretto Sour
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 3 of 7

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60909001-005
Batch #: ST-420-AMSR-BH.5
Harvest/Lot ID: 072726-AMSR
Seed to sale: 9308663612621801

Expires: 09/09/27
Ordered: 09/08/26
Sampled: 09/08/26
Completed: 09/11/26

PASSED



Terpenes

TESTED

ANALYTES		WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%) (MG/UNIT)	QUALIFIER	PASS/FAIL
Analyzed by: 4531, 585, 1440		Extraction date: 09/09/26 12:33:10						Extracted by: 4531		
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL										
Analytical Batch : MI101977TER										
Instrument Used : DA-GCMS-004				Batch Date : 09/09/26 09:27:20						
Analyzed Date : 09/09/26 21:38:00										
Reagent : 063026.03										
Consumables : 242011899; 04402004; 2240626; 0000355309										
Pipette : DA-465 (MIC) Dispenser										
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.										



Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.8574 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL DIMETHOMORPH	0.8574 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PERMETHRIN	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PYRETHRINS	0.8574 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINETORAM	0.8574 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINOSAD	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ABAMECTIN B1A	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEPHATE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEQUINOCYL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACETAMIPRID	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ALDICARB	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
AZOXYSTROBIN	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENAZATE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORPYRIFOS	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENTHRIN	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BOSCALID	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CARBARYL	0.8574 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CLOFENTEZINE	0.8574 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
CARBOFURAN	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
COUMAPHOS	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORANTRANILIPROLE	0.8574 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
CHLORMEQUAT CHLORIDE	0.8574 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
DAMINOZIDE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIAZINON	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DICHLORVOS	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIMETHOATE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETHOPROPHOS	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOFENPROX	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOXAZOLE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENHEXAMID	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENOXYCARB	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENPYROXIMATE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FIPRONIL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLONICAMID	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLUDIOXONIL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
HEXYTHIAZOX	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMAZALIL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMIDACLOPRID	0.8574 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS
KRESOXIM-METHYL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017
Accreditation PJA-Testing 97164

Signature 09/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX AMSR Bubble Hash Granular 0.5 g

Strain: Amaretto Sour

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Bubble Hash



Certificate of Analysis

Pages 4 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60909001-005

Batch #: ST-420-AMSR-BH.5
Harvest/Lot ID: 072726-AMSR
Seed to sale: 9308663612621801

Expires: 09/09/27

Ordered: 09/08/26
Sampled: 09/08/26
Completed: 09/11/26

PASSED



Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	0.8574 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.8574 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.8574 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.8574 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.8574 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.8574 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.8574 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.8574 g	25 ml	5 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.8574 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.8574 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.8574 g	25 ml	5 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.8574 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.8574 g	25 ml	5 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.8574 g	25 ml	5 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by:
4451, 585, 1440

Extraction date:
09/09/26 12:06:16

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI101973PES

Instrument Used : DA-LCMS-004 (PES)

Batch Date : 09/09/26 08:18:59

Analyzed Date : 09/09/26 21:34:00

Reagent : 012026.01; 090926.R03; 090926.R17; 090826.R15; 090826.R14; 061626.R24; 090926.R01

Consumables : 24197251; DMAX06C265; 6894944-01

Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
450, 585, 1440

Extraction date:
09/09/26 12:06:16

Extracted by:
4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI101975VOL

Instrument Used : DA-GCMS-011

Batch Date : 09/09/26 08:20:23

Analyzed Date : 09/10/26 17:33:50

Reagent : 083126.R11; 012026.01; 082826.R10; 082826.R09

Consumables : 24197251; DMAX06C265; 6894944-01; 17473601

Pipette : DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
09/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX AMSR Bubble Hash Granular 0.5 g
Strain: Amaretto Sour
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 5 of 7

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60909001-005
Batch #: ST-420-AMSR-BH.5
Harvest/Lot ID: 072726-AMSR
Seed to sale: 9308663612621801

Expires: 09/09/27
Ordered: 09/08/26
Sampled: 09/08/26
Completed: 09/11/26

PASSED



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.029 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.029 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.029 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.029 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.029 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	1.029 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.029 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.03 g	1 ml	10 x	100000	10.0	10.0	149	CFU/g		PASS

Analyzed by: 4520, 585, 1440
Extraction date: 09/09/26 10:23:08
Extracted by: 4520
Analysis Method : SOP.T.40.056C
Analytical Batch : MI101971MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 09/11/26 12:40:42
Batch Date : 09/09/26 08:11:44
Reagent : 063026.15; 072926.R27; 062526.04
Consumables : 7590004024
Pipette : N/A
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4520, 585, 1440
Extraction date: 09/09/26 10:24:47
Extracted by: 4520
Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI101972TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Analyzed Date : 09/11/26 11:05:28
Batch Date : 09/09/26 08:12:53
Reagent : 022626.39; 022626.40; 070726.R01
Consumables : N/A
Pipette : N/A
Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.8574 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.8574 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.8574 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.8574 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.8574 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 09/09/26 12:06:16
Extracted by: 4451
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI101974MYC
Instrument Used : DA-LCMS-004 (MYC)
Analyzed Date : 09/09/26 21:34:00
Batch Date : 09/09/26 08:20:06
Reagent : 083126.R11; 012026.01; 090926.R03; 090826.R15; 090826.R14; 061626.R24; 090926.R01
Consumables : 24197251; DMAX06C26S; 6894944-01
Pipette : DA-092; DA-093; DA-094
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
09/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX AMSR Bubble Hash Granular 0.5 g
Strain: Amaretto Sour
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 6 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60909001-005

Batch #: ST-420-AMSR-BH.5
Harvest/Lot ID: 072726-AMSR
Seed to sale: 9308663612621801

Expires: 09/09/27

Ordered: 09/08/26
Sampled: 09/08/26
Completed: 09/11/26

PASSED



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.2871 g			0.85	0.010	0.10	0.56	aw		PASS
Analyzed by: 4444, 585, 1440		Extraction date: 09/09/26 13:10:31					Extracted by: 4444,585			
Analysis Method : SOP.T.40.019										
Analytical Batch : MI101984WAT										
Instrument Used : DA-256 (Hygrometer, Base Unit)										
Analyzed Date : 09/10/26 10:08:04										
Batch Date : 09/09/26 11:30:27										
Reagent : 072926.01										
Consumables : PS-14										
Pipette : N/A										



Moisture Content

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.498 g				0.1	0.1	5.8	%		TESTED
Analyzed by: 4444, 585, 1440	Extraction date: 09/09/26 12:29:28							Extracted by: 4444		
Analysis Method : SOP.T.40.021.FL Analytical Batch : MI101982MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 09/10/26 10:10:14										
					Batch Date : 09/09/26 11:25:31					
Reagent : 071626.12; 090126.01 Consumables : N/A Pipette : DA-066										



Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2328 g	50 ml	1 x	1.1	0.0200	0.100	0.0928	ppm	J	PASS
ARSENIC	0.2328 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2328 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2328 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2328 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
NICKEL	0.2328 g	50 ml	1 x	0.5	0.0500	0.250	0.0928	ppm	J	PASS
TIN	0.2328 g	50 ml	1 x	4	0.400	2.00	<0.400	ppm		PASS
Analyzed by: 1022, 585, 1440		Extraction date: 09/09/26 11:22:43					Extracted by: 1022			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : MI101976HEA										
Instrument Used : DA-ICPMS-004					Batch Date : 09/09/26 09:12:42					
Analyzed Date : 09/09/26 17:08:00										
Reagent : 080626.R11; 090226.R46; 080326.R14; 082626.R61; 090826.R19; 090826.R18; 090226.R34; 090126.01; 071726.R12; 032326.01										
Consumables : DMAX06C26S; J609879-0193; 179436										
Pipette : DA-191; DA-215; DA-435										
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/11/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX AMSR Bubble Hash Granular 0.5 g
Strain: Amaretto Sour
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 7 of 7

GrowHealthy

309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI60909001-005

Batch #: ST-420-AMSR-BH.5
Harvest/Lot ID: 072726-AMSR
Seed to sale: 9308663612621801

Expires: 09/09/27

Ordered: 09/08/26
Sampled: 09/08/26
Completed: 09/11/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100 0.500

<0.100 %

PASS

Analyzed by:
4571, 585, 1440

Extraction date:
09/10/26 12:45:31

Extracted by:
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI102026FIL

Instrument Used : DA-027 (Filth/Foreign Material Microscope)

Analyzed Date : 09/10/26 15:32:24

Batch Date : 09/10/26 12:43:31

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
09/11/26
Laboratory License #: 900013