



# Certificate of Analysis

Pages 1 of 7

## COMPLIANCE FOR RETAIL

## PASSED



**Harvest Batch #:** 072126-HOBB-WCP  
**Retail Batch #:** ID2138-JACK-CRT1  
**Batch Date:** 09/16/26  
**Harvest Date:** 07/21/26  
**Production Method:** Other - Not Listed  
**Total Amount:** 598 units (598 grams)  
**Cultivation Facility:** Lake Wales  
**Processing Facility:** Lake Wales  
**Retail Product Size:** 1 gram  
**Retail Serving Size:** 1 gram  
**Servings:** 1  
**Seed To Sale #:** 3951545540453753

**Lab ID:** MI60918004-001  
**Sampled:** 09/18/26  
**Sampling Method:** SOP.T.20.010  
**Sample Size:** 16 units  
**Completed:** 09/21/26  
**Expires:** 09/18/27  
**Source Facility:** Lake Wales

### GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US

License # : MMTC-2016-0007



### SAFETY RESULTS

### MISC.



Pesticide  
**PASSED**



Heavy Metals  
**PASSED**



Microbial  
**PASSED**



Mycotoxins  
**PASSED**



Solvents  
**PASSED**



Filtration  
Material  
**PASSED**



Water Activity  
**PASSED**



Moisture  
Content  
**NOT TESTED**



Terpenes  
**TESTED**



### Cannabinoid

### TESTED



**Total THC**  
**91.1%**

Total THC/Container : 911 mg



**Total CBD**  
**0.219%**

Total CBD/Container : 2.19 mg



**Total Cannabinoids**  
**94.6%**

Total Cannabinoids/Container : 946 mg

|           | D9-THC   | THCA     | CBD      | CBDA     | D8-THC   | CBG      | CBGA     | CBN      | THCV     | CBDV     | CBC      | THCVA    |
|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| %         | 91.1     | 0.0713   | 0.219    | <0.00200 | <0.00200 | 1.19     | <0.00200 | 0.371    | 0.693    | <0.00200 | 0.921    | <0.00200 |
| mg/unit   | 911      | 0.713    | 2.19     | <0.00200 | <0.00200 | 11.9     | <0.00200 | 3.71     | 6.93     | <0.00200 | 9.21     | <0.00200 |
| Qualifier |          |          |          |          |          |          |          |          |          |          |          |          |
| LOD (%)   | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  | 0.00200  |
| LOQ (%)   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   | 0.0200   |
| Weight    | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g | 0.1026 g |
| Volume    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    | 40 ml    |
| Dilution  | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     | 10 x     |

Analyzed by:  
4640, 1665, 585, 1440

Extraction date:  
09/18/26 13:08:17

Extracted by:  
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI102227POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 09/18/26 21:53:55

Batch Date : 09/18/26 10:22:09

Reagent : 090526.R06; 080426.S6; 090526.R05

Consumables : 24197251; 04312111; DMAX06C26S; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164



Signature  
09/21/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Papa's Herb JACK Cart 1.0 g

Strain: Jack Herer

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 2 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License #: MMTC-2016-0007

Sample: MI60918004-001

Batch #: ID2138-JACK-CRT1  
Harvest/Lot ID: 072126-HOBB-WCP  
Seed to sale: 3951545540453753

Expires: 09/18/27

Ordered: 09/18/26

Sampled: 09/18/26

Completed: 09/21/26

**PASSED**



## Label Claim Verification

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 09/21/26 16:05:39

Batch Date : N/A



## Terpenes

**TESTED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

|                     |          |       |     |         |         |          |         |   |        |
|---------------------|----------|-------|-----|---------|---------|----------|---------|---|--------|
| TOTAL TERPENES      | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 3.80     | 38.0    |   | TESTED |
| ALPHA-TERPINOLENE   | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 1.51     | 15.1    |   | TESTED |
| BETA-MYRCENE        | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.653    | 6.53    |   | TESTED |
| LIMONENE            | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.366    | 3.66    |   | TESTED |
| BETA-CARYOPHYLLENE  | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.254    | 2.54    |   | TESTED |
| ALPHA-PHELLANDRENE  | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.186    | 1.86    |   | TESTED |
| ALPHA-PINENE        | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.138    | 1.38    |   | TESTED |
| BETA-PINENE         | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.127    | 1.27    |   | TESTED |
| ALPHA-HUMULENE      | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.116    | 1.16    |   | TESTED |
| ALPHA-TERPINENE     | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.107    | 1.07    |   | TESTED |
| GAMMA-TERPINENE     | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0909   | 0.909   |   | TESTED |
| FARNESENE           | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0591   | 0.591   |   | TESTED |
| VALENCENE           | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0414   | 0.414   |   | TESTED |
| TRANS-NEROLIDOL     | 0.2283 g | 10 ml | 1 x | 0.00500 | 0.0160  | 0.0331   | 0.331   |   | TESTED |
| OCIMENE             | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0287   | 0.287   |   | TESTED |
| 3-CARENE            | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0193   | 0.193   | J | TESTED |
| ALPHA-TERPINEOL     | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0169   | 0.169   | J | TESTED |
| CAMPHERE            | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0166   | 0.166   | J | TESTED |
| FENCHYL ALCOHOL     | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0147   | 0.147   | J | TESTED |
| ALPHA-BISABOLOL     | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.0140   | 0.140   | J | TESTED |
| LINALOOL            | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | 0.00970  | 0.0970  | J | TESTED |
| BORNEOL             | 0.2283 g | 10 ml | 1 x | 0.0130  | 0.0400  | <0.0130  | <0.400  |   | TESTED |
| CAMPHOR             | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CARYOPHYLLENE OXIDE | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| CEDROL              | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| EUCALYPTOL          | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| FENCHONE            | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANIOL            | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GERANYL ACETATE     | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| GUAIOL              | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| HEXAHYDROTHYMOL     | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOBORNEOL          | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ISOPULEGOL          | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| NEROL               | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| PULEGONE            | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE            | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| SABINENE HYDRATE    | 0.2283 g | 10 ml | 1 x | 0.00700 | 0.0200  | <0.00700 | <0.200  |   | TESTED |
| ALPHA-CEDRENE       | 0.2283 g | 10 ml | 1 x | 0.00500 | 0.0160  | <0.00500 | <0.160  |   | TESTED |
| CIS-NEROLIDOL       | 0.2283 g | 10 ml | 1 x | 0.00300 | 0.00800 | <0.00300 | <0.0800 |   | TESTED |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
09/21/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Papa's Herb JACK Cart 1.0 g  
Strain: Jack Herer  
Matrix: Derivative  
Classification: Derivative Product Intended for Inhalation  
Type: Distillate



# Certificate of Analysis

Pages 3 of 7

**GrowHealthy**  
309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : MMTC-2016-0007

**Sample: MI60918004-001**  
**Batch #:** ID2138-JACK-CRT1  
**Harvest/Lot ID:** 072126-HOBB-WCP  
**Seed to sale:** 3951545540453753

**Expires:** 09/18/27  
**Ordered:** 09/18/26  
**Sampled:** 09/18/26  
**Completed:** 09/21/26

**PASSED**



## Terpenes

**TESTED**

| ANALYTES                                                                       |  | WEIGHT                                | VOLUME | DILUTION                       | LIMIT | LOD | LOQ | RESULT(%) (MG/UNIT)   | QUALIFIER | PASS/FAIL |
|--------------------------------------------------------------------------------|--|---------------------------------------|--------|--------------------------------|-------|-----|-----|-----------------------|-----------|-----------|
| Analyzed by:<br>4531, 585, 1440                                                |  | Extraction date:<br>09/18/26 13:45:07 |        |                                |       |     |     | Extracted by:<br>4531 |           |           |
| Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL                           |  |                                       |        |                                |       |     |     |                       |           |           |
| Analytical Batch : MI102232TER                                                 |  |                                       |        |                                |       |     |     |                       |           |           |
| Instrument Used : DA-GCMS-009                                                  |  |                                       |        | Batch Date : 09/18/26 10:34:59 |       |     |     |                       |           |           |
| Analyzed Date : 09/21/26 13:58:00                                              |  |                                       |        |                                |       |     |     |                       |           |           |
| Reagent : 062926.03                                                            |  |                                       |        |                                |       |     |     |                       |           |           |
| Consumables : 242011899; 04402004; 2240626; 0000355309                         |  |                                       |        |                                |       |     |     |                       |           |           |
| Pipette : DA-065                                                               |  |                                       |        |                                |       |     |     |                       |           |           |
| Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. |  |                                       |        |                                |       |     |     |                       |           |           |



## Pesticide

**PASSED**

| ANALYTES                            | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|-------------------------------------|----------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.8803 g | 25 ml  | 10 x     | 5     | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL DIMETHOMORPH                  | 0.8803 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL PERMETHRIN                    | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL PYRETHRINS                    | 0.8803 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL SPINETORAM                    | 0.8803 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TOTAL SPINOSAD                      | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ABAMECTIN B1A                       | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACEPHATE                            | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACEQUINOCYL                         | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ACETAMIPRID                         | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ALDICARB                            | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| AZOXYSTROBIN                        | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BIFENAZATE                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CHLORPYRIFOS                        | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BIFENTHRIN                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| BOSCALID                            | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CARBARYL                            | 0.8803 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CLOFENTEZINE                        | 0.8803 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CARBOFURAN                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| COUMAPHOS                           | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CHLORANTRANILIPROLE                 | 0.8803 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| CHLORMEQUAT CHLORIDE                | 0.8803 g | 25 ml  | 10 x     | 1     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| DAMINOZIDE                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DIAZINON                            | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DICHLORVOS                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| DIMETHOATE                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETHOPROPHOS                         | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETOFENPROX                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| ETOXAZOLE                           | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENHEXAMID                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENOXYCARB                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FENPYROXIMATE                       | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FIPRONIL                            | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FLONICAMID                          | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| FLUDIOXONIL                         | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| HEXYTHIAZOX                         | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| IMAZALIL                            | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| IMIDACLOPRID                        | 0.8803 g | 25 ml  | 10 x     | 0.4   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| KRESOXIM-METHYL                     | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
09/21/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Papa's Herb JACK Cart 1.0 g

Strain: Jack Herer

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 4 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License #: MMTC-2016-0007

Sample: MI60918004-001

Batch #: ID2138-JACK-CRT1  
Harvest/Lot ID: 072126-HOBB-WCP  
Seed to sale: 3951545540453753

Expires: 09/18/27

Ordered: 09/18/26

Sampled: 09/18/26

Completed: 09/21/26

**PASSED**



## Pesticide

**PASSED**

| ANALYTES                       | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD    | LOQ    | RESULT  | UNIT | QUALIFIER | PASS/FAIL |
|--------------------------------|----------|--------|----------|-------|--------|--------|---------|------|-----------|-----------|
| MALATHION                      | 0.8803 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METALAXYL                      | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHIOCARB                     | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| METHOMYL                       | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MEVINPHOS                      | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| MYCLOBUTANIL                   | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| NALED                          | 0.8803 g | 25 ml  | 10 x     | 0.25  | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| OXAMYL                         | 0.8803 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PACLOBUTRAZOL                  | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PHOSMET                        | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PIPERONYL BUTOXIDE             | 0.8803 g | 25 ml  | 10 x     | 3     | 0.100  | 0.500  | <0.100  | ppm  |           | PASS      |
| PRALLETHRIN                    | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPICONAZOLE                  | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PROPOXUR                       | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PYRIDABEN                      | 0.8803 g | 25 ml  | 10 x     | 0.2   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROMESIFEN                   | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROTETRAMAT                  | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| SPIROXAMINE                    | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TEBUCONAZOLE                   | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIACLOPRID                    | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| THIAMETHOXAM                   | 0.8803 g | 25 ml  | 10 x     | 0.5   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| TRIFLOXYSTROBIN                | 0.8803 g | 25 ml  | 10 x     | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PENTACHLORONITROBENZENE (PCNB) | 0.8803 g | 25 ml  | 5 x      | 0.15  | 0.0100 | 0.0750 | <0.0100 | ppm  |           | PASS      |
| TOTAL CHLORDANE                | 0.8803 g | 25 ml  | 5 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| PARATHION-METHYL               | 0.8803 g | 25 ml  | 5 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CAPTAN                         | 0.8803 g | 25 ml  | 5 x      | 0.7   | 0.0700 | 0.350  | <0.0700 | ppm  |           | PASS      |
| CHLORFENAPYR                   | 0.8803 g | 25 ml  | 5 x      | 0.1   | 0.0100 | 0.0500 | <0.0100 | ppm  |           | PASS      |
| CYFLUTHRIN                     | 0.8803 g | 25 ml  | 5 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |
| CYPERMETHRIN                   | 0.8803 g | 25 ml  | 5 x      | 0.5   | 0.0500 | 0.250  | <0.0500 | ppm  |           | PASS      |

Analyzed by:  
4451, 585, 1440

Extraction date:  
09/18/26 12:16:03

Extracted by:  
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI102221PES

Instrument Used : DA-LCMS-004 (PES)

Batch Date : 09/18/26 08:55:50

Analyzed Date : 09/18/26 20:29:00

Reagent : 091626.R24; 012026.01; 091426.R03; 091426.R02; 061626.R24; 091626.R01; 091626.R45

Consumables : 24197251; DMAX06C265; 6894944-01

Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:  
450, 585, 1440

Extraction date:  
09/18/26 12:16:03

Extracted by:  
4451,450

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI102223VOL

Instrument Used : DA-GCMS-010

Batch Date : 09/18/26 08:56:41

Analyzed Date : 09/18/26 23:16:00

Reagent : 091626.R24; 012026.01; 082826.R10; 082826.R09; 090426.R12

Consumables : 24197251; DMAX06C265; 6894944-01; 17473601

Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
09/21/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Papa's Herb JACK Cart 1.0 g

Strain: Jack Herer

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 5 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License #: MMTC-2016-0007

Sample: MI60918004-001

Batch #: ID2138-JACK-CRT1  
Harvest/Lot ID: 072126-HOBB-WCP  
Seed to sale: 3951545540453753

Expires: 09/18/27

Ordered: 09/18/26

Sampled: 09/18/26

Completed: 09/21/26

**PASSED**



## Residual Solvents

**PASSED**

| ANALYTES             | WEIGHT   | VOLUME | DILUTION | LIMIT | LOD   | LOQ   | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------------------|----------|--------|----------|-------|-------|-------|--------|------|-----------|-----------|
| 1,1-DICHLOROETHENE   | 0.0219 g | 1 ml   | 1 x      | 8     | 0.800 | 4.00  | <0.800 | ppm  |           | PASS      |
| 1,2-DICHLOROETHANE   | 0.0219 g | 1 ml   | 1 x      | 2     | 0.200 | 1.00  | <0.200 | ppm  |           | PASS      |
| 2-PROPANOL           | 0.0219 g | 1 ml   | 1 x      | 500   | 50.0  | 250   | <50.0  | ppm  |           | PASS      |
| ACETONE              | 0.0219 g | 1 ml   | 1 x      | 750   | 75.0  | 375   | <75.0  | ppm  |           | PASS      |
| ACETONITRILE         | 0.0219 g | 1 ml   | 1 x      | 60    | 6.00  | 30.0  | <6.00  | ppm  |           | PASS      |
| BENZENE              | 0.0219 g | 1 ml   | 1 x      | 1     | 0.100 | 0.500 | <0.100 | ppm  |           | PASS      |
| BUTANES (N-BUTANE)   | 0.0219 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| CHLOROFORM           | 0.0219 g | 1 ml   | 1 x      | 2     | 0.200 | 1.00  | <0.200 | ppm  |           | PASS      |
| DICHLOROMETHANE      | 0.0219 g | 1 ml   | 1 x      | 125   | 12.5  | 62.5  | <12.5  | ppm  |           | PASS      |
| ETHANOL              | 0.0219 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| ETHYL ACETATE        | 0.0219 g | 1 ml   | 1 x      | 400   | 40.0  | 200   | <40.0  | ppm  |           | PASS      |
| ETHYL ETHER          | 0.0219 g | 1 ml   | 1 x      | 500   | 50.0  | 250   | <50.0  | ppm  |           | PASS      |
| ETHYLENE OXIDE       | 0.0219 g | 1 ml   | 1 x      | 5     | 0.500 | 2.50  | <0.500 | ppm  |           | PASS      |
| HEPTANE              | 0.0219 g | 1 ml   | 1 x      | 5000  | 500   | 2500  | <500   | ppm  |           | PASS      |
| METHANOL             | 0.0219 g | 1 ml   | 1 x      | 250   | 25.0  | 125   | <25.0  | ppm  |           | PASS      |
| N-HEXANE             | 0.0219 g | 1 ml   | 1 x      | 250   | 25.0  | 125   | <25.0  | ppm  |           | PASS      |
| PENTANES (N-PENTANE) | 0.0219 g | 1 ml   | 1 x      | 750   | 75.0  | 375   | <75.0  | ppm  |           | PASS      |
| PROPANE              | 0.0219 g | 1 ml   | 1 x      | 5000  | 500   | 1080  | <500   | ppm  |           | PASS      |
| TOLUENE              | 0.0219 g | 1 ml   | 1 x      | 150   | 15.0  | 75.0  | <15.0  | ppm  |           | PASS      |
| TOTAL XYLENES        | 0.0219 g | 1 ml   | 1 x      | 150   | 15.0  | 75.0  | <15.0  | ppm  |           | PASS      |
| TRICHLOROETHYLENE    | 0.0219 g | 1 ml   | 1 x      | 25    | 2.50  | 12.5  | <2.50  | ppm  |           | PASS      |

Analyzed by:  
4444, 585, 1440

Extraction date:  
09/18/26 12:39:58

Extracted by:  
4444

Analysis Method : SOP.T.40.041.FL

Analytical Batch : MI102234SOL

Instrument Used : DA-GCMS-003

Analyzed Date : 09/19/26 03:42:32

Batch Date : 09/18/26 12:33:28

Reagent : 061323.06; 081926.R43; 081926.R42; 081926.R41

Consumables : 432860; 341672

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



## Microbial

**PASSED**

| ANALYTES                 | WEIGHT  | VOLUME | DILUTION | LIMIT             | LOD  | LOQ  | RESULT      | UNIT  | QUALIFIER | PASS/FAIL |
|--------------------------|---------|--------|----------|-------------------|------|------|-------------|-------|-----------|-----------|
| ASPERGILLUS FLAVUS       | 0.8 g   | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS FUMIGATUS    | 0.8 g   | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS NIGER        | 0.8 g   | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ASPERGILLUS TERREUS      | 0.8 g   | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| ECOLI - SHIGELLA         | 0.8 g   | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| SALMONELLA SPECIFIC GENE | 0.8 g   | 1 ml   | 10 x     | NOT PRESENT IN 1g | 1.00 | 1.00 | Not Present | CFU/g |           | PASS      |
| TOTAL YEAST AND MOLD     | 1.048 g | 1 ml   | 10 x     | 100000            | 10.0 | 10.0 | <10.0       | CFU/g |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
09/21/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Papa's Herb JACK Cart 1.0 g

Strain: Jack Herer

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 6 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : MMTC-2016-0007

Sample: MI60918004-001

Batch #: ID2138-JACK-CRT1  
Harvest/Lot ID: 072126-HOBB-WCP  
Seed to sale: 3951545540453753

Expires: 09/18/27

Ordered: 09/18/26

Sampled: 09/18/26

Completed: 09/21/26

**PASSED**



## Microbial

**PASSED**

| ANALYTES                                                                                                                                        |  | WEIGHT |  | VOLUME            |  | DILUTION |  | LIMIT         |  | LOD |  | LOQ |  | RESULT |  | UNIT |  | QUALIFIER                      |  | PASS/FAIL |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------|--|--------|--|-------------------|--|----------|--|---------------|--|-----|--|-----|--|--------|--|------|--|--------------------------------|--|-----------|--|
| Analyzed by:                                                                                                                                    |  |        |  | Extraction date:  |  |          |  | Extracted by: |  |     |  |     |  |        |  |      |  |                                |  |           |  |
| 4520, 585, 1440                                                                                                                                 |  |        |  | 09/18/26 10:27:02 |  |          |  | 4520,4892     |  |     |  |     |  |        |  |      |  |                                |  |           |  |
| Analysis Method : SOP.T.40.056C                                                                                                                 |  |        |  |                   |  |          |  |               |  |     |  |     |  |        |  |      |  |                                |  |           |  |
| Analytical Batch : MI102216MIC                                                                                                                  |  |        |  |                   |  |          |  |               |  |     |  |     |  |        |  |      |  |                                |  |           |  |
| Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) |  |        |  |                   |  |          |  |               |  |     |  |     |  |        |  |      |  | Batch Date : 09/18/26 08:49:38 |  |           |  |
| Analyzed Date : 09/21/26 13:02:44                                                                                                               |  |        |  |                   |  |          |  |               |  |     |  |     |  |        |  |      |  |                                |  |           |  |
| Reagent : 063026.20; 063026.22; 072926.R27; 062526.01                                                                                           |  |        |  |                   |  |          |  |               |  |     |  |     |  |        |  |      |  |                                |  |           |  |
| Consumables : 7505502002                                                                                                                        |  |        |  |                   |  |          |  |               |  |     |  |     |  |        |  |      |  |                                |  |           |  |
| Pipette : N/A                                                                                                                                   |  |        |  |                   |  |          |  |               |  |     |  |     |  |        |  |      |  |                                |  |           |  |
| Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.                                                            |  |        |  |                   |  |          |  |               |  |     |  |     |  |        |  |      |  |                                |  |           |  |

|                                                                                                                              |                                              |                                       |
|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|---------------------------------------|
| <b>Analyzed by:</b><br>4892, 5008, 585, 1440                                                                                 | <b>Extraction date:</b><br>09/18/26 10:27:20 | <b>Extracted by:</b><br>4520,4892     |
| <b>Analysis Method :</b> SOP.T.40.209.FL                                                                                     |                                              |                                       |
| <b>Analytical Batch :</b> MI102217TYM                                                                                        |                                              |                                       |
| <b>Instrument Used :</b> DA-096 (25°C Incubator),DA-420 (25°C Incubator)                                                     |                                              | <b>Batch Date :</b> 09/18/26 08:50:26 |
| <b>Analyzed Date :</b> 09/21/26 09:38:58                                                                                     |                                              |                                       |
| <b>Reagent :</b> 022626.45; 022626.53; 070726.R01                                                                            |                                              |                                       |
| <b>Consumables :</b> N/A                                                                                                     |                                              |                                       |
| <b>Pipette :</b> N/A                                                                                                         |                                              |                                       |
| Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39. |                                              |                                       |



## Mycotoxins

**PASSED**

| ANALYTES                                                                                                                            | WEIGHT   | VOLUME                                | DILUTION | LIMIT | LOD                            | LOQ    | RESULT   | UNIT                  | QUALIFIER | PASS/FAIL |
|-------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------------------------|----------|-------|--------------------------------|--------|----------|-----------------------|-----------|-----------|
| AFLATOXIN B1                                                                                                                        | 0.8803 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN B2                                                                                                                        | 0.8803 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| OCHRATOXIN A                                                                                                                        | 0.8803 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN G1                                                                                                                        | 0.8803 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| AFLATOXIN G2                                                                                                                        | 0.8803 g | 25 ml                                 | 10 x     | 0.02  | 0.00200                        | 0.0100 | <0.00200 | ppm                   |           | PASS      |
| Analyzed by:<br>4451, 585, 1440                                                                                                     |          | Extraction date:<br>09/18/26 12:16:03 |          |       |                                |        |          | Extracted by:<br>4451 |           |           |
| Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL                                                                                  |          |                                       |          |       |                                |        |          |                       |           |           |
| Analytical Batch : MI102222MYC                                                                                                      |          |                                       |          |       |                                |        |          |                       |           |           |
| Instrument Used : DA-LCMS-004 (MYC)                                                                                                 |          |                                       |          |       | Batch Date : 09/18/26 08:56:37 |        |          |                       |           |           |
| Analyzed Date : 09/18/26 20:29:00                                                                                                   |          |                                       |          |       |                                |        |          |                       |           |           |
| Reagent : 091626.R24; 012026.01; 091626.R45; 091526.R01; 091726.R01; 061626.R24; 091626.R01                                         |          |                                       |          |       |                                |        |          |                       |           |           |
| Consumables : 24197251; DMAX06C265; 6894944-01                                                                                      |          |                                       |          |       |                                |        |          |                       |           |           |
| Pipette : DA-092; DA-093; DA-094                                                                                                    |          |                                       |          |       |                                |        |          |                       |           |           |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |          |                                       |          |       |                                |        |          |                       |           |           |



## Water Activity

**PASSED**

| ANALYTES       | WEIGHT  | VOLUME | DILUTION | LIMIT | LOD   | LOQ  | RESULT | UNIT | QUALIFIER | PASS/FAIL |
|----------------|---------|--------|----------|-------|-------|------|--------|------|-----------|-----------|
| WATER ACTIVITY | 0.326 g |        |          | 0.85  | 0.010 | 0.10 | 0.59   | aw   |           | PASS      |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation PJLA-Testing  
97164

Signature  
09/21/26  
Laboratory License #: 900013



3451 Commerce Parkway  
Miramar, FL, 33025, US  
(954) 368-7664

Kaycha Labs

Papa's Herb JACK Cart 1.0 g

Strain: Jack Herer

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Distillate



# Certificate of Analysis

Pages 7 of 7

## GrowHealthy

309 S ACUFF ROAD  
LAKE WALES, FL, 33884, US  
License # : MMTC-2016-0007

Sample: MI60918004-001

Batch #: ID2138-JACK-CRT1  
Harvest/Lot ID: 072126-HOBB-WCP  
Seed to sale: 3951545540453753

Expires: 09/18/27

Ordered: 09/18/26  
Sampled: 09/18/26  
Completed: 09/21/26

**PASSED**



## Water Activity

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:  
5412, 585, 1440

Extraction date:  
09/18/26 16:45:45

Extracted by:  
5412

Analysis Method : SOP.T.40.019  
Analytical Batch : MI102237WAT  
Instrument Used : DA-257 (Hygrometer, Base Unit)  
Analyzed Date : 09/21/26 09:25:51

Batch Date : 09/18/26 14:03:01

Reagent : 072926.01  
Consumables : PS-14  
Pipette : N/A



## Heavy Metals

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

TOTAL CONTAMINANT LOAD METALS

0.272 g 50 ml 1 x 1.1 0.0200 0.100 0.0886 ppm J PASS

ARSENIC

0.272 g 50 ml 1 x 0.2 0.0200 0.100 <0.0200 ppm PASS

CADMIUM

0.272 g 50 ml 1 x 0.2 0.0200 0.100 <0.0200 ppm PASS

LEAD

0.272 g 50 ml 1 x 0.5 0.0500 0.250 <0.0500 ppm PASS

MERCURY

0.272 g 50 ml 1 x 0.2 0.0200 0.100 <0.0200 ppm PASS

NICKEL

0.272 g 50 ml 1 x 0.5 0.0500 0.250 0.0886 ppm J PASS

TIN

0.272 g 50 ml 1 x 4 0.400 2.00 <0.400 ppm PASS

Analyzed by:  
1022, 585, 1440

Extraction date:  
09/18/26 14:10:21

Extracted by:  
1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
Analytical Batch : MI102225HEA  
Instrument Used : DA-ICPMS-004  
Analyzed Date : 09/18/26 21:38:00

Batch Date : 09/18/26 09:53:02

Reagent : 091126.R61; 090226.R46; 080326.R14; 091026.R02; 091626.R32; 091626.R31; 090226.R34; 090126.01; 032326.01  
Consumables : DMAX06C26S; J609879-0193; 179436  
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



## Filtration/Foreign Material

**PASSED**

### ANALYTES

### WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g 1 0.100 0.500 <0.100 % PASS

Analyzed by:  
4571, 585, 1440

Extraction date:  
09/18/26 12:34:59

Extracted by:  
4571

Analysis Method : SOP.T.40.090  
Analytical Batch : MI102235FIL  
Instrument Used : DA-027 (Filtration/Foreign Material Microscope)  
Analyzed Date : 09/18/26 13:46:12

Batch Date : 09/18/26 12:33:53

Reagent : N/A  
Consumables : N/A  
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License #  
CMTL-00013  
ISO 17025 Accreditation #  
ISO/IEC 17025:2017  
Accreditation P/LA-Testing  
97164

Signature  
09/21/26  
Laboratory License #: 900013