



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 8647692086122037
Retail Batch #: 8647692086122037
Batch Date: 09/16/26
Harvest Date: 08/01/26
Production Method: Other - Not Listed
Total Amount: 280 units (140 grams)
Cultivation Facility: Tavares
Processing Facility: Tavares
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 5060692678658875

Lab ID: MI60922009-006
Sampled: 09/21/26
Sample Size: 31 units
Completed: 09/24/26
Expires: 09/22/27
Manifest #: 3671173911333629
Source Facility: Tavares

Eden

200 CR-448
Tavares, FL, 32778, US

License #: M00025CULTavares001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
75.6%

Total THC/Container : 378 mg



Total CBD
0.276%

Total CBD/Container : 1.38 mg



Total Cannabinoids
79.4%

Total Cannabinoids/Container : 397 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	75.4	0.170	0.169	0.121	<0.00200	1.99	0.0872	0.0903	0.316	<0.00200	0.789	0.221
mg/unit	377	0.848	0.847	0.606	<0.00200	9.97	0.436	0.452	1.58	<0.00200	3.95	1.10
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.1023 g	0.1023 g	0.1023 g	0.1023 g	0.1023 g	0.1023 g	0.1023 g	0.1023 g	0.1023 g	0.1023 g	0.1023 g	0.1023 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 585, 1440

Extraction date:
09/22/26 12:39:48

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI102306POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 09/23/26 13:19:59

Batch Date : 09/22/26 10:19:00

Reagent : 090526.R06; 082026.21; 090526.R05

Consumables : 242011899; 043121111; DMAX06C265; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164



Signature
09/24/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
Longan 0.5g Vape Cart
Strain: Longan
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation



Certificate of Analysis

Pages 2 of 7

Eden
200 CR-448
Tavares, FL, 32778, US
License # : M00025CULTavares001

Sample: MI60922009-006
Batch #: 8647692086122037
Harvest/Lot ID: 8647692086122037
Seed to sale: 5060692678658875

Expires: 09/22/27
Ordered: 09/21/26
Sampled: 09/21/26
Completed: 09/24/26

PASSED



Label Claim Verification

PASSED

ANALYTES		WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL									
Analyzed by:		Extraction date:				Extracted by:					
Analysis Method : N/A											
Analytical Batch : N/A											
Instrument Used : N/A											
Analyzed Date : 09/23/26 14:49:07											
						Batch Date : N/A					



Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2239 g	10 ml	1 x	0.00700	0.0200	8.02	40.1		TESTED	
LIMONENE	0.2239 g	10 ml	1 x	0.00700	0.0200	2.86	14.3		TESTED	
BETA-CARYOPHYLLENE	0.2239 g	10 ml	1 x	0.00700	0.0200	1.09	5.44		TESTED	
BETA-MYRCENE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.788	3.94		TESTED	
LINALOOL	0.2239 g	10 ml	1 x	0.00700	0.0200	0.655	3.28		TESTED	
BETA-PINENE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.567	2.84		TESTED	
ALPHA-PINENE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.451	2.26		TESTED	
ALPHA-HUMULENE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.340	1.70		TESTED	
FENCHYL ALCOHOL	0.2239 g	10 ml	1 x	0.00700	0.0200	0.311	1.55		TESTED	
ALPHA-TERPINEOL	0.2239 g	10 ml	1 x	0.00700	0.0200	0.257	1.28		TESTED	
TRANS-NEROLIDOL	0.2239 g	10 ml	1 x	0.00500	0.0160	0.247	1.23		TESTED	
ALPHA-BISABOLOL	0.2239 g	10 ml	1 x	0.00700	0.0200	0.155	0.774		TESTED	
CAMPENE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.115	0.574		TESTED	
BORNEOL	0.2239 g	10 ml	1 x	0.0130	0.0400	0.0776	0.388		TESTED	
ALPHA-TERPINOLENE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.0331	0.166		TESTED	
FARNESENE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.0242	0.121		TESTED	
FENCHONE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.0208	0.104		TESTED	
CARYOPHYLLENE OXIDE	0.2239 g	10 ml	1 x	0.00700	0.0200	0.0206	0.103		TESTED	
GERANIOL	0.2239 g	10 ml	1 x	0.00700	0.0200	0.00989	0.0495	J	TESTED	
3-CARENE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
CAMPOR	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
CEDROL	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
EUCALYPTOL	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
GERANYL ACETATE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
GUAIOL	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
HEXAHYDROTHYMOL	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
ISOBORNEOL	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
ISOPULEGOL	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
NEROL	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
OCIMENE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
PULEGONE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
SABINENE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
SABINENE HYDRATE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
VALENCENE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
ALPHA-CEDRENE	0.2239 g	10 ml	1 x	0.00500	0.0160	<0.00500	<0.160		TESTED	
ALPHA-PHELLANDRENE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
ALPHA-TERPINENE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	
CIS-NEROLIDOL	0.2239 g	10 ml	1 x	0.00300	0.00800	<0.00300	<0.0800		TESTED	
GAMMA-TERPINENE	0.2239 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/24/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Longan 0.5g Vape Cart

Strain: Longan

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 3 of 7

Eden

200 CR-448
Tavares, FL, 32778, US
License #: M00025CULTavares001

Sample: MI60922009-006

Batch #: 8647692086122037
Harvest/Lot ID: 8647692086122037
Seed to sale: 5060692678658875

Expires: 09/22/27

Ordered: 09/21/26
Sampled: 09/21/26
Completed: 09/24/26

PASSED



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:
4531, 585, 1440

Extraction date:
09/22/26 13:21:08

Extracted by:
450,4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : MI102303TER

Instrument Used : DA-GCMS-009

Analyzed Date : 09/23/26 11:01:00

Batch Date : 09/22/26 09:48:04

Reagent : 062926.03

Consumables : 242011899; 04402004; 2240626; 0000355309

Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Pesticide

PASSED

ANALYTES

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.8251 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL DIMETHOMORPH	0.8251 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PERMETHRIN	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PYRETHRINS	0.8251 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINETORAM	0.8251 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINOSAD	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ABAMECTIN B1A	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEPHATE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEQUINOCYL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACETAMIPRID	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ALDICARB	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
AZOXYSTROBIN	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENAZATE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORPYRIFOS	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENTHRIN	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BOSCALID	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CARBARYL	0.8251 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CLOFENTEZINE	0.8251 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
CARBOFURAN	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
COUMAPHOS	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORANTRANILIPROLE	0.8251 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
CHLORMEQUAT CHLORIDE	0.8251 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
DAMINOZIDE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIAZINON	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DICHLORVOS	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIMETHOATE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETHOPROPHOS	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOFENPROX	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOXAZOLE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENHEXAMID	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENOXYCARB	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENPYROXIMATE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FIPRONIL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLONICAMID	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLUDIOXONIL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
HEXYTHIAZOX	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMAZALIL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMIDACLOPRID	0.8251 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS
KRESOXIM-METHYL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJA-Testing
97164

Signature
09/24/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Longan 0.5g Vape Cart

Strain: Longan

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 4 of 7

Eden

200 CR-448
Tavares, FL, 32778, US
License # : M00025CULTavares001

Sample: MI60922009-006

Batch #: 8647692086122037
Harvest/Lot ID: 8647692086122037
Seed to sale: 5060692678658875

Expires: 09/22/27

Ordered: 09/21/26
Sampled: 09/21/26
Completed: 09/24/26

PASSED



Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	0.8251 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.8251 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.8251 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.8251 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.8251 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.8251 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.8251 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.8251 g	25 ml	5 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.8251 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.8251 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.8251 g	25 ml	5 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.8251 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.8251 g	25 ml	5 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.8251 g	25 ml	5 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by:
4451, 585, 1440

Extraction date:
09/22/26 13:40:28

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI102314PES

Instrument Used : DA-LCMS-003 (PES)

Batch Date : 09/22/26 10:31:02

Analyzed Date : 09/23/26 08:00:00

Reagent : 091826.R02; 012026.01; 091626.R45; 092226.R02; 092226.R01; 061626.R24; 091626.R01

Consumables : 24197251; DMAX06C265; 6894944-01

Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
450, 585, 1440

Extraction date:
09/22/26 13:40:28

Extracted by:
4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI102316VOL

Instrument Used : DA-GCMS-001

Batch Date : 09/22/26 10:32:00

Analyzed Date : 09/23/26 01:07:46

Reagent : 091826.R02; 012026.01; 082826.R10; 082826.R09; 090426.R12

Consumables : 24197251; DMAX06C265; 6894944-01; 17473601

Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
09/24/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Longan 0.5g Vape Cart

Strain: Longan

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 5 of 7

Eden

200 CR-448

Tavares, FL, 32778, US

License # : M00025CULTavares001

Sample: MI60922009-006

Batch #: 8647692086122037

Harvest/Lot ID: 8647692086122037

Seed to sale: 5060692678658875

Expires: 09/22/27

Ordered: 09/21/26

Sampled: 09/21/26

Completed: 09/24/26

PASSED



Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0256 g	1 ml	1 x	8	0.800	4.00	<0.800	ppm		PASS
1,2-DICHLOROETHANE	0.0256 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
2-PROPANOL	0.0256 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ACETONE	0.0256 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
ACETONITRILE	0.0256 g	1 ml	1 x	60	6.00	30.0	<6.00	ppm		PASS
BENZENE	0.0256 g	1 ml	1 x	1	0.100	0.500	<0.100	ppm		PASS
BUTANES (N-BUTANE)	0.0256 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
CHLOROFORM	0.0256 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
DICHLOROMETHANE	0.0256 g	1 ml	1 x	125	12.5	62.5	<12.5	ppm		PASS
ETHANOL	0.0256 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
ETHYL ACETATE	0.0256 g	1 ml	1 x	400	40.0	200	<40.0	ppm		PASS
ETHYL ETHER	0.0256 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ETHYLENE OXIDE	0.0256 g	1 ml	1 x	5	0.500	2.50	<0.500	ppm		PASS
HEPTANE	0.0256 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
METHANOL	0.0256 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
N-HEXANE	0.0256 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
PENTANES (N-PENTANE)	0.0256 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
PROPANE	0.0256 g	1 ml	1 x	5000	500	1080	<500	ppm		PASS
TOLUENE	0.0256 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TOTAL XYLENES	0.0256 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TRICHLOROETHYLENE	0.0256 g	1 ml	1 x	25	2.50	12.5	<2.50	ppm		PASS

Analyzed by:
4444, 585, 1440

Extraction date:
09/22/26 12:47:32

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL

Analytical Batch : MI102319SOL

Instrument Used : DA-GCMS-013

Analyzed Date : 09/23/26 02:53:03

Batch Date : 09/22/26 12:36:35

Reagent : 061323.06; 081926.R43; 081926.R42; 081926.R41

Consumables : 432860; 341672

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.98 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.98 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.98 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.98 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.98 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.98 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.016 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/24/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Longan 0.5g Vape Cart

Strain: Longan

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 6 of 7

Eden

200 CR-448
Tavares, FL, 32778, US
License #: M00025CULTavares001

Sample: MI60922009-006

Batch #: 8647692086122037
Harvest/Lot ID: 8647692086122037
Seed to sale: 5060692678658875

Expires: 09/22/27

Ordered: 09/21/26
Sampled: 09/21/26
Completed: 09/24/26

PASSED



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 4520, 585, 1440			Extraction date: 09/22/26 11:27:11			Extracted by: 4520				
Analysis Method : SOP.T.40.056C										
Analytical Batch : MI102308MIC										
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)									Batch Date : 09/22/26 10:20:31	
Analyzed Date : 09/24/26 10:53:06										
Reagent : 063026.21; 071326.07; 071326.14; 090126.R03; 062526.01										
Consumables : 7505502009										
Pipette : N/A										
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.										

Analyzed by: 4520, 4892, 585, 1440	Extraction date: 09/22/26 11:29:06	Extracted by: 4520
Analysis Method : SOP.T.40.209.FL		
Analytical Batch : MI102309TYM		
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)		Batch Date : 09/22/26 10:21:30
Analyzed Date : 09/24/26 15:00:12		
Reagent : 022626.01; 022626.02; 070726.R01		
Consumables : N/A		
Pipette : N/A		
Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.		



Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.8251 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.8251 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.8251 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.8251 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.8251 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
Analyzed by: 4451, 585, 1440		Extraction date: 09/22/26 13:40:28						Extracted by: 4451		
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL										
Analytical Batch : MI102315MYC										
Instrument Used : DA-LCMS-003 (MYC)					Batch Date : 09/22/26 10:31:54					
Analyzed Date : 09/23/26 08:00:00										
Reagent : 091826.R02; 012026.01; 091626.R45; 092226.R02; 092226.R01; 061626.R24; 091626.R01										
Consumables : 24197251; DMAX06C265; 6894944-01										
Pipette : DA-092; DA-093; DA-094										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.323 g			0.85	0.010	0.10	0.55	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
09/24/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Longan 0.5g Vape Cart

Strain: Longan

Matrix: Derivative

Classification: Derivative Product Intended for Inhalation

Type: Extract for Inhalation



Certificate of Analysis

Pages 7 of 7

Eden

200 CR-448

Tavares, FL, 32778, US

License # : M00025CULTavares001

Sample: MI60922009-006

Batch #: 8647692086122037

Harvest/Lot ID: 8647692086122037

Seed to sale: 5060692678658875

Expires: 09/22/27

Ordered: 09/21/26

Sampled: 09/21/26

Completed: 09/24/26

PASSED



Water Activity

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:
5412, 585, 1440

Extraction date:
09/22/26 18:33:32

Extracted by:
5412

Analysis Method : SOP.T.40.019

Analytical Batch : MI102322WAT

Instrument Used : DA-257 (Hygrometer, Base Unit)

Analyzed Date : 09/23/26 09:44:30

Batch Date : 09/22/26 14:03:40

Reagent : 072926.01

Consumables : PS-14

Pipette : N/A



Heavy Metals

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

TOTAL CONTAMINANT LOAD METALS

0.2156 g

50 ml

1 x

5

0.0200

0.100

0.0858

ppm

J

PASS

ARSENIC

0.2156 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

J

PASS

CADMIUM

0.2156 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

J

PASS

LEAD

0.2156 g

50 ml

1 x

0.5

0.0500

0.250

<0.0500

ppm

J

PASS

MERCURY

0.2156 g

50 ml

1 x

0.2

0.0200

0.100

<0.0200

ppm

J

PASS

NICKEL

0.2156 g

50 ml

1 x

0.5

0.0500

0.250

0.0858

ppm

J

PASS

TIN

0.2156 g

50 ml

1 x

4

0.400

2.00

<0.400

ppm

J

PASS

Analyzed by:
1022, 585, 1440

Extraction date:
09/22/26 13:27:13

Extracted by:
1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : MI102307HEA

Instrument Used : DA-ICPMS-004

Analyzed Date : 09/23/26 01:24:00

Batch Date : 09/22/26 10:20:05

Reagent : 091126.R61; 091826.R08; 080326.R14; 091026.R02; 091626.R32; 091626.R31; 090226.R34; 090126.01; 032326.01

Consumables : DMAX06C26S; J609879-0193; 179436

Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Filtration/Foreign Material

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100

0.500

<0.100

%

PASS

Analyzed by:
4571, 585, 1440

Extraction date:
09/23/26 15:24:39

Extracted by:
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI102349FIL

Instrument Used : DA-027 (Filtration/Foreign Material Microscope)

Analyzed Date : 09/24/26 09:40:34

Batch Date : 09/23/26 15:21:33

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
09/24/26
Laboratory License #: 900013