Amended


3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 900mg
Strain: Space Coast Lander
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 4146075107487262
Retail Batch #: 3708990544356449
Batch Date: 10/05/26
Harvest Date: 08/03/26
Production Method: Other - Not Listed
Total Amount: 3,974 units (3,974 grams)
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 1137725549383600

Lab ID: MI61007004-001
Sampled: 10/06/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 10/09/26
Revised: 10/13/26
Expires: 10/07/27
Manifest #: 5474594564321349
Source Facility: Tampa Processing

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00003CULPROTampa001

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
93.0%
Total THC/Container : 930 mg

Total CBD
0.214%
Total CBD/Container : 2.14 mg

Total Cannabinoids
95.2%
Total Cannabinoids/Container : 952 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	93.0	<0.00200	0.214	<0.00200	<0.00200	1.02	<0.00200	0.297	0.607	<0.00200	<0.00200	<0.00200
mg/unit	930	<0.00200	2.14	<0.00200	<0.00200	10.2	<0.00200	2.97	6.07	<0.00200	<0.00200	<0.00200
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.1043 g	0.1043 g	0.1043 g	0.1043 g	0.1043 g	0.1043 g	0.1043 g	0.1043 g	0.1043 g	0.1043 g	0.1043 g	0.1043 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 3621, 1665, 585, 1440
Extraction date: 10/07/26 12:07:42
Extracted by: 3621

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI102718POT
Instrument Used : DA-LC-003 (Derivative)
Analyzed Date : 10/07/26 15:11:00
Batch Date : 10/07/26 09:11:21

Reagent : 093026.R76; 093026.R77; 093026.R78; 092426.R30; 090926.49; 092426.R29
Consumables : 24197251; 04312111; DMAX06C26S; 0000355309

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/09/26
Laboratory License #: 900013

Revision: #1 - Updated Harvest Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 900mg
Strain: Space Coast Lander
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00003CULPROTampa001

Sample: MI61007004-001
Batch #: 3708990544356449
Harvest/Lot ID: 4146075107487262
Seed to sale: 1137725549383600

Expires: 10/07/27
Ordered: 10/06/26
Sampled: 10/06/26
Completed: 10/09/26

PASSED

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
PACKAGE LABEL DEVIATION (THC)					-100	-100	3.36	%		TESTED

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 10/08/26 11:06:48

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2115 g	10 ml	1 x		0.00700	0.0200	3.07	30.7		TESTED
LIMONENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.657	6.57		TESTED
BETA-MYRCENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.505	5.05		TESTED
BETA-CARYOPHYLLENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.428	4.28		TESTED
VALENCENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.187	1.87		TESTED
LINALOOL	0.2115 g	10 ml	1 x		0.00700	0.0200	0.182	1.82		TESTED
BETA-PINENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.139	1.39		TESTED
ALPHA-HUMULENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.130	1.30		TESTED
FENCHYL ALCOHOL	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0952	0.952		TESTED
ALPHA-TERPINEOL	0.2115 g	10 ml	1 x		0.00700	0.0110	0.0945	0.945		TESTED
ALPHA-BISABOLOL	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0874	0.874		TESTED
BORNEOL	0.2115 g	10 ml	1 x		0.0130	0.0400	0.0715	0.715		TESTED
ALPHA-PINENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0666	0.666		TESTED
CARYOPHYLLENE OXIDE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0654	0.654		TESTED
NEROL	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0522	0.522		TESTED
GERANIOL	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0518	0.518		TESTED
ALPHA-TERPINOLENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0506	0.506		TESTED
CAMPHOR	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0443	0.443		TESTED
ISOBORNEOL	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0419	0.419		TESTED
CAMPHENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0390	0.390		TESTED
3-CARENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0314	0.314		TESTED
ALPHA-TERPINENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0253	0.253		TESTED
SABINENE	0.2115 g	10 ml	1 x		0.00700	0.0200	0.0216	0.216		TESTED
CEDROL	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
EUCALYPTOL	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
FARNESENE	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
FENCHONE	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GUAIOL	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
HEXAHYDROTHYMOL	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
OCIMENE	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE HYDRATE	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-CEDRENE	0.2115 g	10 ml	1 x		0.00500	0.0160	<0.00500	<0.160		TESTED
ALPHA-PHELLANDRENE	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CIS-NEROLIDOL	0.2115 g	10 ml	1 x		0.00300	0.00800	<0.00300	<0.0800		TESTED
GAMMA-TERPINENE	0.2115 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
TRANS-NEROLIDOL	0.2115 g	10 ml	1 x		0.00500	0.0160	<0.00500	<0.160		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/09/26
Laboratory License #: 900013

Revision: #1 - Updated Harvest Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 900mg
Strain: Space Coast Lander
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00003CULPROTampa001

Sample: MI61007004-001
Batch #: 3708990544356449
Harvest/Lot ID: 4146075107487262
Seed to sale: 1137725549383600

Expires: 10/07/27
Ordered: 10/06/26
Sampled: 10/06/26
Completed: 10/09/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 1440
Extraction date: 10/07/26 11:27:52
Extracted by: 4451,4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI102719TER
Instrument Used : DA-GCMS-004
Batch Date : 10/07/26 10:12:49
Analyzed Date : 10/08/26 03:23:00

Reagent : 062926.02
Consumables : 24197251; 04402004; 2240626; 0000355309
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0155 g	25 ml	10 x	5	0.0100	0.0500	0.0115	ppm	J	PASS
TOTAL DIMETHOMORPH	1.0155 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PERMETHRIN	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PYRETHRINS	1.0155 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINETORAM	1.0155 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINOSAD	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ABAMECTIN B1A	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEPHATE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEQUINOCYL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACETAMIPRID	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ALDICARB	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
AZOXYSTROBIN	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENAZATE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORPYRIFOS	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENTHRIN	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	0.0115	ppm	J	PASS
BOSCALID	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CARBARYL	1.0155 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CLOFENTEZINE	1.0155 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
CARBOFURAN	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
COUMAPHOS	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORANTRANILIPROLE	1.0155 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0155 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
DAMINOZIDE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIAZINON	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DICHLORVOS	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIMETHOATE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETHOPROPHOS	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOFENPROX	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOXAZOLE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENHEXAMID	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENOXYCARB	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENPYROXIMATE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FIPRONIL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLONICAMID	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLUDIOXONIL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
HEXYTHIAZOX	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMAZALIL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMIDACLOPRID	1.0155 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/09/26
Laboratory License #: 900013

Revision: #1 - Updated Harvest Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 900mg
Strain: Space Coast Lander
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00003CULPROTampa001

Sample: MI61007004-001
Batch #: 3708990544356449
Harvest/Lot ID: 4146075107487262
Seed to sale: 1137725549383600

Expires: 10/07/27
Ordered: 10/06/26
Sampled: 10/06/26
Completed: 10/09/26

PASSED

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MALATHION	1.0155 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	1.0155 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	1.0155 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	1.0155 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	1.0155 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	1.0155 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	1.0155 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0155 g	25 ml	5 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	1.0155 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	1.0155 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	1.0155 g	25 ml	5 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	1.0155 g	25 ml	5 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	1.0155 g	25 ml	5 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	1.0155 g	25 ml	5 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by:
4451, 585, 1440

Extraction date:
10/07/26 13:12:55

Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI102720PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 10/07/26 10:13:50
Analyzed Date : 10/08/26 18:02:00

Reagent : 012026.01; 100726.R03; 100726.R28; 100626.R06; 100626.R07; 092326.R12; 100726.R01
Consumables : 24197251; DMAX06C26S; 6894944-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 450, 585, 1440

Extraction date:
10/07/26 13:12:55

Extracted by:
5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI102722VOL
Instrument Used : DA-GCMS-010
Batch Date : 10/07/26 10:18:31
Analyzed Date : 10/07/26 20:21:00

Reagent : 012026.01; 092426.R42; 092426.R41; 090426.R12; 100726.R28
Consumables : 24197251; DMAX06C26S; 6894944-01; 17473601
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/09/26
Laboratory License #: 900013

Revision: #1 - Updated Harvest Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 900mg
Strain: Space Coast Lander
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00003CULPROTampa001

Sample: MI61007004-001
Batch #: 3708990544356449
Harvest/Lot ID: 4146075107487262
Seed to sale: 1137725549383600

Expires: 10/07/27
Ordered: 10/06/26
Sampled: 10/06/26
Completed: 10/09/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0235 g	1 ml	1 x	8	0.800	4.00	<0.800	ppm		PASS
1,2-DICHLOROETHANE	0.0235 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
2-PROPANOL	0.0235 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ACETONE	0.0235 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
ACETONITRILE	0.0235 g	1 ml	1 x	60	6.00	30.0	<6.00	ppm		PASS
BENZENE	0.0235 g	1 ml	1 x	1	0.100	0.500	<0.100	ppm		PASS
BUTANES (N-BUTANE)	0.0235 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
CHLOROFORM	0.0235 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
DICHLOROMETHANE	0.0235 g	1 ml	1 x	125	12.5	62.5	<12.5	ppm		PASS
ETHANOL	0.0235 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
ETHYL ACETATE	0.0235 g	1 ml	1 x	400	40.0	200	<40.0	ppm		PASS
ETHYL ETHER	0.0235 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ETHYLENE OXIDE	0.0235 g	1 ml	1 x	5	0.500	2.50	<0.500	ppm		PASS
HEPTANE	0.0235 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
METHANOL	0.0235 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
N-HEXANE	0.0235 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
PENTANES (N-PENTANE)	0.0235 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
PROPANE	0.0235 g	1 ml	1 x	5000	500	1080	<500	ppm		PASS
TOLUENE	0.0235 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TOTAL XYLENES	0.0235 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TRICHLOROETHYLENE	0.0235 g	1 ml	1 x	25	2.50	12.5	<2.50	ppm		PASS

Analyzed by:
4444, 585, 1440

Extraction date:
10/07/26 11:28:14

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI102729SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 10/07/26 22:09:59

Batch Date : 10/07/26 11:21:12

Reagent : 061323.06; 092326.R09; 092326.R10; 092326.R11
Consumables : 432860; 341672
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.912 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.912 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.912 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.912 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.912 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.912 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.825 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/09/26
Laboratory License #: 900013

Revision: #1 - Updated Harvest Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 900mg
Strain: Space Coast Lander
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00003CULPROTampa001

Sample: MI61007004-001
Batch #: 3708990544356449
Harvest/Lot ID: 4146075107487262
Seed to sale: 1137725549383600

Expires: 10/07/27
Ordered: 10/06/26
Sampled: 10/06/26
Completed: 10/09/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4520, 585, 1440
Extraction date: 10/07/26 10:28:50
Extracted by: 4520

Analysis Method : SOP.T.40.056C
Analytical Batch : MI102711MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 10/07/26 07:54:11
Analyzed Date : 10/09/26 12:27:45

Reagent : 071326.08; 093026.R09; 062526.02; 091126.R01; 093026.R30; 073026.01
Consumables : 7506501090
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4520, 4892, 585, 1440
Extraction date: 10/07/26 10:31:42
Extracted by: 4520

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI102712TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 10/07/26 07:55:31
Analyzed Date : 10/09/26 12:44:13

Reagent : 022626.25; 030326.52; 070726.R01
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	1.0155 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	1.0155 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	1.0155 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	1.0155 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	1.0155 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 10/07/26 13:12:55
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI102721MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 10/07/26 10:18:22
Analyzed Date : 10/08/26 18:02:00

Reagent : 012026.01; 100726.R03; 100726.R28; 100626.R06; 100626.R07; 092326.R12; 100726.R01
Consumables : 24197251; DMAX06C26S; 6894944-01
Pipette : N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.341 g			0.85	0.010	0.10	0.56	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/09/26
Laboratory License #: 900013

Revision: #1 - Updated Harvest Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 900mg
Strain: Space Coast Lander
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00003CULPROTampa001

Sample: MI61007004-001
Batch #: 3708990544356449
Harvest/Lot ID: 4146075107487262
Seed to sale: 1137725549383600

Expires: 10/07/27
Ordered: 10/06/26
Sampled: 10/06/26
Completed: 10/09/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585, 1440
Extraction date: 10/07/26 16:19:45
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI102734WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 10/07/26 14:04:28
Analyzed Date : 10/08/26 09:46:23

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2656 g	50 ml	1 x	5	0.0200	0.100	<0.0200	ppm		PASS
ARSENIC	0.2656 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2656 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2656 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2656 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
NICKEL	0.2656 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
TIN	0.2656 g	50 ml	1 x	4	0.400	2.00	<0.400	ppm		PASS

Analyzed by: 1022, 585, 1440
Extraction date: 10/07/26 12:33:56
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI102727HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/07/26 10:27:30
Analyzed Date : 10/07/26 20:38:00

Reagent : 091126.R61; 093026.R75; 080326.R14; 100526.R19; 100526.R02; 100526.R01; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06C26S; J609879-0193; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 1440
Extraction date: 10/07/26 11:12:58
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI102728FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 10/07/26 10:56:30
Analyzed Date : 10/08/26 09:55:23

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/09/26
Laboratory License #: 900013

Revision: #1 - Updated Harvest Date.

Revision: #1 This revision supersedes any and all previous versions of this document.