3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,LMF,,0.5g
Strain: (S) Lemon Fresh
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: F14LMF0003162026
Retail Batch #: TLRV1014202603
Batch Date: 10/14/26
Harvest Date: 03/16/26
Production Method: Other - Not Listed
Total Amount: 1,679 units (839.5 grams)
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Homestead Processing
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 9986114597201156

Lab ID: MI61026004-011
Sampled: 10/26/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 10/29/26
Expires: 10/26/27
Manifest #: 0472035827015253
Source Facility: Homestead Processing

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

SAFETY RESULTS — **MISC.**


Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED	TESTED

Cannabinoid — TESTED

Total THC
75.2%
Total THC/Container : 376 mg

Total CBD
0.364%
Total CBD/Container : 1.82 mg

Total Cannabinoids
82.7%
Total Cannabinoids/Container : 414 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	75.1	0.161	0.260	0.119	<0.00200	4.49	0.182	0.100	0.524	<0.00200	1.66	0.150
mg/unit	375	0.803	1.30	0.594	<0.00200	22.4	0.911	0.501	2.62	<0.00200	8.32	0.752
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.0979 g	0.0979 g	0.0979 g	0.0979 g	0.0979 g	0.0979 g	0.0979 g	0.0979 g	0.0979 g	0.0979 g	0.0979 g	0.0979 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 3379, 5412

Extraction date:
10/27/26 12:53:10

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103247POT
Instrument Used : DA-LC-003 (Derivative)
Analyzed Date : 10/27/26 17:59:30
Batch Date : 10/27/26 10:21:18

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.15; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/29/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,LMF,,0.5g
Strain: (S) Lemon Fresh
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61026004-011
Batch #: TLRV1014202603
Harvest/Lot ID: F14LMF0003162026
Seed to sale: 9986114597201156

Expires: 10/26/27
Ordered: 10/26/26
Sampled: 10/26/26
Completed: 10/29/26

PASSED

Label Claim Verification — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 10/28/26 15:26:03

Batch Date : N/A

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2154 g	10 ml	1 x		0.00700	0.0200	9.80	49.0		TESTED
ALPHA-TERPINOLENE	0.2154 g	10 ml	1 x		0.00700	0.0200	3.75	18.7		TESTED
BETA-MYRCENE	0.2154 g	10 ml	1 x		0.00700	0.0200	1.45	7.23		TESTED
BETA-CARYOPHYLLENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.617	3.09		TESTED
OCIMENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.383	1.91		TESTED
ALPHA-PINENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.361	1.80		TESTED
LIMONENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.349	1.75		TESTED
GUAIOL	0.2154 g	10 ml	1 x		0.00700	0.0200	0.325	1.63		TESTED
BETA-PINENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.295	1.47		TESTED
LINALOOL	0.2154 g	10 ml	1 x		0.00700	0.0200	0.291	1.45		TESTED
ALPHA-HUMULENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.250	1.25		TESTED
ALPHA-PHELLANDRENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.194	0.972		TESTED
ALPHA-BISABOLOL	0.2154 g	10 ml	1 x		0.00700	0.0200	0.192	0.961		TESTED
ALPHA-TERPINENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.187	0.933		TESTED
3-CARENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.176	0.881		TESTED
GAMMA-TERPINENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.164	0.820		TESTED
FARNESENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.162	0.812		TESTED
ALPHA-TERPINEOL	0.2154 g	10 ml	1 x		0.00700	0.0110	0.154	0.772		TESTED
TRANS-NEROLIDOL	0.2154 g	10 ml	1 x		0.00500	0.0160	0.120	0.598		TESTED
FENCHYL ALCOHOL	0.2154 g	10 ml	1 x		0.00700	0.0200	0.0762	0.381		TESTED
BORNEOL	0.2154 g	10 ml	1 x		0.0130	0.0400	0.0695	0.348		TESTED
CARYOPHYLLENE OXIDE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.0565	0.283		TESTED
EUCALYPTOL	0.2154 g	10 ml	1 x		0.00700	0.0200	0.0542	0.271		TESTED
SABINENE HYDRATE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.0484	0.242		TESTED
GERANIOL	0.2154 g	10 ml	1 x		0.00700	0.0200	0.0482	0.241		TESTED
CAMPHENE	0.2154 g	10 ml	1 x		0.00700	0.0200	0.0403	0.202		TESTED
CAMPHOR	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CEDROL	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
FENCHONE	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
HEXAHYDROTHYMOL	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOBORNEOL	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
NEROL	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
VALENCENE	0.2154 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-CEDRENE	0.2154 g	10 ml	1 x		0.00500	0.0160	<0.00500	<0.160		TESTED
CIS-NEROLIDOL	0.2154 g	10 ml	1 x		0.00300	0.00800	<0.00300	<0.0800		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/29/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,LMF,,0.5g
Strain: (S) Lemon Fresh
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61026004-011
Batch #: TLRV1014202603
Harvest/Lot ID: F14LMF0003162026
Seed to sale: 9986114597201156

Expires: 10/26/27
Ordered: 10/26/26
Sampled: 10/26/26
Completed: 10/29/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 3379, 5412
Extraction date: 10/27/26 12:26:48
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103250TER
Instrument Used : DA-GCMS-004
Analyzed Date : 10/27/26 23:50:00
Batch Date : 10/27/26 10:26:50

Reagent : 100526.11; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.1932 g	25 ml	10 x	5	0.00838	0.0419	<0.00838	ppm		PASS
TOTAL DIMETHOMORPH	1.1932 g	25 ml	10 x	0.2	0.00821	0.0411	<0.00821	ppm		PASS
TOTAL PERMETHRIN	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
TOTAL PYRETHRINS	1.1932 g	25 ml	10 x	0.5	0.0252	0.126	<0.0252	ppm		PASS
TOTAL SPINETORAM	1.1932 g	25 ml	10 x	0.2	0.000821	0.0411	<0.000821	ppm		PASS
TOTAL SPINOSAD	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
ABAMECTIN B1A	1.1932 g	25 ml	10 x	0.1	0.00805	0.0402	<0.00805	ppm		PASS
ACEPHATE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
ACEQUINOCYL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
ACETAMIPRID	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
ALDICARB	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
AZOXYSTROBIN	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
BIFENAZATE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
BIFENTHRIN	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
BOSCALID	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
CHLORPYRIFOS	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
CARBARYL	1.1932 g	25 ml	10 x	0.5	0.00838	0.0419	<0.00838	ppm		PASS
CLOFENTEZINE	1.1932 g	25 ml	10 x	0.2	0.00838	0.0419	<0.00838	ppm		PASS
CARBOFURAN	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
COUMAPHOS	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
CHLORANTRANILIPROLE	1.1932 g	25 ml	10 x	1	0.0838	0.419	<0.0838	ppm		PASS
CHLORMEQUAT CHLORIDE	1.1932 g	25 ml	10 x	1	0.0838	0.419	<0.0838	ppm		PASS
DAMINOZIDE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
DIAZINON	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
DICHLORVOS	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
DIMETHOATE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
ETHOPROPHOS	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
ETOFENPROX	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
ETOXAZOLE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
FENHEXAMID	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
FENOXYCARB	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
FENPYROXIMATE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
FIPRONIL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
FLONICAMID	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
FLUDIOXONIL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
HEXYTHIAZOX	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
IMAZALIL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
IMIDACLOPRID	1.1932 g	25 ml	10 x	0.4	0.00838	0.0419	<0.00838	ppm		PASS
KRESOXIM-METHYL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/29/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,LMF,,0.5g
Strain: (S) Lemon Fresh
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61026004-011
Batch #: TLRV1014202603
Harvest/Lot ID: F14LMF0003162026
Seed to sale: 9986114597201156

Expires: 10/26/27
Ordered: 10/26/26
Sampled: 10/26/26
Completed: 10/29/26

PASSED

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.1932 g	25 ml	10 x	0.2	0.00838	0.0419	<0.00838	ppm		PASS
METALAXYL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
METHIOCARB	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
METHOMYL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
MEVINPHOS	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
MYCLOBUTANIL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
NALED	1.1932 g	25 ml	10 x	0.25	0.00838	0.0419	<0.00838	ppm		PASS
OXAMYL	1.1932 g	25 ml	10 x	0.5	0.00838	0.0419	<0.00838	ppm		PASS
PACLOBUTRAZOL	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
PHOSMET	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
PIPERONYL BUTOXIDE	1.1932 g	25 ml	10 x	3	0.0838	0.419	<0.0838	ppm		PASS
PRALLETHRIN	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
PROPICONAZOLE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
PROPOXUR	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
PYRIDABEN	1.1932 g	25 ml	10 x	0.2	0.00838	0.0419	<0.00838	ppm		PASS
SPIROMESIFEN	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
SPIROTETRAMAT	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
SPIROXAMINE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
TEBUCONAZOLE	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
THIACLOPRID	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
THIAMETHOXAM	1.1932 g	25 ml	10 x	0.5	0.00838	0.0419	<0.00838	ppm		PASS
TRIFLOXYSTROBIN	1.1932 g	25 ml	10 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.1932 g	25 ml	5 x	0.15	0.00838	0.0629	<0.00838	ppm		PASS
TOTAL CHLORDANE	1.1932 g	25 ml	5 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
PARATHION-METHYL	1.1932 g	25 ml	5 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
CAPTAN	1.1932 g	25 ml	5 x	0.7	0.0587	0.293	<0.0587	ppm		PASS
CHLORFENAPYR	1.1932 g	25 ml	5 x	0.1	0.00838	0.0419	<0.00838	ppm		PASS
CYFLUTHRIN	1.1932 g	25 ml	5 x	0.5	0.0419	0.210	<0.0419	ppm		PASS
CYPERMETHRIN	1.1932 g	25 ml	5 x	0.5	0.0419	0.210	<0.0419	ppm		PASS

Analyzed by:
5072, 4451, 3379, 5412

Extraction date:
10/27/26 12:25:47

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103241PES
Instrument Used : DA-LCMS-004 (PES)
Analyzed Date : 10/27/26 19:43:00
Batch Date : 10/27/26 09:35:30

Reagent : 102626.R03; 082426.12; 102126.R03; 102626.R05; 102626.R04; 092326.R12; 102126.R01
Consumables : 242011899; DMAX06D26S; 6894944-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
450, 5072, 3379, 5412

Extraction date:
10/27/26 12:25:47

Extracted by:
4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103243VOL
Instrument Used : DA-GCMS-010
Analyzed Date : 10/27/26 19:38:00
Batch Date : 10/27/26 09:36:52

Reagent : 102626.R03; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6894944-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/29/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,LMF,,0.5g
Strain: (S) Lemon Fresh
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61026004-011
Batch #: TLRV1014202603
Harvest/Lot ID: F14LMF0003162026
Seed to sale: 9986114597201156

Expires: 10/26/27
Ordered: 10/26/26
Sampled: 10/26/26
Completed: 10/29/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.164 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.164 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.164 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.164 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.164 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	1.164 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.164 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.172 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by: 5008, 4892, 585, 5412
Extraction date: 10/27/26 10:45:52
Extracted by: 4892

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103237MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 10/29/26 13:04:15
Batch Date : 10/27/26 08:40:58

Reagent : 072026.15; 072026.18; 093026.R09; 092526.03; 090326.01; 101926.R36; 101926.R37
Consumables : 7506501174
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 585, 5412
Extraction date: 10/27/26 10:50:52
Extracted by: 4892

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103238TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Analyzed Date : 10/29/26 13:08:43
Batch Date : 10/27/26 08:41:04

Reagent : N/A
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.1932 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B1	1.1932 g	25 ml	10 x	0.02	0.00168	0.00838	<0.00168	ppm		PASS
AFLATOXIN B2	1.1932 g	25 ml	10 x	0.02	0.00168	0.00838	<0.00168	ppm		PASS
AFLATOXIN G1	1.1932 g	25 ml	10 x	0.02	0.00168	0.00838	<0.00168	ppm		PASS
AFLATOXIN G2	1.1932 g	25 ml	10 x	0.02	0.00168	0.00838	<0.00168	ppm		PASS
OCHRATOXIN A	1.1932 g	25 ml	10 x	0.02	0.00168	0.00838	<0.00168	ppm		PASS

Analyzed by: 5072, 4451, 3379, 5412
Extraction date: 10/27/26 12:25:47
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103242MYC
Instrument Used : DA-LCMS-004 (MYC)
Analyzed Date : 10/27/26 19:43:00
Batch Date : 10/27/26 09:36:47

Reagent : 102626.R03; 082426.12; 102126.R03; 102626.R06; 102626.R07; 092326.R12; 102126.R01
Consumables : 242011899; DMAX06D26S; 6894944-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/29/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,LMF,,0.5g
Strain: (S) Lemon Fresh
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61026004-011
Batch #: TLRV1014202603
Harvest/Lot ID: F14LMF0003162026
Seed to sale: 9986114597201156

Expires: 10/26/27
Ordered: 10/26/26
Sampled: 10/26/26
Completed: 10/29/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.385 g			0.85	0.010	0.10	0.57	aw		PASS

Analyzed by: 5412, 3379
Extraction date: 10/27/26 15:43:29
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103260WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Analyzed Date : 10/28/26 10:58:31
Batch Date : 10/27/26 13:59:04

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Moisture Content

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.5 g			15	0.1	0.1	1.6	%		PASS

Analyzed by: 5412, 3379, 1440
Extraction date: 10/27/26 15:30:23
Extracted by: 5412

Analysis Method : SOP.T.40.021.FL
Analytical Batch : MI103259MOI
Instrument Used : DA-003 Moisture Analyzer
Analyzed Date : 10/28/26 10:25:57
Batch Date : 10/27/26 13:58:05

Reagent : 071626.12; 100226.83
Consumables : N/A
Pipette : DA-066

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.257 g	50 ml	1 x	5	0.0195	0.0973	<0.0195	ppm		PASS
ARSENIC	0.257 g	50 ml	1 x	0.2	0.0195	0.0973	<0.0195	ppm		PASS
CADMIUM	0.257 g	50 ml	1 x	0.2	0.0195	0.0973	<0.0195	ppm		PASS
LEAD	0.257 g	50 ml	1 x	0.5	0.0486	0.243	<0.0486	ppm		PASS
MERCURY	0.257 g	50 ml	1 x	0.2	0.0195	0.0973	<0.0195	ppm		PASS
NICKEL	0.257 g	50 ml	1 x	0.5	0.0486	0.243	<0.0486	ppm		PASS
TIN	0.257 g	50 ml	1 x	4	0.389	1.95	<0.389	ppm		PASS

Analyzed by: 1022, 3379, 5412
Extraction date: 10/27/26 12:13:10
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103252HEA
Instrument Used : DA-ICPMS-004
Analyzed Date : 10/28/26 00:49:00
Batch Date : 10/27/26 10:29:39

Reagent : 101526.R04; 102726.R02; 102026.R06; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01; 080326.R14
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/29/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,LMF,,0.5g
Strain: (S) Lemon Fresh
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61026004-011
Batch #: TLRV1014202603
Harvest/Lot ID: F14LMF0003162026
Seed to sale: 9986114597201156

Expires: 10/26/27
Ordered: 10/26/26
Sampled: 10/26/26
Completed: 10/29/26

PASSED

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by:
4571, 3379, 5412

Extraction date:
10/28/26 13:33:07

Extracted by:
4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103286FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 10/28/26 13:30:41
Analyzed Date : 10/28/26 15:21:03

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
10/29/26
Laboratory License #: 900013