3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Legacy Series 510 VapeCart,ACDC,1.0g
Strain: (H) AC/DC RATIO
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: F26IZM0002022026
Retail Batch #: TVF1016202603
Batch Date: 10/16/26
Harvest Date: 02/02/26
Production Method: Other - Not Listed
Total Amount: 3,315 units (3,315 grams)
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Homestead Processing
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 6819525783743920

Lab ID: MI61027014-008
Sampled: 10/27/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 10/30/26
Expires: 10/27/27
Manifest #: 9230537800093292
Source Facility: Homestead Processing

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

SAFETY RESULTS — **MISC.**


Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
41.4%
Total THC/Container : 414 mg

Total CBD
42.2%
Total CBD/Container : 422 mg

Total Cannabinoids
89.4%
Total Cannabinoids/Container : 894 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	41.3	0.0604	42.2	<0.00200	<0.00200	1.49	<0.00200	0.359	0.396	0.191	3.27	0.0774
mg/unit	413	0.604	422	<0.00200	<0.00200	14.9	<0.00200	3.59	3.96	1.91	32.7	0.774
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.108 g	0.108 g	0.108 g	0.108 g	0.108 g	0.108 g	0.108 g	0.108 g	0.108 g	0.108 g	0.108 g	0.108 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 585, 5412

Extraction date:
10/28/26 13:25:36

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103272POT
Instrument Used : DA-LC-003 (Derivative)
Analyzed Date : 10/28/26 17:15:16

Batch Date : 10/28/26 10:24:22

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.05; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Legacy Series 510 VapeCart,ACDC,1.0g
Strain: (H) AC/DC RATIO
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61027014-008
Batch #: TVF1016202603
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 6819525783743920

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 10/30/26

PASSED

Label Claim Verification — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 10/29/26 09:48:45

Batch Date : N/A

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2291 g	10 ml	1 x		0.00700	0.0200	6.00	60.0		TESTED
BETA-MYRCENE	0.2291 g	10 ml	1 x		0.00700	0.0200	1.71	17.1		TESTED
ALPHA-PINENE	0.2291 g	10 ml	1 x		0.00700	0.0200	1.24	12.4		TESTED
BETA-CARYOPHYLLENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.808	8.08		TESTED
LIMONENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.524	5.24		TESTED
BETA-PINENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.462	4.62		TESTED
ALPHA-BISABOLOL	0.2291 g	10 ml	1 x		0.00700	0.0200	0.248	2.48		TESTED
VALENCENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.195	1.95		TESTED
LINALOOL	0.2291 g	10 ml	1 x		0.00700	0.0200	0.148	1.48		TESTED
FARNESENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.119	1.19		TESTED
ALPHA-HUMULENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.106	1.06		TESTED
FENCHYL ALCOHOL	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0840	0.840		TESTED
GUAIOL	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0502	0.502		TESTED
ALPHA-TERPINEOL	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0461	0.461		TESTED
CARYOPHYLLENE OXIDE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0437	0.437		TESTED
TRANS-NEROLIDOL	0.2291 g	10 ml	1 x		0.00500	0.0160	0.0398	0.398		TESTED
3-CARENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0389	0.389		TESTED
GERANIOL	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0317	0.317		TESTED
CAMPHENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0270	0.270		TESTED
ALPHA-CEDRENE	0.2291 g	10 ml	1 x		0.00500	0.0160	0.0237	0.237		TESTED
ALPHA-PHELLANDRENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0207	0.207		TESTED
ALPHA-TERPINOLENE	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0201	0.201		TESTED
HEXAHYDROTHYMOL	0.2291 g	10 ml	1 x		0.00700	0.0200	0.0157	0.157	J	TESTED
BORNEOL	0.2291 g	10 ml	1 x		0.0130	0.0400	<0.0130	<0.400		TESTED
CAMPHOR	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CEDROL	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
EUCALYPTOL	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
FENCHONE	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOBORNEOL	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
NEROL	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
OCIMENE	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE HYDRATE	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-TERPINENE	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CIS-NEROLIDOL	0.2291 g	10 ml	1 x		0.00300	0.00800	<0.00300	<0.0800		TESTED
GAMMA-TERPINENE	0.2291 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Legacy Series 510 VapeCart,ACDC,1.0g
Strain: (H) AC/DC RATIO
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61027014-008
Batch #: TVF1016202603
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 6819525783743920

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 10/30/26

PASSED

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5412
Extraction date: 10/28/26 13:47:28
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103284TER
Instrument Used : DA-GCMS-009
Batch Date : 10/28/26 11:56:45
Analyzed Date : 10/28/26 21:09:00

Reagent : 100526.05; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0486 g	25 ml	10 x	5	0.00954	0.0477	<0.00954	ppm		PASS
TOTAL DIMETHOMORPH	1.0486 g	25 ml	10 x	0.2	0.00935	0.0467	<0.00935	ppm		PASS
TOTAL PERMETHRIN	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
TOTAL PYRETHRINS	1.0486 g	25 ml	10 x	0.5	0.0287	0.144	<0.0287	ppm		PASS
TOTAL SPINETORAM	1.0486 g	25 ml	10 x	0.2	0.000935	0.0467	<0.000935	ppm		PASS
TOTAL SPINOSAD	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
ABAMECTIN B1A	1.0486 g	25 ml	10 x	0.1	0.00916	0.0458	<0.00916	ppm		PASS
ACEPHATE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
ACEQUINOCYL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
ACETAMIPRID	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
ALDICARB	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
AZOXYSTROBIN	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
BIFENAZATE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
BIFENTHRIN	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
BOSCALID	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
CHLORPYRIFOS	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
CARBARYL	1.0486 g	25 ml	10 x	0.5	0.00954	0.0477	<0.00954	ppm		PASS
CLOFENTEZINE	1.0486 g	25 ml	10 x	0.2	0.00954	0.0477	<0.00954	ppm		PASS
CARBOFURAN	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
COUMAPHOS	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
CHLORANTRANILIPROLE	1.0486 g	25 ml	10 x	1	0.0954	0.477	<0.0954	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0486 g	25 ml	10 x	1	0.0954	0.477	<0.0954	ppm		PASS
DAMINOZIDE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
DIAZINON	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
DICHLORVOS	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
DIMETHOATE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
ETHOPROPHOS	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
ETOFENPROX	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
ETOXAZOLE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
FENHEXAMID	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
FENOXYCARB	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
FENPYROXIMATE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
FIPRONIL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
FLONICAMID	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
FLUDIOXONIL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
HEXYTHIAZOX	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
IMAZALIL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
IMIDACLOPRID	1.0486 g	25 ml	10 x	0.4	0.00954	0.0477	<0.00954	ppm		PASS
KRESOXIM-METHYL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Legacy Series 510 VapeCart,ACDC,1.0g
Strain: (H) AC/DC RATIO
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61027014-008
Batch #: TVF1016202603
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 6819525783743920

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 10/30/26

PASSED

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0486 g	25 ml	10 x	0.2	0.00954	0.0477	<0.00954	ppm		PASS
METALAXYL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
METHIOCARB	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
METHOMYL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
MEVINPHOS	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
MYCLOBUTANIL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
NALED	1.0486 g	25 ml	10 x	0.25	0.00954	0.0477	<0.00954	ppm		PASS
OXAMYL	1.0486 g	25 ml	10 x	0.5	0.00954	0.0477	<0.00954	ppm		PASS
PACLOBUTRAZOL	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
PHOSMET	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
PIPERONYL BUTOXIDE	1.0486 g	25 ml	10 x	3	0.0954	0.477	<0.0954	ppm		PASS
PRALLETHRIN	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
PROPICONAZOLE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
PROPOXUR	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
PYRIDABEN	1.0486 g	25 ml	10 x	0.2	0.00954	0.0477	<0.00954	ppm		PASS
SPIROMESIFEN	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
SPIROTETRAMAT	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
SPIROXAMINE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
TEBUCONAZOLE	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
THIACLOPRID	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
THIAMETHOXAM	1.0486 g	25 ml	10 x	0.5	0.00954	0.0477	<0.00954	ppm		PASS
TRIFLOXYSTROBIN	1.0486 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0486 g	25 ml	5 x	0.15	0.00954	0.0715	<0.00954	ppm		PASS
TOTAL CHLORDANE	1.0486 g	25 ml	5 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
PARATHION-METHYL	1.0486 g	25 ml	5 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
CAPTAN	1.0486 g	25 ml	5 x	0.7	0.0668	0.334	<0.0668	ppm		PASS
CHLORFENAPYR	1.0486 g	25 ml	5 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
CYFLUTHRIN	1.0486 g	25 ml	5 x	0.5	0.0477	0.238	<0.0477	ppm		PASS
CYPERMETHRIN	1.0486 g	25 ml	5 x	0.5	0.0477	0.238	<0.0477	ppm		PASS

Analyzed by:
4451, 585, 5412

Extraction date:
10/28/26 13:32:31

Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103280PES
Instrument Used : DA-LCMS-003 (PES)
Batch Date : 10/28/26 10:45:17
Analyzed Date : 10/28/26 22:35:00

Reagent : 102626.R03; 082426.12; 102826.R03; 102626.R05; 102826.R10; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6894944-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 585, 5412

Extraction date:
10/28/26 13:32:31

Extracted by:
5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103282VOL
Instrument Used : DA-GCMS-001
Batch Date : 10/28/26 10:46:05
Analyzed Date : 10/28/26 21:31:00

Reagent : 102626.R03; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6894944-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Legacy Series 510 VapeCart,ACDC,1.0g
Strain: (H) AC/DC RATIO
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61027014-008
Batch #: TVF1016202603
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 6819525783743920

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 10/30/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0225 g	1 ml	1 x	8	0.711	3.56	<0.711	ppm		PASS
1,2-DICHLOROETHANE	0.0225 g	1 ml	1 x	2	0.178	0.889	<0.178	ppm		PASS
2-PROPANOL	0.0225 g	1 ml	1 x	500	44.4	222	<44.4	ppm		PASS
ACETONE	0.0225 g	1 ml	1 x	750	66.7	333	<66.7	ppm		PASS
ACETONITRILE	0.0225 g	1 ml	1 x	60	5.33	26.7	<5.33	ppm		PASS
BENZENE	0.0225 g	1 ml	1 x	1	0.0889	0.444	<0.0889	ppm		PASS
BUTANES (N-BUTANE)	0.0225 g	1 ml	1 x	5000	444	2220	<444	ppm		PASS
CHLOROFORM	0.0225 g	1 ml	1 x	2	0.178	0.889	<0.178	ppm		PASS
DICHLOROMETHANE	0.0225 g	1 ml	1 x	125	11.1	55.6	<11.1	ppm		PASS
ETHANOL	0.0225 g	1 ml	1 x	5000	444	2220	<444	ppm		PASS
ETHYL ACETATE	0.0225 g	1 ml	1 x	400	35.6	178	<35.6	ppm		PASS
ETHYL ETHER	0.0225 g	1 ml	1 x	500	44.4	222	<44.4	ppm		PASS
ETHYLENE OXIDE	0.0225 g	1 ml	1 x	5	0.444	2.22	<0.444	ppm		PASS
HEPTANE	0.0225 g	1 ml	1 x	5000	444	2220	<444	ppm		PASS
METHANOL	0.0225 g	1 ml	1 x	250	22.2	111	<22.2	ppm		PASS
N-HEXANE	0.0225 g	1 ml	1 x	250	22.2	111	<22.2	ppm		PASS
PENTANES (N-PENTANE)	0.0225 g	1 ml	1 x	750	66.7	333	<66.7	ppm		PASS
PROPANE	0.0225 g	1 ml	1 x	5000	444	960	<444	ppm		PASS
TOLUENE	0.0225 g	1 ml	1 x	150	13.3	66.7	<13.3	ppm		PASS
TOTAL XYLENES	0.0225 g	1 ml	1 x	150	13.3	66.7	<13.3	ppm		PASS
TRICHLOROETHYLENE	0.0225 g	1 ml	1 x	25	2.22	11.1	<2.22	ppm		PASS

Analyzed by: 4444, 585, 5412
Extraction date: 10/28/26 12:18:57
Extracted by: 4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103285SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 10/28/26 21:37:54
Batch Date : 10/28/26 12:12:14

Reagent : 061323.06; 092326.R09; 092326.R10; 092326.R11
Consumables : 432860; 344274
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.892 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.892 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.892 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.892 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.892 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.892 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.877 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Legacy Series 510 VapeCart,ACDC,1.0g
Strain: (H) AC/DC RATIO
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61027014-008
Batch #: TVF1016202603
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 6819525783743920

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 10/30/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5008, 4520, 585, 5412
Extraction date: 10/28/26 11:46:03
Extracted by: 5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103267MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 10/28/26 07:45:45
Analyzed Date : 10/30/26 12:20:20

Reagent : 072026.15; 072026.18; 093026.R09; 092526.03; 101926.R36; 101926.R37; 090326.01
Consumables : 7590006075
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 4892, 585, 5412
Extraction date: 10/28/26 13:30:02
Extracted by: 4571

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103269TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 10/28/26 07:48:48
Analyzed Date : 10/30/26 12:21:19

Reagent : 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0486 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B1	1.0486 g	25 ml	10 x	0.02	0.00191	0.00954	<0.00191	ppm		PASS
AFLATOXIN B2	1.0486 g	25 ml	10 x	0.02	0.00191	0.00954	<0.00191	ppm		PASS
AFLATOXIN G1	1.0486 g	25 ml	10 x	0.02	0.00191	0.00954	<0.00191	ppm		PASS
AFLATOXIN G2	1.0486 g	25 ml	10 x	0.02	0.00191	0.00954	<0.00191	ppm		PASS
OCHRATOXIN A	1.0486 g	25 ml	10 x	0.02	0.00191	0.00954	<0.00191	ppm		PASS

Analyzed by: 4451, 585, 5412
Extraction date: 10/28/26 13:32:31
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103281MYC
Instrument Used : DA-LCMS-003 (MYC)
Batch Date : 10/28/26 10:45:57
Analyzed Date : 10/28/26 22:35:00

Reagent : 102626.R03; 082426.12; 102826.R03; 102626.R05; 102826.R10; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6894944-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.372 g			0.85	0.010	0.10	0.55	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Legacy Series 510 VapeCart,ACDC,1.0g
Strain: (H) AC/DC RATIO
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61027014-008
Batch #: TVF1016202603
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 6819525783743920

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 10/30/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585
Extraction date: 10/28/26 16:37:12
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103289WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 10/28/26 14:14:57
Analyzed Date : 10/29/26 09:28:09

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2568 g	50 ml	1 x	5	0.0195	0.0974	<0.0195	ppm		PASS
ARSENIC	0.2568 g	50 ml	1 x	0.2	0.0195	0.0974	<0.0195	ppm		PASS
CADMIUM	0.2568 g	50 ml	1 x	0.2	0.0195	0.0974	<0.0195	ppm		PASS
LEAD	0.2568 g	50 ml	1 x	0.5	0.0487	0.243	<0.0487	ppm		PASS
MERCURY	0.2568 g	50 ml	1 x	0.2	0.0195	0.0974	<0.0195	ppm		PASS
NICKEL	0.2568 g	50 ml	1 x	0.5	0.0487	0.243	<0.0487	ppm		PASS
TIN	0.2568 g	50 ml	1 x	4	0.389	1.95	<0.389	ppm		PASS

Analyzed by: 1022, 585, 5412
Extraction date: 10/28/26 13:18:05
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103276HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/28/26 10:40:19
Analyzed Date : 10/28/26 21:20:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 102026.R06; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 3379, 5412
Extraction date: 10/28/26 13:33:09
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103286FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 10/28/26 13:30:41
Analyzed Date : 10/28/26 15:22:31

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
10/30/26
Laboratory License #: 900013