3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LTO,MLC,Briq 2,2.0g
Strain: (I) Molten Chocolate
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: F26IZM0002022026
Retail Batch #: TVF1021202602
Batch Date: 10/21/26
Harvest Date: 02/02/26
Production Method: Other - Not Listed
Total Amount: 3,196 units (6,392 grams)
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Homestead Processing
Retail Product Size: 2 gram
Retail Serving Size: 2 gram
Servings: 1
Seed To Sale #: 9857417528685074

Lab ID: MI61030016-008
Sampled: 10/30/26
Sampling Method: SOP.T.20.010
Sample Size: 13 units
Completed: 11/04/26
Expires: 10/30/27
Manifest #: 1513330491784718
Source Facility: Homestead Processing

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
86.3%
Total THC/Container : 1730 mg

Total CBD
0.206%
Total CBD/Container : 4.12 mg

Total Cannabinoids
90.9%
Total Cannabinoids/Container : 1820 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	86.2	0.104	0.206	<0.0196	<0.0196	2.45	<0.0196	0.296	0.555	<0.00196	0.961	0.105
mg/unit	1720	2.09	4.12	<0.0196	<0.0196	49.1	<0.0196	5.91	11.1	<0.00196	19.2	2.10
Qualifier												J
LOD (%)	0.00196	0.00196	0.0196	0.0196	0.0196	0.0196	0.0196	0.0196	0.00196	0.00196	0.0196	0.0196
LOQ (%)	0.0196	0.0196	0.196	0.196	0.196	0.196	0.196	0.196	0.0196	0.0196	0.196	0.196
Weight	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g	0.1025, 0.1038 g
Volume	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml
Dilution	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x

Analyzed by: 4640, 1665, 585, 5412
Extraction date: 11/02/26 20:37:35
Extracted by: 4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103406POT
Instrument Used : DA-LC-003
Batch Date : 11/02/26 10:00:04
Analyzed Date : 2026-11-03 20:01:00, 2026-11-03 20:11:48

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.08; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LTO,MLC,Briq 2,2.0g
Strain: (I) Molten Chocolate
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61030016-008
Batch #: TVF1021202602
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 9857417528685074

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/04/26 10:47:02

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2128 g	10 ml	1 x		0.0329	0.0940	3.25	65.0		TESTED
BETA-CARYOPHYLLENE	0.2128 g	10 ml	1 x		0.0329	0.0940	0.852	17.0		TESTED
LIMONENE	0.2128 g	10 ml	1 x		0.0329	0.0940	0.629	12.6		TESTED
LINALOOL	0.2128 g	10 ml	1 x		0.0329	0.0940	0.290	5.81		TESTED
VALENCENE	0.2128 g	10 ml	1 x		0.0329	0.0940	0.245	4.90		TESTED
ALPHA-HUMULENE	0.2128 g	10 ml	1 x		0.0329	0.0940	0.230	4.60		TESTED
BETA-MYRCENE	0.2128 g	10 ml	1 x		0.0329	0.0940	0.229	4.58		TESTED
ALPHA-BISABOLOL	0.2128 g	10 ml	1 x		0.0329	0.0940	0.157	3.13		TESTED
BETA-PINENE	0.2128 g	10 ml	1 x		0.0329	0.0940	0.108	2.15		TESTED
TRANS-NEROLIDOL	0.2128 g	10 ml	1 x		0.0235	0.0752	0.0806	1.61		TESTED
ALPHA-PINENE	0.2128 g	10 ml	1 x		0.0329	0.0940	0.0746	1.49	J	TESTED
FENCHYL ALCOHOL	0.2128 g	10 ml	1 x		0.0329	0.0940	0.0692	1.38	J	TESTED
GERANIOL	0.2128 g	10 ml	1 x		0.0329	0.0940	0.0619	1.24	J	TESTED
GUAIOL	0.2128 g	10 ml	1 x		0.0329	0.0940	0.0617	1.23	J	TESTED
CARYOPHYLLENE OXIDE	0.2128 g	10 ml	1 x		0.0329	0.0940	0.0591	1.18	J	TESTED
ALPHA-TERPINEOL	0.2128 g	10 ml	1 x		0.0329	0.0940	0.0567	1.13	J	TESTED
NEROL	0.2128 g	10 ml	1 x		0.0329	0.0940	0.0469	0.938	J	TESTED
3-CARENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
CAMPHENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
FENCHONE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
ALPHA-TERPINOLENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
GAMMA-TERPINENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
BORNEOL	0.2128 g	10 ml	1 x		0.0611	0.188	<0.0611	<1.88		TESTED
CAMPHOR	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
CEDROL	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
EUCALYPTOL	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
FARNESENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
GERANYL ACETATE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
HEXAHYDROTHYMOL	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
ISOBORNEOL	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
ISOPULEGOL	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
OCIMENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
PULEGONE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
SABINENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
SABINENE HYDRATE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
ALPHA-CEDRENE	0.2128 g	10 ml	1 x		0.0235	0.0752	<0.0235	<0.752		TESTED
ALPHA-PHELLANDRENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
ALPHA-TERPINENE	0.2128 g	10 ml	1 x		0.0329	0.0940	<0.0329	<0.940		TESTED
CIS-NEROLIDOL	0.2128 g	10 ml	1 x		0.0141	0.0376	<0.0141	<0.376		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LTO,MLC,Briq 2,2.0g
Strain: (I) Molten Chocolate
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61030016-008
Batch #: TVF1021202602
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 9857417528685074

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5412
Extraction date: 11/02/26 13:31:09
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103413TER
Instrument Used : DA-GCMS-014
Analyzed Date : 11/03/26 15:47:00
Batch Date : 11/02/26 10:36:56

Reagent : 062926.02
Consumables : 2420011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.1263 g	25 ml	10 x	5	0.00888	0.0444	<0.00888	ppm		PASS
TOTAL DIMETHOMORPH	1.1263 g	25 ml	10 x	0.2	0.00870	0.0435	<0.00870	ppm		PASS
TOTAL PERMETHRIN	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
TOTAL PYRETHRINS	1.1263 g	25 ml	10 x	0.5	0.0267	0.134	<0.0267	ppm		PASS
TOTAL SPINETORAM	1.1263 g	25 ml	10 x	0.2	0.00870	0.0435	<0.00870	ppm		PASS
TOTAL SPINOSAD	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
ABAMECTIN B1A	1.1263 g	25 ml	10 x	0.1	0.00852	0.0426	<0.00852	ppm		PASS
ACEPHATE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
ACEQUINOCYL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
ACETAMIPRID	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
ALDICARB	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
AZOXYSTROBIN	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
BIFENAZATE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
BIFENTHRIN	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
BOSCALID	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
CHLORPYRIFOS	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
CARBARYL	1.1263 g	25 ml	10 x	0.5	0.00888	0.0444	<0.00888	ppm		PASS
CLOFENTEZINE	1.1263 g	25 ml	10 x	0.2	0.00888	0.0444	<0.00888	ppm		PASS
CARBOFURAN	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
COUMAPHOS	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
CHLORANTRANILIPROLE	1.1263 g	25 ml	10 x	1	0.0888	0.444	<0.0888	ppm		PASS
CHLORMEQUAT CHLORIDE	1.1263 g	25 ml	10 x	1	0.0888	0.444	<0.0888	ppm		PASS
DAMINOZIDE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
DIAZINON	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
DICHLORVOS	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
DIMETHOATE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
ETHOPROPHOS	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
ETOFENPROX	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
ETOXAZOLE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
FENHEXAMID	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
FENOXYCARB	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
FENPYROXIMATE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
FIPRONIL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
FLONICAMID	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
FLUDIOXONIL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
HEXYTHIAZOX	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
IMAZALIL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
IMIDACLOPRID	1.1263 g	25 ml	10 x	0.4	0.00888	0.0444	<0.00888	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LTO,MLC,Briq 2,2.0g
Strain: (I) Molten Chocolate
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61030016-008
Batch #: TVF1021202602
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 9857417528685074

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
MALATHION	1.1263 g	25 ml	10 x	0.2	0.00888	0.0444	<0.00888	ppm		PASS
METALAXYL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
METHIOCARB	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
METHOMYL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
MEVINPHOS	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
MYCLOBUTANIL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
NALED	1.1263 g	25 ml	10 x	0.25	0.00888	0.0444	<0.00888	ppm		PASS
OXAMYL	1.1263 g	25 ml	10 x	0.5	0.00888	0.0444	<0.00888	ppm		PASS
PACLOBUTRAZOL	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
PHOSMET	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
PIPERONYL BUTOXIDE	1.1263 g	25 ml	10 x	3	0.0888	0.444	<0.0888	ppm		PASS
PRALLETHRIN	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
PROPICONAZOLE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
PROPOXUR	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
PYRIDABEN	1.1263 g	25 ml	10 x	0.2	0.00888	0.0444	<0.00888	ppm		PASS
SPIROMESIFEN	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
SPIROTETRAMAT	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
SPIROXAMINE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
TEBUCONAZOLE	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
THIACLOPRID	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
THIAMETHOXAM	1.1263 g	25 ml	10 x	0.5	0.00888	0.0444	<0.00888	ppm		PASS
TRIFLOXYSTROBIN	1.1263 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.1263 g	25 ml	5 x	0.15	0.00888	0.0666	<0.00888	ppm		PASS
TOTAL CHLORDANE	1.1263 g	25 ml	5 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
PARATHION-METHYL	1.1263 g	25 ml	5 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
CAPTAN	1.1263 g	25 ml	5 x	0.7	0.0622	0.311	<0.0622	ppm		PASS
CHLORFENAPYR	1.1263 g	25 ml	5 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
CYFLUTHRIN	1.1263 g	25 ml	5 x	0.5	0.0444	0.222	<0.0444	ppm		PASS
CYPERMETHRIN	1.1263 g	25 ml	5 x	0.5	0.0444	0.222	<0.0444	ppm		PASS

Analyzed by: 4451, 585, 5412
Extraction date: 11/02/26 10:21:36
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103398PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/02/26 07:48:06
Analyzed Date : 11/02/26 23:53:00

Reagent : 103026.R04; 082426.12; 102826.R03; 110226.R01; 102826.R11; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5072, 585, 5412
Extraction date: 11/02/26 10:21:36
Extracted by: 5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103400VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/02/26 07:49:30
Analyzed Date : 11/03/26 07:42:00

Reagent : 103026.R04; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LTO,MLC,Briq 2,2.0g
Strain: (I) Molten Chocolate
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61030016-008
Batch #: TVF1021202602
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 9857417528685074

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0247 g	1 ml	1 x	8	0.648	3.24	<0.648	ppm		PASS
1,2-DICHLOROETHANE	0.0247 g	1 ml	1 x	2	0.162	0.810	<0.162	ppm		PASS
2-PROPANOL	0.0247 g	1 ml	1 x	500	40.5	202	<40.5	ppm		PASS
ACETONE	0.0247 g	1 ml	1 x	750	60.7	304	<60.7	ppm		PASS
ACETONITRILE	0.0247 g	1 ml	1 x	60	4.86	24.3	<4.86	ppm		PASS
BENZENE	0.0247 g	1 ml	1 x	1	0.0810	0.405	<0.0810	ppm		PASS
BUTANES (N-BUTANE)	0.0247 g	1 ml	1 x	5000	405	2020	<405	ppm		PASS
CHLOROFORM	0.0247 g	1 ml	1 x	2	0.162	0.810	<0.162	ppm		PASS
DICHLOROMETHANE	0.0247 g	1 ml	1 x	125	10.1	50.6	<10.1	ppm		PASS
ETHANOL	0.0247 g	1 ml	1 x	5000	405	2020	<405	ppm		PASS
ETHYL ACETATE	0.0247 g	1 ml	1 x	400	32.4	162	<32.4	ppm		PASS
ETHYL ETHER	0.0247 g	1 ml	1 x	500	40.5	202	<40.5	ppm		PASS
ETHYLENE OXIDE	0.0247 g	1 ml	1 x	5	0.405	2.02	<0.405	ppm		PASS
HEPTANE	0.0247 g	1 ml	1 x	5000	405	2020	<405	ppm		PASS
METHANOL	0.0247 g	1 ml	1 x	250	20.2	101	<20.2	ppm		PASS
N-HEXANE	0.0247 g	1 ml	1 x	250	20.2	101	<20.2	ppm		PASS
PENTANES (N-PENTANE)	0.0247 g	1 ml	1 x	750	60.7	304	<60.7	ppm		PASS
PROPANE	0.0247 g	1 ml	1 x	5000	405	874	<405	ppm		PASS
TOLUENE	0.0247 g	1 ml	1 x	150	12.1	60.7	<12.1	ppm		PASS
TOTAL XYLENES	0.0247 g	1 ml	1 x	150	12.1	60.7	<12.1	ppm		PASS
TRICHLOROETHYLENE	0.0247 g	1 ml	1 x	25	2.02	10.1	<2.02	ppm		PASS

Analyzed by:
4444, 585, 5412

Extraction date:
10/31/26 14:16:05

Extracted by:
4571,4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103385SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 11/01/26 07:32:22

Batch Date : 10/31/26 13:53:57

Reagent : 092326.R09; 092326.R10; 092326.R11; 061323.06
Consumables : 432860; 344274
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.184 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.184 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.184 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.184 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.184 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.184 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.197 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LTO,MLC,Briq 2,2.0g
Strain: (I) Molten Chocolate
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61030016-008
Batch #: TVF1021202602
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 9857417528685074

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4892, 4520, 585, 5412
Extraction date: 10/31/26 13:28:41
Extracted by: 4892,5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103378MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 11/03/26 12:38:46
Batch Date : 10/31/26 09:56:04

Reagent : 071526.18; 071526.20; 101426.R26; 092526.06; 101926.R36; 101926.R37; 090326.01
Consumables : 7590006076
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 585, 5412
Extraction date: 10/31/26 13:38:29
Extracted by: 4892,5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103379TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Analyzed Date : 11/03/26 10:52:53
Batch Date : 10/31/26 09:56:08

Reagent : 022626.03; 022626.26; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.1263 g	25 ml	10 x	0.02	0.00178	0.00888	<0.00178	ppm		PASS
AFLATOXIN B1	1.1263 g	25 ml	10 x	0.02	0.00178	0.00888	<0.00178	ppm		PASS
AFLATOXIN B2	1.1263 g	25 ml	10 x	0.02	0.00178	0.00888	<0.00178	ppm		PASS
AFLATOXIN G1	1.1263 g	25 ml	10 x	0.02	0.00178	0.00888	<0.00178	ppm		PASS
AFLATOXIN G2	1.1263 g	25 ml	10 x	0.02	0.00178	0.00888	<0.00178	ppm		PASS
OCHRATOXIN A	1.1263 g	25 ml	10 x	0.02	0.00178	0.00888	<0.00178	ppm		PASS

Analyzed by: 4451, 585, 5412
Extraction date: 11/02/26 10:21:36
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103399MYC
Instrument Used : DA-LCMS-004 (MYC)
Analyzed Date : 11/02/26 23:53:00
Batch Date : 11/02/26 07:49:24

Reagent : 103026.R04; 082426.12; 102826.R03; 110226.R01; 102826.R11; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.351 g			0.85	0.010	0.10	0.57	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,LTO,MLC,Briq 2,2.0g
Strain: (I) Molten Chocolate
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61030016-008
Batch #: TVF1021202602
Harvest/Lot ID: F26IZM0002022026
Seed to sale: 9857417528685074

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585
Extraction date: 11/02/26 18:01:55
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103419WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/02/26 13:49:30
Analyzed Date : 11/03/26 09:35:09

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2502 g	50 ml	1 x	5	0.0200	0.0999	<0.0200	ppm		PASS
ARSENIC	0.2502 g	50 ml	1 x	0.2	0.0200	0.0999	<0.0200	ppm		PASS
CADMIUM	0.2502 g	50 ml	1 x	0.2	0.0200	0.0999	<0.0200	ppm		PASS
LEAD	0.2502 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2502 g	50 ml	1 x	0.2	0.0200	0.0999	<0.0200	ppm		PASS
NICKEL	0.2502 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
TIN	0.2502 g	50 ml	1 x	4	0.400	2.00	<0.400	ppm		PASS

Analyzed by: 1022, 585, 5412
Extraction date: 11/02/26 10:29:09
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103383HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/31/26 10:01:14
Analyzed Date : 11/02/26 19:38:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 110226.R15; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 5412
Extraction date: 11/01/26 13:01:50
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103391FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/01/26 12:59:53
Analyzed Date : 11/03/26 10:50:23

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature
11/04/26
Laboratory License #: 900013