3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LBRU Live Rosin Disposable Vaporizer 1.0 g
Strain: La Bruja
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 090226-LBRU-LR-FF
Retail Batch #: DLR-914-LBRU-DSP1
Batch Date: 10/05/26
Harvest Date: 09/02/26
Production Method: Other - Not Listed
Total Amount: 327 units (327 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 8475662351825442

Lab ID: MI61028006-005
Sampled: 10/27/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/06/26
Expires: 10/27/27
Manifest #: 4506529058301960
Source Facility: Lake Wales

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

GrowHealthy

SAFETY RESULTS — **MISC.**


Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED	TESTED

Cannabinoid — TESTED

Total THC
75.5%
Total THC/Container : 755 mg

Total CBD J
0.180%
Total CBD/Container : 1.80 mg

Total Cannabinoids
82.5%
Total Cannabinoids/Container : 825 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	69.3	7.07	0.0800	0.114	<0.0200	2.07	2.46	0.130	0.338	<0.00200	0.836	0.124
mg/unit	693	70.7	0.800	1.14	<0.0200	20.7	24.6	1.30	3.38	<0.00200	8.36	1.24
Qualifier			J	J				J				J
LOD (%)	0.00200	0.00200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.00200	0.00200	0.0200	0.0200
LOQ (%)	0.0200	0.0200	0.200	0.200	0.200	0.200	0.200	0.200	0.0200	0.0200	0.200	0.200
Weight	0.1 g	0.1 g	0.1 g	0.1 g	0.1 g	0.1 g	0.1 g	0.1 g	0.1 g	0.1 g	0.1 g	0.1 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4640, 1665, 585
Extraction date: 11/02/26 20:39:20
Extracted by: 4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103405POT
Instrument Used : DA-LC-003
Analyzed Date : 11/02/26 17:08:00
Batch Date : 11/02/26 10:00:00

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.14; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LBRU Live Rosin Disposable Vaporizer 1.0 g
Strain: La Bruja
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028006-005
Batch #: DLR-914-LBRU-DSP1
Harvest/Lot ID: 090226-LBRU-LR-FF
Seed to sale: 8475662351825442

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/03/26 09:00:02

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2055 g	10 ml	1 x		0.0341	0.0973	4.73	47.3		TESTED
LIMONENE	0.2055 g	10 ml	1 x		0.0341	0.0973	1.24	12.4		TESTED
BETA-CARYOPHYLLENE	0.2055 g	10 ml	1 x		0.0341	0.0973	1.15	11.5		TESTED
BETA-MYRCENE	0.2055 g	10 ml	1 x		0.0341	0.0973	0.811	8.11		TESTED
ALPHA-HUMULENE	0.2055 g	10 ml	1 x		0.0341	0.0973	0.360	3.60		TESTED
ALPHA-PINENE	0.2055 g	10 ml	1 x		0.0341	0.0973	0.309	3.09		TESTED
FENCHYL ALCOHOL	0.2055 g	10 ml	1 x		0.0341	0.0973	0.190	1.90		TESTED
LINALOOL	0.2055 g	10 ml	1 x		0.0341	0.0973	0.177	1.77		TESTED
ALPHA-BISABOLOL	0.2055 g	10 ml	1 x		0.0341	0.0973	0.128	1.28		TESTED
ALPHA-TERPINEOL	0.2055 g	10 ml	1 x		0.0341	0.0973	0.125	1.25		TESTED
FARNESENE	0.2055 g	10 ml	1 x		0.0341	0.0973	0.0962	0.962	J	TESTED
BETA-PINENE	0.2055 g	10 ml	1 x		0.0341	0.0973	0.0743	0.743	J	TESTED
CAMPHENE	0.2055 g	10 ml	1 x		0.0341	0.0973	0.0660	0.660	J	TESTED
BORNEOL	0.2055 g	10 ml	1 x		0.0633	0.195	<0.0633	<1.95		TESTED
CARYOPHYLLENE OXIDE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
FENCHONE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
OCIMENE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
ALPHA-TERPINOLENE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
GAMMA-TERPINENE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
3-CARENE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
CAMPHOR	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
CEDROL	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
EUCALYPTOL	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
GERANIOL	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
GERANYL ACETATE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
GUAIOL	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
HEXAHYDROTHYMOL	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
ISOBORNEOL	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
ISOPULEGOL	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
NEROL	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
PULEGONE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
SABINENE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
SABINENE HYDRATE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
VALENCENE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
ALPHA-CEDRENE	0.2055 g	10 ml	1 x		0.0243	0.0779	<0.0243	<0.779		TESTED
ALPHA-PHELLANDRENE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
ALPHA-TERPINENE	0.2055 g	10 ml	1 x		0.0341	0.0973	<0.0341	<0.973		TESTED
CIS-NEROLIDOL	0.2055 g	10 ml	1 x		0.0146	0.0389	<0.0146	<0.389		TESTED
TRANS-NEROLIDOL	0.2055 g	10 ml	1 x		0.0243	0.0779	<0.0243	<0.779		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LBRU Live Rosin Disposable Vaporizer 1.0 g
Strain: La Bruja
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028006-005
Batch #: DLR-914-LBRU-DSP1
Harvest/Lot ID: 090226-LBRU-LR-FF
Seed to sale: 8475662351825442

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585
Extraction date: 11/02/26 13:29:02
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103412TER
Instrument Used : DA-GCMS-009
Analyzed Date : 11/02/26 16:31:00
Batch Date : 11/02/26 10:34:56

Reagent : 100526.14; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0894 g	25 ml	10 x	5	0.00918	0.0459	0.0221	ppm	J	PASS
TOTAL DIMETHOMORPH	1.0894 g	25 ml	10 x	0.2	0.00900	0.0450	<0.00900	ppm		PASS
TOTAL PERMETHRIN	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
TOTAL PYRETHRINS	1.0894 g	25 ml	10 x	0.5	0.0276	0.138	<0.0276	ppm		PASS
TOTAL SPINETORAM	1.0894 g	25 ml	10 x	0.2	0.00900	0.0450	<0.00900	ppm		PASS
TOTAL SPINOSAD	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
ABAMECTIN B1A	1.0894 g	25 ml	10 x	0.1	0.00881	0.0441	<0.00881	ppm		PASS
ACEPHATE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
ACEQUINOCYL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
ACETAMIPRID	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
ALDICARB	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
AZOXYSTROBIN	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
BIFENAZATE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
BIFENTHRIN	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
BOSCALID	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
CHLORPYRIFOS	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
CARBARYL	1.0894 g	25 ml	10 x	0.5	0.00918	0.0459	<0.00918	ppm		PASS
CLOFENTEZINE	1.0894 g	25 ml	10 x	0.2	0.00918	0.0459	<0.00918	ppm		PASS
CARBOFURAN	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
COUMAPHOS	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
CHLORANTRANILIPROLE	1.0894 g	25 ml	10 x	1	0.0918	0.459	<0.0918	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0894 g	25 ml	10 x	1	0.0918	0.459	<0.0918	ppm		PASS
DAMINOZIDE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
DIAZINON	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
DICHLORVOS	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
DIMETHOATE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
ETHOPROPHOS	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
ETOFENPROX	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
ETOXAZOLE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
FENHEXAMID	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
FENOXYCARB	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
FENPYROXIMATE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
FIPRONIL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
FLONICAMID	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
FLUDIOXONIL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
HEXYTHIAZOX	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
IMAZALIL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
IMIDACLOPRID	1.0894 g	25 ml	10 x	0.4	0.00918	0.0459	<0.00918	ppm		PASS
KRESOXIM-METHYL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LBRU Live Rosin Disposable Vaporizer 1.0 g
Strain: La Bruja
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028006-005
Batch #: DLR-914-LBRU-DSP1
Harvest/Lot ID: 090226-LBRU-LR-FF
Seed to sale: 8475662351825442

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0894 g	25 ml	10 x	0.2	0.00918	0.0459	<0.00918	ppm		PASS
METALAXYL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
METHIOCARB	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
METHOMYL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
MEVINPHOS	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
MYCLOBUTANIL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
NALED	1.0894 g	25 ml	10 x	0.25	0.00918	0.0459	<0.00918	ppm		PASS
OXAMYL	1.0894 g	25 ml	10 x	0.5	0.00918	0.0459	<0.00918	ppm		PASS
PACLOBUTRAZOL	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
PHOSMET	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
PIPERONYL BUTOXIDE	1.0894 g	25 ml	10 x	3	0.0918	0.459	<0.0918	ppm		PASS
PRALLETHRIN	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
PROPICONAZOLE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
PROPOXUR	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
PYRIDABEN	1.0894 g	25 ml	10 x	0.2	0.00918	0.0459	<0.00918	ppm		PASS
SPIROMESIFEN	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
SPIROTETRAMAT	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
SPIROXAMINE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
TEBUCONAZOLE	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
THIACLOPRID	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
THIAMETHOXAM	1.0894 g	25 ml	10 x	0.5	0.00918	0.0459	<0.00918	ppm		PASS
TRIFLOXYSTROBIN	1.0894 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0894 g	25 ml	5 x	0.15	0.00918	0.0688	<0.00918	ppm		PASS
TOTAL CHLORDANE	1.0894 g	25 ml	5 x	0.1	0.00918	0.0459	0.0221	ppm	J	PASS
PARATHION-METHYL	1.0894 g	25 ml	5 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
CAPTAN	1.0894 g	25 ml	5 x	0.7	0.0643	0.321	<0.0643	ppm		PASS
CHLORFENAPYR	1.0894 g	25 ml	5 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
CYFLUTHRIN	1.0894 g	25 ml	5 x	0.5	0.0459	0.229	<0.0459	ppm		PASS
CYPERMETHRIN	1.0894 g	25 ml	5 x	0.5	0.0459	0.229	<0.0459	ppm		PASS

Analyzed by:
4451, 585

Extraction date:
11/02/26 11:01:30

Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103402PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/02/26 09:34:33
Analyzed Date : 11/02/26 17:36:00

Reagent : 103026.R04; 102826.R01; 102826.R03; 110226.R01; 102826.R11; 092326.R12; 082426.12
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 585

Extraction date:
11/02/26 11:01:30

Extracted by:
5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103404VOL
Instrument Used : DA-GCMS-011
Batch Date : 11/02/26 09:35:14
Analyzed Date : 11/02/26 18:26:00

Reagent : 103026.R04; 102626.R01; 102626.R02; 090426.R12; 082426.12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

kaycha LABS
3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LBRU Live Rosin Disposable Vaporizer 1.0 g
Strain: La Bruja
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028006-005
Batch #: DLR-914-LBRU-DSP1
Harvest/Lot ID: 090226-LBRU-LR-FF
Seed to sale: 8475662351825442

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Microbial — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.094 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.094 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.094 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.094 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.094 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	1.094 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.094 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.166 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by: 1440, 5008, 4520, 585
Extraction date: 10/28/26 12:15:47
Extracted by: 4892,5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103270MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 10/28/26 09:55:04
Analyzed Date : 10/30/26 12:52:26

Reagent : 072026.15; 072026.18; 093026.R09; 092526.03; 101926.R36; 101926.R37; 090326.01
Consumables : 7590006075
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 1440, 5008, 4892, 585
Extraction date: 10/28/26 11:41:17
Extracted by: 5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103271TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 10/28/26 09:55:13
Analyzed Date : 10/30/26 12:23:42

Reagent : 022626.05; 022626.17; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0894 g	25 ml	10 x	0.02	0.00184	0.00918	<0.00184	ppm		PASS
AFLATOXIN B1	1.0894 g	25 ml	10 x	0.02	0.00184	0.00918	<0.00184	ppm		PASS
AFLATOXIN B2	1.0894 g	25 ml	10 x	0.02	0.00184	0.00918	<0.00184	ppm		PASS
AFLATOXIN G1	1.0894 g	25 ml	10 x	0.02	0.00184	0.00918	<0.00184	ppm		PASS
AFLATOXIN G2	1.0894 g	25 ml	10 x	0.02	0.00184	0.00918	<0.00184	ppm		PASS
OCHRATOXIN A	1.0894 g	25 ml	10 x	0.02	0.00184	0.00918	<0.00184	ppm		PASS

Analyzed by: 4451, 585
Extraction date: 11/02/26 11:01:30
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103403MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 11/02/26 09:35:07
Analyzed Date : 11/02/26 17:36:00

Reagent : 103026.R04; 102826.R01; 102826.R03; 110226.R01; 102826.R11; 092326.R12; 082426.12
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LBRU Live Rosin Disposable Vaporizer 1.0 g
Strain: La Bruja
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028006-005
Batch #: DLR-914-LBRU-DSP1
Harvest/Lot ID: 090226-LBRU-LR-FF
Seed to sale: 8475662351825442

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Water Activity — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.334 g			0.85	0.010	0.10	0.57	aw		PASS

Analyzed by: 1440, 5412, 585
Extraction date: 10/28/26 16:37:12
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103289WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 10/28/26 14:14:57
Analyzed Date : 10/29/26 09:28:34

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Moisture Content — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.501 g			15		0.1	1.2	%		PASS

Analyzed by: 1440, 5412, 585
Extraction date: 10/28/26 16:19:49
Extracted by: 5412

Analysis Method : SOP.T.40.021.FL
Analytical Batch : MI103288MOI
Instrument Used : DA-003 Moisture Analyzer
Batch Date : 10/28/26 14:14:12
Analyzed Date : 10/29/26 10:10:40

Reagent : 071626.12; 100226.83
Consumables : N/A
Pipette : DA-066

Heavy Metals — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2556 g	50 ml	1 x	5	0.0196	0.0978	<0.0196	ppm		PASS
ARSENIC	0.2556 g	50 ml	1 x	0.2	0.0196	0.0978	<0.0196	ppm		PASS
CADMIUM	0.2556 g	50 ml	1 x	0.2	0.0196	0.0978	<0.0196	ppm		PASS
LEAD	0.2556 g	50 ml	1 x	0.5	0.0489	0.245	<0.0489	ppm		PASS
MERCURY	0.2556 g	50 ml	1 x	0.2	0.0196	0.0978	<0.0196	ppm		PASS
NICKEL	0.2556 g	50 ml	1 x	0.5	0.0489	0.245	<0.0489	ppm		PASS
TIN	0.2556 g	50 ml	1 x	4	0.391	1.96	<0.391	ppm		PASS

Analyzed by: 1022, 585
Extraction date: 11/02/26 13:06:15
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103389HEA
Instrument Used : DA-ICPMS-004
Batch Date : 11/01/26 10:39:02
Analyzed Date : 11/03/26 00:08:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 110226.R15; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LBRU Live Rosin Disposable Vaporizer 1.0 g
Strain: La Bruja
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028006-005
Batch #: DLR-914-LBRU-DSP1
Harvest/Lot ID: 090226-LBRU-LR-FF
Seed to sale: 8475662351825442

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by:
1440, 4571, 3379

Extraction date:
10/28/26 13:33:10

Extracted by:
4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103286FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 10/28/26 13:30:41
Analyzed Date : 10/28/26 15:24:31

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013