3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,DBD,,0.5g
Strain: (S) Daybreak Delight
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: F36DBD0006222026
Retail Batch #: TLRV1020202601
Batch Date: 10/20/26
Harvest Date: 06/22/26
Production Method: Other - Not Listed
Total Amount: 2,893 units (1,446.5 grams)
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Homestead Processing
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 7948753803907342

Lab ID: MI61104012-012
Sampled: 11/04/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 11/08/26
Expires: 11/04/27
Manifest #: 0739523800244763
Source Facility: Homestead Processing

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED	TESTED

Cannabinoid — TESTED

Total THC
77.0%
Total THC/Container : 385 mg

Total CBD
0.358%
Total CBD/Container : 1.79 mg

Total Cannabinoids
83.1%
Total Cannabinoids/Container : 416 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	76.8	0.266	0.238	0.137	<0.0183	3.00	0.291	0.102	0.734	<0.0183	1.46	0.150
mg/unit	384	1.33	1.19	0.686	<0.0183	15.0	1.46	0.510	3.67	<0.0183	7.29	0.750
Qualifier				J				J				J
LOD (%)	0.0183	0.0183	0.0183	0.0183	0.0183	0.0183	0.0183	0.0183	0.0183	0.0183	0.0183	0.0183
LOQ (%)	0.183	0.183	0.183	0.183	0.183	0.183	0.183	0.183	0.183	0.183	0.183	0.183
Weight	0.109 g	0.109 g	0.109 g	0.109 g	0.109 g	0.109 g	0.109 g	0.109 g	0.109 g	0.109 g	0.109 g	0.109 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 585, 5412

Extraction date:
11/05/26 13:10:23

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103494POT
Instrument Used : DA-LC-003
Analyzed Date : 11/05/26 18:43:00

Batch Date : 11/05/26 11:00:52

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R18; 110326.R17
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,DBD,,0.5g
Strain: (S) Daybreak Delight
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61104012-012
Batch #: TLRV1020202601
Harvest/Lot ID: F36DBD0006222026
Seed to sale: 7948753803907342

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/06/26 10:27:43

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2057 g	10 ml	1 x		0.0340	0.0972	8.66	43.3		TESTED
BETA-MYRCENE	0.2057 g	10 ml	1 x		0.0340	0.0972	3.57	17.8		TESTED
BETA-CARYOPHYLLENE	0.2057 g	10 ml	1 x		0.0340	0.0972	1.78	8.91		TESTED
LINALOOL	0.2057 g	10 ml	1 x		0.0340	0.0972	0.670	3.35		TESTED
LIMONENE	0.2057 g	10 ml	1 x		0.0340	0.0972	0.652	3.26		TESTED
ALPHA-HUMULENE	0.2057 g	10 ml	1 x		0.0340	0.0972	0.568	2.84		TESTED
GUAIOL	0.2057 g	10 ml	1 x		0.0340	0.0972	0.489	2.44		TESTED
ALPHA-BISABOLOL	0.2057 g	10 ml	1 x		0.0340	0.0972	0.437	2.19		TESTED
ALPHA-PINENE	0.2057 g	10 ml	1 x		0.0340	0.0972	0.133	0.667		TESTED
ALPHA-TERPINEOL	0.2057 g	10 ml	1 x		0.0340	0.0972	0.0860	0.430	J	TESTED
FENCHYL ALCOHOL	0.2057 g	10 ml	1 x		0.0340	0.0972	0.0831	0.415	J	TESTED
FARNESENE	0.2057 g	10 ml	1 x		0.0340	0.0972	0.0765	0.383	J	TESTED
BETA-PINENE	0.2057 g	10 ml	1 x		0.0340	0.0972	0.0686	0.343	J	TESTED
TRANS-NEROLIDOL	0.2057 g	10 ml	1 x		0.0243	0.0778	0.0429	0.214	J	TESTED
BORNEOL	0.2057 g	10 ml	1 x		0.0632	0.194	<0.0632	<1.94		TESTED
CAMPHENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
CARYOPHYLLENE OXIDE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
EUCALYPTOL	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
OCIMENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
ALPHA-TERPINOLENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
GAMMA-TERPINENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
3-CARENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
CAMPHOR	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
CEDROL	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
FENCHONE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
GERANIOL	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
GERANYL ACETATE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
HEXAHYDROTHYMOL	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
ISOBORNEOL	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
ISOPULEGOL	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
NEROL	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
PULEGONE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
SABINENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
SABINENE HYDRATE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
VALENCENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
ALPHA-CEDRENE	0.2057 g	10 ml	1 x		0.0243	0.0778	<0.0243	<0.778		TESTED
ALPHA-PHELLANDRENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
ALPHA-TERPINENE	0.2057 g	10 ml	1 x		0.0340	0.0972	<0.0340	<0.972		TESTED
CIS-NEROLIDOL	0.2057 g	10 ml	1 x		0.0146	0.0389	<0.0146	<0.389		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,DBD,,0.5g
Strain: (S) Daybreak Delight
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61104012-012
Batch #: TLRV1020202601
Harvest/Lot ID: F36DBD0006222026
Seed to sale: 7948753803907342

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5412
Extraction date: 11/05/26 13:53:13
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103491TER
Instrument Used : DA-GCMS-009
Analyzed Date : 11/05/26 19:14:00
Batch Date : 11/05/26 10:38:12

Reagent : 101526.10; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0812 g	25 ml	10 x	5	0.00925	0.0462	<0.00925	ppm		PASS
TOTAL DIMETHOMORPH	1.0812 g	25 ml	10 x	0.2	0.00906	0.0453	<0.00906	ppm		PASS
TOTAL PERMETHRIN	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
TOTAL PYRETHRINS	1.0812 g	25 ml	10 x	0.5	0.0278	0.139	<0.0278	ppm		PASS
TOTAL SPINETORAM	1.0812 g	25 ml	10 x	0.2	0.00906	0.0453	<0.00906	ppm		PASS
TOTAL SPINOSAD	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
ABAMECTIN B1A	1.0812 g	25 ml	10 x	0.1	0.00888	0.0444	<0.00888	ppm		PASS
ACEPHATE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
ACEQUINOCYL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
ACETAMIPRID	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
ALDICARB	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
AZOXYSTROBIN	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
BIFENAZATE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
BIFENTHRIN	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
BOSCALID	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
CHLORPYRIFOS	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
CARBARYL	1.0812 g	25 ml	10 x	0.5	0.00925	0.0462	<0.00925	ppm		PASS
CLOFENTEZINE	1.0812 g	25 ml	10 x	0.2	0.00925	0.0462	<0.00925	ppm		PASS
CARBOFURAN	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
COUMAPHOS	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
CHLORANTRANILIPROLE	1.0812 g	25 ml	10 x	1	0.0925	0.462	<0.0925	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0812 g	25 ml	10 x	1	0.0925	0.462	<0.0925	ppm		PASS
DAMINOZIDE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
DIAZINON	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
DICHLORVOS	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
DIMETHOATE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
ETHOPROPHOS	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
ETOFENPROX	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
ETOXAZOLE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
FENHEXAMID	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
FENOXYCARB	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
FENPYROXIMATE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
FIPRONIL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
FLONICAMID	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
FLUDIOXONIL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
HEXYTHIAZOX	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
IMAZALIL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
IMIDACLOPRID	1.0812 g	25 ml	10 x	0.4	0.00925	0.0462	<0.00925	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,DBD,,0.5g
Strain: (S) Daybreak Delight
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61104012-012
Batch #: TLRV1020202601
Harvest/Lot ID: F36DBD0006222026
Seed to sale: 7948753803907342

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
MALATHION	1.0812 g	25 ml	10 x	0.2	0.00925	0.0462	<0.00925	ppm		PASS
METALAXYL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
METHIOCARB	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
METHOMYL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
MEVINPHOS	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
MYCLOBUTANIL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
NALED	1.0812 g	25 ml	10 x	0.25	0.00925	0.0462	<0.00925	ppm		PASS
OXAMYL	1.0812 g	25 ml	10 x	0.5	0.00925	0.0462	<0.00925	ppm		PASS
PACLOBUTRAZOL	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
PHOSMET	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
PIPERONYL BUTOXIDE	1.0812 g	25 ml	10 x	3	0.0925	0.462	<0.0925	ppm		PASS
PRALLETHRIN	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
PROPICONAZOLE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
PROPOXUR	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
PYRIDABEN	1.0812 g	25 ml	10 x	0.2	0.00925	0.0462	<0.00925	ppm		PASS
SPIROMESIFEN	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
SPIROTETRAMAT	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
SPIROXAMINE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
TEBUCONAZOLE	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
THIACLOPRID	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
THIAMETHOXAM	1.0812 g	25 ml	10 x	0.5	0.00925	0.0462	<0.00925	ppm		PASS
TRIFLOXYSTROBIN	1.0812 g	25 ml	10 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0812 g	25 ml	5 x	0.15	0.00925	0.0694	<0.00925	ppm		PASS
TOTAL CHLORDANE	1.0812 g	25 ml	5 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
PARATHION-METHYL	1.0812 g	25 ml	5 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
CAPTAN	1.0812 g	25 ml	5 x	0.7	0.0647	0.324	<0.0647	ppm		PASS
CHLORFENAPYR	1.0812 g	25 ml	5 x	0.1	0.00925	0.0462	<0.00925	ppm		PASS
CYFLUTHRIN	1.0812 g	25 ml	5 x	0.5	0.0462	0.231	<0.0462	ppm		PASS
CYPERMETHRIN	1.0812 g	25 ml	5 x	0.5	0.0462	0.231	<0.0462	ppm		PASS

Analyzed by:
4451, 585, 5412

Extraction date:
11/05/26 13:56:56

Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103503PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/05/26 11:43:09
Analyzed Date : 11/06/26 00:24:00

Reagent : 110326.R11; 082426.12; 110426.R03; 110226.R01; 110326.R14; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 585, 5412

Extraction date:
11/05/26 13:56:56

Extracted by:
5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103505VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/05/26 11:45:21
Analyzed Date : 11/06/26 23:10:00

Reagent : 110326.R11; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,DBD,,0.5g
Strain: (S) Daybreak Delight
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61104012-012
Batch #: TLRV1020202601
Harvest/Lot ID: F36DBD0006222026
Seed to sale: 7948753803907342

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.116 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.116 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.116 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.116 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.116 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	1.116 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.116 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.114 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by:
4520, 4892, 585, 5412
Extraction date:
11/05/26 10:47:42
Extracted by:
4892,4520

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103479MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 11/08/26 11:31:33
Batch Date : 11/05/26 07:40:32

Reagent : 101426.R26; 092526.06; 071526.16; 071526.17; 101926.R36; 101926.R37; 090326.02
Consumables : 7507501023
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by:
4520, 4892, 585, 5412
Extraction date:
11/05/26 10:52:15
Extracted by:
4892,4520

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103480TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Analyzed Date : 11/08/26 11:33:12
Batch Date : 11/05/26 07:40:35

Reagent : 022626.27; 070626.11; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0812 g	25 ml	10 x	0.02	0.00185	0.00925	<0.00185	ppm		PASS
AFLATOXIN B1	1.0812 g	25 ml	10 x	0.02	0.00185	0.00925	<0.00185	ppm		PASS
AFLATOXIN B2	1.0812 g	25 ml	10 x	0.02	0.00185	0.00925	<0.00185	ppm		PASS
AFLATOXIN G1	1.0812 g	25 ml	10 x	0.02	0.00185	0.00925	<0.00185	ppm		PASS
AFLATOXIN G2	1.0812 g	25 ml	10 x	0.02	0.00185	0.00925	<0.00185	ppm		PASS
OCHRATOXIN A	1.0812 g	25 ml	10 x	0.02	0.00185	0.00925	<0.00185	ppm		PASS

Analyzed by:
4451, 585, 5412
Extraction date:
11/05/26 13:56:56
Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103504MYC
Instrument Used : DA-LCMS-004 (MYC)
Analyzed Date : 11/06/26 00:24:00
Batch Date : 11/05/26 11:45:14

Reagent : 110326.R11; 082426.12; 110426.R03; 110226.R01; 110326.R14; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,DBD,,0.5g
Strain: (S) Daybreak Delight
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61104012-012
Batch #: TLRV1020202601
Harvest/Lot ID: F36DBD0006222026
Seed to sale: 7948753803907342

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.302 g			0.85	0.010	0.10	0.53	aw		PASS

Analyzed by: 5412, 585
Extraction date: 11/05/26 18:44:47
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103515WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Analyzed Date : 11/06/26 10:10:42
Batch Date : 11/05/26 14:12:06

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Moisture Content

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.505 g			15		0.1	2.4	%		PASS

Analyzed by: 5412, 585
Extraction date: 11/05/26 18:15:30
Extracted by: 5412

Analysis Method : SOP.T.40.021.FL
Analytical Batch : MI103514MOI
Instrument Used : DA-003 Moisture Analyzer
Analyzed Date : 11/06/26 10:09:35
Batch Date : 11/05/26 14:10:59

Reagent : 071626.12; 110426.01
Consumables : N/A
Pipette : DA-066

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2801 g	50 ml	1 x	5	0.0179	0.0893	<0.0179	ppm		PASS
ARSENIC	0.2801 g	50 ml	1 x	0.2	0.0179	0.0893	<0.0179	ppm		PASS
CADMIUM	0.2801 g	50 ml	1 x	0.2	0.0179	0.0893	<0.0179	ppm		PASS
LEAD	0.2801 g	50 ml	1 x	0.5	0.0446	0.223	<0.0446	ppm		PASS
MERCURY	0.2801 g	50 ml	1 x	0.2	0.0179	0.0893	<0.0179	ppm		PASS
NICKEL	0.2801 g	50 ml	1 x	0.5	0.0446	0.223	<0.0446	ppm		PASS
TIN	0.2801 g	50 ml	1 x	4	0.357	1.79	<0.357	ppm		PASS

Analyzed by: 1022, 585, 5412
Extraction date: 11/05/26 12:17:35
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103488HEA
Instrument Used : DA-ICPMS-005
Analyzed Date : 11/05/26 21:31:00
Batch Date : 11/05/26 10:32:59

Reagent : 101526.R04; 102726.R02; 102826.R19; 110226.R15; 110226.R26; 110226.R25; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Rosin Ceramic Vape Cart,DBD,,0.5g
Strain: (S) Daybreak Delight
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61104012-012
Batch #: TLRV1020202601
Harvest/Lot ID: F36DBD0006222026
Seed to sale: 7948753803907342

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 5412
Extraction date: 11/05/26 14:07:22
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103512FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/05/26 14:05:16
Analyzed Date : 11/06/26 10:31:01

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013