3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Collection,RXM,Briq,Resin,2.0g
Strain: (H) Rx Mintz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: F03RXM0001062025
Retail Batch #: TVF1008202606
Batch Date: 10/08/26
Harvest Date: 01/06/25
Production Method: Other - Not Listed
Total Amount: 1,384 units (2,768 grams)
Cultivation Facility: Mt. Dora Cultivation
Processing Facility: Homestead Processing
Retail Product Size: 2 gram
Retail Serving Size: 2 gram
Servings: 1
Seed To Sale #: 5409079944859231

Lab ID: MI61106011-009
Sampled: 11/06/26
Sampling Method: SOP.T.20.010
Sample Size: 9 units
Completed: 11/10/26
Expires: 11/06/27
Manifest #: 5515663976276355
Source Facility: Homestead Processing

CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
78.8%
Total THC/Container : 1580 mg

Total CBD J
0.160%
Total CBD/Container : 3.20 mg

Total Cannabinoids
83.8%
Total Cannabinoids/Container : 1680 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	78.6	0.219	0.160	<0.0187	<0.0187	2.98	<0.0187	0.292	0.404	<0.0187	1.04	0.104
mg/unit	1570	4.39	3.20	<0.0187	<0.0187	59.6	<0.0187	5.84	8.09	<0.0187	20.9	2.08
Qualifier			J									J
LOD (%)	0.0187	0.0187	0.0187	0.0187	0.0187	0.0187	0.0187	0.0187	0.0187	0.0187	0.0187	0.0187
LOQ (%)	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187	0.187
Weight	0.107 g	0.107 g	0.107 g	0.107 g	0.107 g	0.107 g	0.107 g	0.107 g	0.107 g	0.107 g	0.107 g	0.107 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4640, 1665, 585, 5412
Extraction date: 11/07/26 15:14:00
Extracted by: 5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103567POT
Instrument Used : DA-LC-003
Analyzed Date : 11/09/26 20:19:00
Batch Date : 11/07/26 11:41:55

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R18; 102026.36; 110326.R17
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Collection,RXM,Briq,Resin,2.0g
Strain: (H) Rx Mintz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61106011-009
Batch #: TVF1008202606
Harvest/Lot ID: F03RXM0001062025
Seed to sale: 5409079944859231

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/10/26 10:18:38

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.227 g	10 ml	1 x		0.0308	0.0881	5.41	108		TESTED
BETA-CARYOPHYLLENE	0.227 g	10 ml	1 x		0.0308	0.0881	1.35	27.0		TESTED
LIMONENE	0.227 g	10 ml	1 x		0.0308	0.0881	1.22	24.3		TESTED
BETA-MYRCENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.734	14.7		TESTED
ALPHA-HUMULENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.365	7.29		TESTED
LINALOOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.339	6.77		TESTED
BETA-PINENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.300	6.00		TESTED
ALPHA-PINENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.253	5.06		TESTED
FENCHYL ALCOHOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.153	3.07		TESTED
ALPHA-BISABOLOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.120	2.40		TESTED
ALPHA-TERPINEOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.0898	1.80		TESTED
FARNESENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.0821	1.64	J	TESTED
TRANS-NEROLIDOL	0.227 g	10 ml	1 x		0.0220	0.0705	0.0750	1.50		TESTED
OCIMENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.0684	1.37	J	TESTED
CARYOPHYLLENE OXIDE	0.227 g	10 ml	1 x		0.0308	0.0881	0.0635	1.27	J	TESTED
CAMPHENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.0571	1.14	J	TESTED
GERANIOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.0565	1.13	J	TESTED
GUAIOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.0441	0.883	J	TESTED
ALPHA-TERPINOLENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.0433	0.866	J	TESTED
BORNEOL	0.227 g	10 ml	1 x		0.0573	0.176	<0.0573	<1.76		TESTED
EUCALYPTOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
FENCHONE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ALPHA-PHELLANDRENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ALPHA-TERPINENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
GAMMA-TERPINENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
3-CARENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
CAMPHOR	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
CEDROL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
GERANYL ACETATE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
HEXAHYDROTHYMOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ISOBORNEOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ISOPULEGOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
NEROL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
PULEGONE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
SABINENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
SABINENE HYDRATE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
VALENCENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ALPHA-CEDRENE	0.227 g	10 ml	1 x		0.0220	0.0705	<0.0220	<0.705		TESTED
CIS-NEROLIDOL	0.227 g	10 ml	1 x		0.0132	0.0352	<0.0132	<0.352		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Collection,RXM,Briq,Resin,2.0g
Strain: (H) Rx Mintz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61106011-009
Batch #: TVF1008202606
Harvest/Lot ID: F03RXM0001062025
Seed to sale: 5409079944859231

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5412
Extraction date: 11/09/26 14:23:14
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103595TER
Instrument Used : DA-GCMS-014
Analyzed Date : 11/09/26 19:13:00
Batch Date : 11/09/26 11:47:39

Reagent : 063026.02; 102026.36
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.1763 g	25 ml	10 x	5	0.00850	0.0425	<0.00850	ppm		PASS
TOTAL DIMETHOMORPH	1.1763 g	25 ml	10 x	0.2	0.00833	0.0417	<0.00833	ppm		PASS
TOTAL PERMETHRIN	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
TOTAL PYRETHRINS	1.1763 g	25 ml	10 x	0.5	0.0256	0.128	<0.0256	ppm		PASS
TOTAL SPINETORAM	1.1763 g	25 ml	10 x	0.2	0.00833	0.0417	<0.00833	ppm		PASS
TOTAL SPINOSAD	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
ABAMECTIN B1A	1.1763 g	25 ml	10 x	0.1	0.00816	0.0408	<0.00816	ppm		PASS
ACEPHATE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
ACEQUINOCYL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
ACETAMIPRID	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
ALDICARB	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
AZOXYSTROBIN	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
BIFENAZATE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
BIFENTHRIN	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
BOSCALID	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
CHLORPYRIFOS	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
CARBARYL	1.1763 g	25 ml	10 x	0.5	0.00850	0.0425	<0.00850	ppm		PASS
CLOFENTEZINE	1.1763 g	25 ml	10 x	0.2	0.00850	0.0425	<0.00850	ppm		PASS
CARBOFURAN	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
COUMAPHOS	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
CHLORANTRANILIPROLE	1.1763 g	25 ml	10 x	1	0.0850	0.425	<0.0850	ppm		PASS
CHLORMEQUAT CHLORIDE	1.1763 g	25 ml	10 x	1	0.0850	0.425	<0.0850	ppm		PASS
DAMINOZIDE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
DIAZINON	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
DICHLORVOS	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
DIMETHOATE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
ETHOPROPHOS	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
ETOFENPROX	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
ETOXAZOLE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
FENHEXAMID	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
FENOXYCARB	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
FENPYROXIMATE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
FIPRONIL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
FLONICAMID	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
FLUDIOXONIL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
HEXYTHIAZOX	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
IMAZALIL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
IMIDACLOPRID	1.1763 g	25 ml	10 x	0.4	0.00850	0.0425	<0.00850	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Collection,RXM,Briq,Resin,2.0g
Strain: (H) Rx Mintz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61106011-009
Batch #: TVF1008202606
Harvest/Lot ID: F03RXM0001062025
Seed to sale: 5409079944859231

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
MALATHION	1.1763 g	25 ml	10 x	0.2	0.00850	0.0425	<0.00850	ppm		PASS
METALAXYL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
METHIOCARB	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
METHOMYL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
MEVINPHOS	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
MYCLOBUTANIL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
NALED	1.1763 g	25 ml	10 x	0.25	0.00850	0.0425	<0.00850	ppm		PASS
OXAMYL	1.1763 g	25 ml	10 x	0.5	0.00850	0.0425	<0.00850	ppm		PASS
PACLOBUTRAZOL	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
PHOSMET	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
PIPERONYL BUTOXIDE	1.1763 g	25 ml	10 x	3	0.0850	0.425	<0.0850	ppm		PASS
PRALLETHRIN	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
PROPICONAZOLE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
PROPOXUR	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
PYRIDABEN	1.1763 g	25 ml	10 x	0.2	0.00850	0.0425	<0.00850	ppm		PASS
SPIROMESIFEN	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
SPIROTETRAMAT	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
SPIROXAMINE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
TEBUCONAZOLE	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
THIACLOPRID	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
THIAMETHOXAM	1.1763 g	25 ml	10 x	0.5	0.00850	0.0425	<0.00850	ppm		PASS
TRIFLOXYSTROBIN	1.1763 g	25 ml	10 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.1763 g	25 ml	5 x	0.15	0.00850	0.0638	<0.00850	ppm		PASS
TOTAL CHLORDANE	1.1763 g	25 ml	5 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
PARATHION-METHYL	1.1763 g	25 ml	5 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
CAPTAN	1.1763 g	25 ml	5 x	0.7	0.0595	0.298	<0.0595	ppm		PASS
CHLORFENAPYR	1.1763 g	25 ml	5 x	0.1	0.00850	0.0425	<0.00850	ppm		PASS
CYFLUTHRIN	1.1763 g	25 ml	5 x	0.5	0.0425	0.213	<0.0425	ppm		PASS
CYPERMETHRIN	1.1763 g	25 ml	5 x	0.5	0.0425	0.213	<0.0425	ppm		PASS

Analyzed by:
4451, 585, 5412

Extraction date:
11/09/26 11:12:05

Extracted by:
4451,5072

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103578PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/09/26 08:32:56
Analyzed Date : 11/09/26 22:11:00

Reagent : 082426.12; 110426.R03; 110926.R02; 110226.R01; 110926.R01; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 585, 5412

Extraction date:
11/09/26 11:12:05

Extracted by:
4451,5072

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103580VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/09/26 08:34:45
Analyzed Date : 11/09/26 18:23:00

Reagent : 082426.12; 102626.R01; 110626.R15; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Collection,RXM,Briq,Resin,2.0g
Strain: (H) Rx Mintz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61106011-009
Batch #: TVF1008202606
Harvest/Lot ID: F03RXM0001062025
Seed to sale: 5409079944859231

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0208 g	1 ml	1 x	8	0.769	3.85	<0.769	ppm		PASS
1,2-DICHLOROETHANE	0.0208 g	1 ml	1 x	2	0.192	0.962	<0.192	ppm		PASS
2-PROPANOL	0.0208 g	1 ml	1 x	500	48.1	240	<48.1	ppm		PASS
ACETONE	0.0208 g	1 ml	1 x	750	72.1	361	<72.1	ppm		PASS
ACETONITRILE	0.0208 g	1 ml	1 x	60	5.77	28.8	<5.77	ppm		PASS
BENZENE	0.0208 g	1 ml	1 x	1	0.0962	0.481	<0.0962	ppm		PASS
BUTANES (N-BUTANE)	0.0208 g	1 ml	1 x	5000	481	2400	<481	ppm		PASS
CHLOROFORM	0.0208 g	1 ml	1 x	2	0.192	0.962	<0.192	ppm		PASS
DICHLOROMETHANE	0.0208 g	1 ml	1 x	125	12.0	60.1	<12.0	ppm		PASS
ETHANOL	0.0208 g	1 ml	1 x	5000	481	2400	<481	ppm		PASS
ETHYL ACETATE	0.0208 g	1 ml	1 x	400	38.5	192	<38.5	ppm		PASS
ETHYL ETHER	0.0208 g	1 ml	1 x	500	48.1	240	<48.1	ppm		PASS
ETHYLENE OXIDE	0.0208 g	1 ml	1 x	5	0.481	2.40	<0.481	ppm		PASS
HEPTANE	0.0208 g	1 ml	1 x	5000	481	2400	<481	ppm		PASS
METHANOL	0.0208 g	1 ml	1 x	250	24.0	120	<24.0	ppm		PASS
N-HEXANE	0.0208 g	1 ml	1 x	250	24.0	120	<24.0	ppm		PASS
PENTANES (N-PENTANE)	0.0208 g	1 ml	1 x	750	72.1	361	<72.1	ppm		PASS
PROPANE	0.0208 g	1 ml	1 x	5000	481	1040	<481	ppm		PASS
TOLUENE	0.0208 g	1 ml	1 x	150	14.4	72.1	<14.4	ppm		PASS
TOTAL XYLENES	0.0208 g	1 ml	1 x	150	14.4	72.1	<14.4	ppm		PASS
TRICHLOROETHYLENE	0.0208 g	1 ml	1 x	25	2.40	12.0	<2.40	ppm		PASS

Analyzed by:
4571, 4444, 585, 5412

Extraction date:
11/08/26 08:30:30

Extracted by:
4571

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103573SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 11/08/26 21:54:21

Batch Date : 11/08/26 08:12:16

Reagent : 061323.06; 110226.R04; 110226.R05; 110226.R06
Consumables : 433241; 349074
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.0747 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.0747 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.0747 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.0747 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.0747 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.0747 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.975 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Collection,RXM,Briq,Resin,2.0g
Strain: (H) Rx Mintz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61106011-009
Batch #: TVF1008202606
Harvest/Lot ID: F03RXM0001062025
Seed to sale: 5409079944859231

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5008, 4520, 585, 5412
Extraction date: 11/07/26 10:47:32
Extracted by: 4892,5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103554MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 11/07/26 09:01:55
Analyzed Date : 11/10/26 11:56:54

Reagent : 071526.11; 071526.12; 072026.07; 110226.R14; 092526.06; 101926.R36; 101926.R37; 090326.02
Consumables : 7507501004
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 4520, 585, 5412
Extraction date: 11/07/26 10:50:50
Extracted by: 4892,5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103555TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 11/07/26 09:02:02
Analyzed Date : 11/10/26 10:15:27

Reagent : 030326.58; 030326.59; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.1763 g	25 ml	10 x	0.02	0.00170	0.00850	<0.00170	ppm		PASS
AFLATOXIN B1	1.1763 g	25 ml	10 x	0.02	0.00170	0.00850	<0.00170	ppm		PASS
AFLATOXIN B2	1.1763 g	25 ml	10 x	0.02	0.00170	0.00850	<0.00170	ppm		PASS
AFLATOXIN G1	1.1763 g	25 ml	10 x	0.02	0.00170	0.00850	<0.00170	ppm		PASS
AFLATOXIN G2	1.1763 g	25 ml	10 x	0.02	0.00170	0.00850	<0.00170	ppm		PASS
OCHRATOXIN A	1.1763 g	25 ml	10 x	0.02	0.00170	0.00850	<0.00170	ppm		PASS

Analyzed by: 4451, 585, 5412
Extraction date: 11/09/26 11:12:05
Extracted by: 4451,5072

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103579MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 11/09/26 08:34:32
Analyzed Date : 11/09/26 22:11:00

Reagent : 082426.12; 110426.R03; 110926.R02; 110226.R01; 110926.R01; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.333 g			0.85	0.010	0.10	0.55	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

SEL,Live Collection,RXM,Briq,Resin,2.0g
Strain: (H) Rx Mintz
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

CURALEAF FLORIDA LLC
19000 SW 192 STREET
MIAMI, FL, 33187, US
CURALEAF
License # : M00001CULPROMiami002

Sample: MI61106011-009
Batch #: TVF1008202606
Harvest/Lot ID: F03RXM0001062025
Seed to sale: 5409079944859231

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585
Extraction date: 11/09/26 17:27:47
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103599WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/09/26 14:00:29
Analyzed Date : 11/10/26 09:52:48

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2568 g	50 ml	1 x	5	0.0195	0.0974	<0.0195	ppm		PASS
ARSENIC	0.2568 g	50 ml	1 x	0.2	0.0195	0.0974	<0.0195	ppm		PASS
CADMIUM	0.2568 g	50 ml	1 x	0.2	0.0195	0.0974	<0.0195	ppm		PASS
LEAD	0.2568 g	50 ml	1 x	0.5	0.0487	0.243	<0.0487	ppm		PASS
MERCURY	0.2568 g	50 ml	1 x	0.2	0.0195	0.0974	<0.0195	ppm		PASS
NICKEL	0.2568 g	50 ml	1 x	0.5	0.0487	0.243	<0.0487	ppm		PASS
TIN	0.2568 g	50 ml	1 x	4	0.389	1.95	<0.389	ppm		PASS

Analyzed by: 1022, 585, 5412
Extraction date: 11/07/26 13:16:57
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103563HEA
Instrument Used : DA-ICPMS-005
Batch Date : 11/07/26 10:06:49
Analyzed Date : 11/09/26 19:43:00

Reagent : 101526.R04; 110626.R07; 102826.R19; 110226.R15; 110226.R26; 110226.R25; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 5412
Extraction date: 11/07/26 14:13:43
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103572FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/07/26 14:12:13
Analyzed Date : 11/10/26 09:51:21

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013