Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Moodz BLUR - Gels 10 Pack
Strain: BLUR
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 040826-BNBG-LR-FF
Retail Batch #: GEL-797-BLUR-M
Batch Date: 10/27/26
Harvest Date: 04/08/26
Production Method: Other - Not Listed
Total Amount: 1,361 units (54,900.5624 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 40.3384 gram
Retail Serving Size: 4.5 gram
Servings: 10
Seed To Sale #: 4170387752206868

Lab ID: MI61107001-003
Sampled: 11/06/26
Sampling Method: SOP.T.20.010
Sample Size: 8 units
Completed: 11/10/26
Revised: 11/11/26
Expires: 11/06/27
Manifest #: 3882457423760500
Source Facility: Lake Wales

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

GrowHealthy

SAFETY RESULTS — **MISC.**


Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	NOT TESTED

Cannabinoid — TESTED

Total THC
0.233%
Total THC/Container : 93.9 mg

Total CBD
0.00124%
Total CBD/Container : 0

Total Cannabinoids
0.244%
Total Cannabinoids/Container : 98.4 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.232	0.000516	0.000810	0.000485	<0.0000655	0.00411	0.00108	0.000752	0.00101	<0.0000655	0.00257	0.000324
mg/unit	93.7	0.208	0.327	0.196	<0.0000655	1.66	0.435	0.303	0.406	<0.0000655	1.04	0.131
Qualifier		J		J								J
LOD (%)	0.0000655	0.0000655	0.0000655	0.0000655	0.0000655	0.0000655	0.0000655	0.0000655	0.0000655	0.0000655	0.0000655	0.0000655
LOQ (%)	0.000655	0.000655	0.000655	0.000655	0.000655	0.000655	0.000655	0.000655	0.000655	0.000655	0.000655	0.000655
Weight	3.0518 g	3.0518 g	3.0518 g	3.0518 g	3.0518 g	3.0518 g	3.0518 g	3.0518 g	3.0518 g	3.0518 g	3.0518 g	3.0518 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x

Analyzed by:
4640, 1665, 585, 1440

Extraction date:
11/07/26 15:30:17

Extracted by:
5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103569POT
Instrument Used : DA-LC-003
Analyzed Date : 11/09/26 16:41:00

Batch Date : 11/07/26 11:43:50

Reagent : 110426.R26; 110426.R27; 110426.R28; 110426.R29; 110326.R22; 102026.28; 102026.36; 110326.R21

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

Revision: #1 - Updated Retail Batch ID.

Revision: #1 This revision supersedes any and all previous versions of this document.

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Moodz BLUR - Gels 10 Pack
Strain: BLUR
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61107001-003
Batch #: GEL-797-BLUR-M
Harvest/Lot ID: 040826-BNBG-LR-FF
Seed to sale: 4170387752206868

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
PACKAGE LABEL DEVIATION (THC)					-100	-100	-6.08	%		TESTED

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/10/26 10:49:19
Batch Date : N/A

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0859 g	25 ml	10 x	30	0.00921	0.0460	<0.00921	ppm		PASS
TOTAL DIMETHOMORPH	1.0859 g	25 ml	10 x	3	0.00902	0.0451	<0.00902	ppm		PASS
TOTAL PERMETHRIN	1.0859 g	25 ml	10 x	1	0.00921	0.0460	<0.00921	ppm		PASS
TOTAL PYRETHRINS	1.0859 g	25 ml	10 x	1	0.0277	0.139	<0.0277	ppm		PASS
TOTAL SPINETORAM	1.0859 g	25 ml	10 x	3	0.00902	0.0451	<0.00902	ppm		PASS
TOTAL SPINOSAD	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
ABAMECTIN B1A	1.0859 g	25 ml	10 x	0.3	0.00884	0.0442	<0.00884	ppm		PASS
ACEPHATE	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
ACEQUINOCYL	1.0859 g	25 ml	10 x	2	0.00921	0.0460	<0.00921	ppm		PASS
ACETAMIPRID	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
ALDICARB	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
AZOXYSTROBIN	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
BIFENAZATE	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
BIFENTHRIN	1.0859 g	25 ml	10 x	0.5	0.00921	0.0460	<0.00921	ppm		PASS
BOSCALID	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
CHLORPYRIFOS	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
CARBARYL	1.0859 g	25 ml	10 x	0.5	0.00921	0.0460	<0.00921	ppm		PASS
CLOFENTEZINE	1.0859 g	25 ml	10 x	0.5	0.00921	0.0460	<0.00921	ppm		PASS
CARBOFURAN	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
COUMAPHOS	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
CHLORANTRANILIPROLE	1.0859 g	25 ml	10 x	3	0.0921	0.460	<0.0921	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0859 g	25 ml	10 x	3	0.0921	0.460	<0.0921	ppm		PASS
DAMINOZIDE	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
DIAZINON	1.0859 g	25 ml	10 x	0.2	0.00921	0.0460	<0.00921	ppm		PASS
DICHLORVOS	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
DIMETHOATE	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
ETHOPROPHOS	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
ETOFENPROX	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
ETOXAZOLE	1.0859 g	25 ml	10 x	1.5	0.00921	0.0460	<0.00921	ppm		PASS
FENHEXAMID	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
FENOXYCARB	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
FENPYROXIMATE	1.0859 g	25 ml	10 x	2	0.00921	0.0460	<0.00921	ppm		PASS
FIPRONIL	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
FLONICAMID	1.0859 g	25 ml	10 x	2	0.00921	0.0460	<0.00921	ppm		PASS
FLUDIOXONIL	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

Revision: #1 - Updated Retail Batch ID.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Moodz BLUR - Gels 10 Pack
Strain: BLUR
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61107001-003
Batch #: GEL-797-BLUR-M
Harvest/Lot ID: 040826-BNBG-LR-FF
Seed to sale: 4170387752206868

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
HEXYTHIAZOX	1.0859 g	25 ml	10 x	2	0.00921	0.0460	<0.00921	ppm		PASS
IMAZALIL	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
IMIDACLOPRID	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
KRESOXIM-METHYL	1.0859 g	25 ml	10 x	1	0.00921	0.0460	<0.00921	ppm		PASS
MALATHION	1.0859 g	25 ml	10 x	2	0.00921	0.0460	<0.00921	ppm		PASS
METALAXYL	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
METHIOCARB	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
METHOMYL	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
MEVINPHOS	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
MYCLOBUTANIL	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
NALED	1.0859 g	25 ml	10 x	0.5	0.00921	0.0460	<0.00921	ppm		PASS
OXAMYL	1.0859 g	25 ml	10 x	0.5	0.00921	0.0460	<0.00921	ppm		PASS
PACLOBUTRAZOL	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
PHOSMET	1.0859 g	25 ml	10 x	0.2	0.00921	0.0460	<0.00921	ppm		PASS
PIPERONYL BUTOXIDE	1.0859 g	25 ml	10 x	3	0.0921	0.460	<0.0921	ppm		PASS
PRALLETHRIN	1.0859 g	25 ml	10 x	0.4	0.00921	0.0460	<0.00921	ppm		PASS
PROPICONAZOLE	1.0859 g	25 ml	10 x	1	0.00921	0.0460	<0.00921	ppm		PASS
PROPOXUR	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
PYRIDABEN	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
SPIROMESIFEN	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
SPIROTETRAMAT	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
SPIROXAMINE	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
TEBUCONAZOLE	1.0859 g	25 ml	10 x	1	0.00921	0.0460	<0.00921	ppm		PASS
THIACLOPRID	1.0859 g	25 ml	10 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
THIAMETHOXAM	1.0859 g	25 ml	10 x	1	0.00921	0.0460	<0.00921	ppm		PASS
TRIFLOXYSTROBIN	1.0859 g	25 ml	10 x	3	0.00921	0.0460	<0.00921	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0859 g	25 ml	5 x	0.2	0.00921	0.0691	<0.00921	ppm		PASS
TOTAL CHLORDANE	1.0859 g	25 ml	5 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
PARATHION-METHYL	1.0859 g	25 ml	5 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
CAPTAN	1.0859 g	25 ml	5 x	3	0.0645	0.322	<0.0645	ppm		PASS
CHLORFENAPYR	1.0859 g	25 ml	5 x	0.1	0.00921	0.0460	<0.00921	ppm		PASS
CYFLUTHRIN	1.0859 g	25 ml	5 x	1	0.0460	0.230	<0.0460	ppm		PASS
CYPERMETHRIN	1.0859 g	25 ml	5 x	1	0.0460	0.230	<0.0460	ppm		PASS

Analyzed by:
4451, 585, 1440

Extraction date:
11/09/26 10:56:49

Extracted by:
4451,5072

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103581PES
Instrument Used : DA-LCMS-003 (PES)
Analyzed Date : 11/09/26 18:23:00
Batch Date : 11/09/26 08:35:08

Reagent : 082426.12; 110426.R03; 110926.R02; 110326.R12; 110526.R07; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

Revision: #1 - Updated Retail Batch ID.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Moodz BLUR - Gels 10 Pack
Strain: BLUR
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61107001-003
Batch #: GEL-797-BLUR-M
Harvest/Lot ID: 040826-BNBG-LR-FF
Seed to sale: 4170387752206868

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by:
5072, 585, 1440

Extraction date:
11/09/26 10:56:49

Extracted by:
4451,5072

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103583VOL
Instrument Used : DA-GCMS-001
Batch Date : 11/09/26 08:36:02
Analyzed Date : 11/09/26 19:17:41

Reagent : 082426.12; 102626.R01; 110626.R15; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0207 g	1 ml	1 x	8	0.773	3.86	<0.773	ppm		PASS
1,2-DICHLOROETHANE	0.0207 g	1 ml	1 x	2	0.193	0.966	<0.193	ppm		PASS
2-PROPANOL	0.0207 g	1 ml	1 x	5000	48.3	242	<48.3	ppm		PASS
ACETONE	0.0207 g	1 ml	1 x	5000	72.5	362	<72.5	ppm		PASS
ACETONITRILE	0.0207 g	1 ml	1 x	410	5.80	29.0	<5.80	ppm		PASS
BENZENE	0.0207 g	1 ml	1 x	1	0.0966	0.483	<0.0966	ppm		PASS
BUTANES (N-BUTANE)	0.0207 g	1 ml	1 x	5000	483	2420	<483	ppm		PASS
CHLOROFORM	0.0207 g	1 ml	1 x	2	0.193	0.966	<0.193	ppm		PASS
DICHLOROMETHANE	0.0207 g	1 ml	1 x	125	12.1	60.4	<12.1	ppm		PASS
ETHANOL	0.0207 g	1 ml	1 x	5000	483	2420	<483	ppm		PASS
ETHYL ACETATE	0.0207 g	1 ml	1 x	5000	38.6	193	<38.6	ppm		PASS
ETHYL ETHER	0.0207 g	1 ml	1 x	5000	48.3	242	<48.3	ppm		PASS
ETHYLENE OXIDE	0.0207 g	1 ml	1 x	5	0.483	2.42	<0.483	ppm		PASS
HEPTANE	0.0207 g	1 ml	1 x	5000	483	2420	<483	ppm		PASS
METHANOL	0.0207 g	1 ml	1 x	3000	24.2	121	<24.2	ppm		PASS
N-HEXANE	0.0207 g	1 ml	1 x	250	24.2	121	<24.2	ppm		PASS
PENTANES (N-PENTANE)	0.0207 g	1 ml	1 x	5000	72.5	362	<72.5	ppm		PASS
PROPANE	0.0207 g	1 ml	1 x	5000	483	1040	<483	ppm		PASS
TOLUENE	0.0207 g	1 ml	1 x	890	14.5	72.5	<14.5	ppm		PASS
TOTAL XYLENES	0.0207 g	1 ml	1 x	2170	14.5	72.5	<14.5	ppm		PASS
TRICHLOROETHYLENE	0.0207 g	1 ml	1 x	25	2.42	12.1	<2.42	ppm		PASS

Analyzed by:
4571, 4444, 585, 1440

Extraction date:
11/08/26 08:30:30

Extracted by:
4571

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103573SOL
Instrument Used : DA-GCMS-012
Batch Date : 11/08/26 08:12:16
Analyzed Date : 11/09/26 02:23:39

Reagent : 061323.06; 110226.R04; 110226.R05; 110226.R06
Consumables : 433241; 349074
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

Revision: #1 - Updated Retail Batch ID.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Moodz BLUR - Gels 10 Pack
Strain: BLUR
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61107001-003
Batch #: GEL-797-BLUR-M
Harvest/Lot ID: 040826-BNBG-LR-FF
Seed to sale: 4170387752206868

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.171 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.171 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.171 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.171 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.171 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	1.171 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.171 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.9247 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by:
5008, 4520, 585, 1440

Extraction date:
11/07/26 10:47:32

Extracted by:
4892,5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103554MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 11/10/26 11:57:14

Batch Date : 11/07/26 09:01:55

Reagent : 071526.11; 071526.12; 072026.07; 110226.R14; 092526.06; 101926.R36; 101926.R37; 090326.02
Consumables : 7507501004
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5008, 4520, 585, 1440

Extraction date:
11/07/26 10:50:51

Extracted by:
4892,5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103555TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Analyzed Date : 11/10/26 10:15:42

Batch Date : 11/07/26 09:02:02

Reagent : 030326.58; 030326.59; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0859 g	25 ml	10 x	0.02	0.00184	0.00921	<0.00184	ppm		PASS
AFLATOXIN B1	1.0859 g	25 ml	10 x	0.02	0.00184	0.00921	<0.00184	ppm		PASS
AFLATOXIN B2	1.0859 g	25 ml	10 x	0.02	0.00184	0.00921	<0.00184	ppm		PASS
AFLATOXIN G1	1.0859 g	25 ml	10 x	0.02	0.00184	0.00921	<0.00184	ppm		PASS
AFLATOXIN G2	1.0859 g	25 ml	10 x	0.02	0.00184	0.00921	<0.00184	ppm		PASS
OCHRATOXIN A	1.0859 g	25 ml	10 x	0.02	0.00184	0.00921	<0.00184	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

Revision: #1 - Updated Retail Batch ID.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Moodz BLUR - Gels 10 Pack
Strain: BLUR
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61107001-003
Batch #: GEL-797-BLUR-M
Harvest/Lot ID: 040826-BNBG-LR-FF
Seed to sale: 4170387752206868

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4451, 585, 1440
Extraction date: 11/09/26 10:56:49
Extracted by: 4451,5072

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103582MYC
Instrument Used : DA-LCMS-003 (MYC)
Batch Date : 11/09/26 08:35:56
Analyzed Date : 11/09/26 18:23:00

Reagent : 082426.12; 110426.R03; 110926.R02; 110326.R12; 110526.R07; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	6.143 g			0.85	0.010	0.10	0.56	aw		PASS

Analyzed by: 5412, 585, 1440
Extraction date: 11/09/26 17:27:47
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103599WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/09/26 14:00:29
Analyzed Date : 11/10/26 09:52:53

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Homogeneity Testing

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL THC - HOMOGENEITY (RSD)	4.2392 g	40 ml	1 x	25	0.00100	0.00100	2.03	%		PASS

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : MI103551HOM
Instrument Used : DA-LC-006
Batch Date : 11/07/26 07:13:25
Analyzed Date : 11/07/26 19:31:00

Reagent : 110426.R29; 110626.R03; 102026.28; 110626.R06
Consumables : 242011899; 04511039; DMAX06D26S; 1011557758; 1011622924; 0000402180
Pipette : DA-108; DA-421

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2635 g	50 ml	1 x	5	0.0190	0.0949	0.336	ppm		PASS
ARSENIC	0.2635 g	50 ml	1 x	1.5	0.0190	0.0949	<0.0190	ppm		PASS
CADMIUM	0.2635 g	50 ml	1 x	0.5	0.0190	0.0949	<0.0190	ppm		PASS
LEAD	0.2635 g	50 ml	1 x	0.5	0.0474	0.237	<0.0474	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

Revision: #1 - Updated Retail Batch ID.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Moodz BLUR - Gels 10 Pack
Strain: BLUR
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61107001-003
Batch #: GEL-797-BLUR-M
Harvest/Lot ID: 040826-BNBG-LR-FF
Seed to sale: 4170387752206868

Expires: 11/06/27
Ordered: 11/06/26
Sampled: 11/06/26
Completed: 11/10/26

PASSED

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MERCURY	0.2635 g	50 ml	1 x	3	0.0190	0.0949	<0.0190	ppm		PASS
NICKEL	0.2635 g	50 ml	1 x	3	0.0474	0.237	0.336	ppm		PASS
TIN	0.2635 g	50 ml	1 x	4	0.380	1.90	<0.380	ppm		PASS

Analyzed by: 1022, 585, 1440
Extraction date: 11/09/26 10:35:21
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103587HEA
Instrument Used : DA-ICPMS-005
Batch Date : 11/09/26 09:43:04
Analyzed Date : 11/10/26 00:11:00

Reagent : 101526.R04; 110626.R07; 102826.R19; 110226.R15; 110226.R26; 110226.R25; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 1440
Extraction date: 11/07/26 14:13:43
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103572FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/07/26 14:12:13
Analyzed Date : 11/10/26 10:36:39

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/10/26
Laboratory License #: 900013

Revision: #1 - Updated Retail Batch ID.

Revision: #1 This revision supersedes any and all previous versions of this document.