3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sweater Weather Cartridge Concentrate 900mg
Strain: Sweater Weather
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 8491587349173251
Retail Batch #: 6485826236613721
Batch Date: 11/06/26
Harvest Date: 09/16/26
Production Method: Other - Not Listed
Total Amount: 2,007 units (2,007 grams)
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 1535939936451542

Lab ID: MI61112001-007
Sampled: 11/11/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/15/26
Expires: 11/11/27
Manifest #: 9649306150674757
Source Facility: Tampa Processing

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00021CULPROTampa001

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
90.1%
Total THC/Container : 901 mg

Total CBD J
0.192%
Total CBD/Container : 1.92 mg

Total Cannabinoids
93.8%
Total Cannabinoids/Container : 938 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	90.1	<0.0194	0.192	<0.0194	<0.0194	2.11	<0.0194	0.224	0.750	<0.0194	0.393	<0.0194
mg/unit	901	<0.0194	1.92	<0.0194	<0.0194	21.1	<0.0194	2.24	7.50	<0.0194	3.93	<0.0194
Qualifier			J									
LOD (%)	0.0194	0.0194	0.0194	0.0194	0.0194	0.0194	0.0194	0.0194	0.0194	0.0194	0.0194	0.0194
LOQ (%)	0.194	0.194	0.194	0.194	0.194	0.194	0.194	0.194	0.194	0.194	0.194	0.194
Weight	0.103 g	0.103 g	0.103 g	0.103 g	0.103 g	0.103 g	0.103 g	0.103 g	0.103 g	0.103 g	0.103 g	0.103 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 5150, 1665, 3379, 1440
Extraction date: 11/12/26 14:03:39
Extracted by: 4640,5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103688POT
Instrument Used : DA-LC-008
Analyzed Date : 11/12/26 21:16:00
Batch Date : 11/12/26 11:09:42

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R22; 100526.16; 110326.R21
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/15/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sweater Weather Cartridge Concentrate 900mg
Strain: Sweater Weather
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00021CULPROTampa001

Sample: MI61112001-007
Batch #: 6485826236613721
Harvest/Lot ID: 8491587349173251
Seed to sale: 1535939936451542

Expires: 11/11/27
Ordered: 11/11/26
Sampled: 11/11/26
Completed: 11/15/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
PACKAGE LABEL DEVIATION (THC)					-100	-100	0.165	%		TESTED

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/13/26 12:24:40
Batch Date : N/A

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2115 g	10 ml	1 x		0.0331	0.0946	1.54	15.4		TESTED
LIMONENE	0.2115 g	10 ml	1 x		0.0331	0.0946	0.400	4.00		TESTED
BETA-MYRCENE	0.2115 g	10 ml	1 x		0.0331	0.0946	0.360	3.60		TESTED
BETA-CARYOPHYLLENE	0.2115 g	10 ml	1 x		0.0331	0.0946	0.306	3.06		TESTED
LINALOOL	0.2115 g	10 ml	1 x		0.0331	0.0946	0.113	1.13		TESTED
BETA-PINENE	0.2115 g	10 ml	1 x		0.0331	0.0946	0.0699	0.699	J	TESTED
ALPHA-BISABOLOL	0.2115 g	10 ml	1 x		0.0331	0.0946	0.0645	0.645	J	TESTED
FENCHYL ALCOHOL	0.2115 g	10 ml	1 x		0.0331	0.0946	0.0509	0.509	J	TESTED
ALPHA-TERPINEOL	0.2115 g	10 ml	1 x		0.0331	0.0946	0.0505	0.505	J	TESTED
GUAIOL	0.2115 g	10 ml	1 x		0.0331	0.0946	0.0456	0.456	J	TESTED
TRANS-NEROLIDOL	0.2115 g	10 ml	1 x		0.0236	0.0757	0.0438	0.438	J	TESTED
CARYOPHYLLENE OXIDE	0.2115 g	10 ml	1 x		0.0331	0.0946	0.0357	0.357	J	TESTED
CAMPHENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
HEXAHYDROTHYMOL	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ISOBORNEOL	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
OCIMENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ALPHA-HUMULENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ALPHA-PINENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ALPHA-TERPINOLENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
3-CARENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
BORNEOL	0.2115 g	10 ml	1 x		0.0615	0.189	<0.0615	<1.89		TESTED
CAMPHOR	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
CEDROL	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
EUCALYPTOL	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
FARNESENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
FENCHONE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
GERANIOL	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
GERANYL ACETATE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ISOPULEGOL	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
NEROL	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
PULEGONE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
SABINENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
SABINENE HYDRATE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
VALENCENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ALPHA-CEDRENE	0.2115 g	10 ml	1 x		0.0236	0.0757	<0.0236	<0.757		TESTED
ALPHA-PHELLANDRENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ALPHA-TERPINENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
CIS-NEROLIDOL	0.2115 g	10 ml	1 x		0.0142	0.0378	<0.0142	<0.378		TESTED
GAMMA-TERPINENE	0.2115 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/15/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sweater Weather Cartridge Concentrate 900mg
Strain: Sweater Weather
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00021CULPROTampa001

Sample: MI61112001-007
Batch #: 6485826236613721
Harvest/Lot ID: 8491587349173251
Seed to sale: 1535939936451542

Expires: 11/11/27
Ordered: 11/11/26
Sampled: 11/11/26
Completed: 11/15/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 3379, 1440
Extraction date: 11/12/26 13:50:06
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103693TER
Instrument Used : DA-GCMS-009
Batch Date : 11/12/26 11:22:26
Analyzed Date : 11/13/26 08:23:00

Reagent : 063026.02; 100526.16
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0023 g	25 ml	10 x	5	0.00998	0.0499	<0.00998	ppm		PASS
TOTAL DIMETHOMORPH	1.0023 g	25 ml	10 x	0.2	0.00978	0.0489	<0.00978	ppm		PASS
TOTAL PERMETHRIN	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
TOTAL PYRETHRINS	1.0023 g	25 ml	10 x	0.5	0.0300	0.150	<0.0300	ppm		PASS
TOTAL SPINETORAM	1.0023 g	25 ml	10 x	0.2	0.00978	0.0489	<0.00978	ppm		PASS
TOTAL SPINOSAD	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
ABAMECTIN B1A	1.0023 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
ACEPHATE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
ACEQUINOCYL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
ACETAMIPRID	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
ALDICARB	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
AZOXYSTROBIN	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
BIFENAZATE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
BIFENTHRIN	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
BOSCALID	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
CHLORPYRIFOS	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
CARBARYL	1.0023 g	25 ml	10 x	0.5	0.00998	0.0499	<0.00998	ppm		PASS
CLOFENTEZINE	1.0023 g	25 ml	10 x	0.2	0.00998	0.0499	<0.00998	ppm		PASS
CARBOFURAN	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
COUMAPHOS	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
CHLORANTRANILIPROLE	1.0023 g	25 ml	10 x	1	0.0998	0.499	<0.0998	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0023 g	25 ml	10 x	1	0.0998	0.499	<0.0998	ppm		PASS
DAMINOZIDE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
DIAZINON	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
DICHLORVOS	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
DIMETHOATE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
ETHOPROPHOS	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
ETOFENPROX	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
ETOXAZOLE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
FENHEXAMID	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
FENOXYCARB	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
FENPYROXIMATE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
FIPRONIL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
FLONICAMID	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
FLUDIOXONIL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
HEXYTHIAZOX	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
IMAZALIL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
IMIDACLOPRID	1.0023 g	25 ml	10 x	0.4	0.00998	0.0499	<0.00998	ppm		PASS
KRESOXIM-METHYL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/15/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sweater Weather Cartridge Concentrate 900mg
Strain: Sweater Weather
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00021CULPROTampa001

Sample: MI61112001-007
Batch #: 6485826236613721
Harvest/Lot ID: 8491587349173251
Seed to sale: 1535939936451542

Expires: 11/11/27
Ordered: 11/11/26
Sampled: 11/11/26
Completed: 11/15/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0023 g	25 ml	10 x	0.2	0.00998	0.0499	<0.00998	ppm		PASS
METALAXYL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
METHIOCARB	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
METHOMYL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
MEVINPHOS	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
MYCLOBUTANIL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
NALED	1.0023 g	25 ml	10 x	0.25	0.00998	0.0499	<0.00998	ppm		PASS
OXAMYL	1.0023 g	25 ml	10 x	0.5	0.00998	0.0499	<0.00998	ppm		PASS
PACLOBUTRAZOL	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
PHOSMET	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
PIPERONYL BUTOXIDE	1.0023 g	25 ml	10 x	3	0.0998	0.499	<0.0998	ppm		PASS
PRALLETHRIN	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
PROPICONAZOLE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
PROPOXUR	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
PYRIDABEN	1.0023 g	25 ml	10 x	0.2	0.00998	0.0499	<0.00998	ppm		PASS
SPIROMESIFEN	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
SPIROTETRAMAT	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
SPIROXAMINE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
TEBUCONAZOLE	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
THIACLOPRID	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
THIAMETHOXAM	1.0023 g	25 ml	10 x	0.5	0.00998	0.0499	<0.00998	ppm		PASS
TRIFLOXYSTROBIN	1.0023 g	25 ml	10 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0023 g	25 ml	5 x	0.15	0.00998	0.0748	<0.00998	ppm		PASS
TOTAL CHLORDANE	1.0023 g	25 ml	5 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
PARATHION-METHYL	1.0023 g	25 ml	5 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
CAPTAN	1.0023 g	25 ml	5 x	0.7	0.0698	0.349	<0.0698	ppm		PASS
CHLORFENAPYR	1.0023 g	25 ml	5 x	0.1	0.00998	0.0499	<0.00998	ppm		PASS
CYFLUTHRIN	1.0023 g	25 ml	5 x	0.5	0.0499	0.249	<0.0499	ppm		PASS
CYPERMETHRIN	1.0023 g	25 ml	5 x	0.5	0.0499	0.249	<0.0499	ppm		PASS

Analyzed by:
4451, 3379, 1440

Extraction date:
11/12/26 12:20:17

Extracted by:
4451,5072

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103683PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/12/26 10:25:19
Analyzed Date : 11/13/26 01:37:00

Reagent : 110926.R02; 082426.12; 111126.R03; 111026.R04; 111226.R01; 092326.R12; 111126.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
450, 3379, 1440

Extraction date:
11/12/26 12:20:17

Extracted by:
4451,5072

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103685VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/12/26 10:26:24
Analyzed Date : 11/13/26 03:38:00

Reagent : 110926.R02; 082426.12; 102626.R01; 110626.R15; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/15/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sweater Weather Cartridge Concentrate 900mg
Strain: Sweater Weather
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00021CULPROTampa001

Sample: MI61112001-007
Batch #: 6485826236613721
Harvest/Lot ID: 8491587349173251
Seed to sale: 1535939936451542

Expires: 11/11/27
Ordered: 11/11/26
Sampled: 11/11/26
Completed: 11/15/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0229 g	1 ml	1 x	8	0.699	3.49	<0.699	ppm		PASS
1,2-DICHLOROETHANE	0.0229 g	1 ml	1 x	2	0.175	0.873	<0.175	ppm		PASS
2-PROPANOL	0.0229 g	1 ml	1 x	500	43.7	218	<43.7	ppm		PASS
ACETONE	0.0229 g	1 ml	1 x	750	65.5	328	<65.5	ppm		PASS
ACETONITRILE	0.0229 g	1 ml	1 x	60	5.24	26.2	<5.24	ppm		PASS
BENZENE	0.0229 g	1 ml	1 x	1	0.0873	0.437	<0.0873	ppm		PASS
BUTANES (N-BUTANE)	0.0229 g	1 ml	1 x	5000	437	2180	<437	ppm		PASS
CHLOROFORM	0.0229 g	1 ml	1 x	2	0.175	0.873	<0.175	ppm		PASS
DICHLOROMETHANE	0.0229 g	1 ml	1 x	125	10.9	54.6	<10.9	ppm		PASS
ETHANOL	0.0229 g	1 ml	1 x	5000	437	2180	<437	ppm		PASS
ETHYL ACETATE	0.0229 g	1 ml	1 x	400	34.9	175	<34.9	ppm		PASS
ETHYL ETHER	0.0229 g	1 ml	1 x	500	43.7	218	<43.7	ppm		PASS
ETHYLENE OXIDE	0.0229 g	1 ml	1 x	5	0.437	2.18	<0.437	ppm		PASS
HEPTANE	0.0229 g	1 ml	1 x	5000	437	2180	<437	ppm		PASS
METHANOL	0.0229 g	1 ml	1 x	250	21.8	109	<21.8	ppm		PASS
N-HEXANE	0.0229 g	1 ml	1 x	250	21.8	109	<21.8	ppm		PASS
PENTANES (N-PENTANE)	0.0229 g	1 ml	1 x	750	65.5	328	<65.5	ppm		PASS
PROPANE	0.0229 g	1 ml	1 x	5000	437	943	<437	ppm		PASS
TOLUENE	0.0229 g	1 ml	1 x	150	13.1	65.5	<13.1	ppm		PASS
TOTAL XYLENES	0.0229 g	1 ml	1 x	150	13.1	65.5	<13.1	ppm		PASS
TRICHLOROETHYLENE	0.0229 g	1 ml	1 x	25	2.18	10.9	<2.18	ppm		PASS

Analyzed by:
4444, 3379, 1440

Extraction date:
11/12/26 13:10:13

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103706SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 11/13/26 00:29:33

Batch Date : 11/12/26 12:56:23

Reagent : 061323.06; 110226.R04; 110226.R05; 110226.R06
Consumables : 433241; 349074
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.88 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.88 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.88 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.88 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.88 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.88 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.909 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/15/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sweater Weather Cartridge Concentrate 900mg
Strain: Sweater Weather
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00021CULPROTampa001

Sample: MI61112001-007
Batch #: 6485826236613721
Harvest/Lot ID: 8491587349173251
Seed to sale: 1535939936451542

Expires: 11/11/27
Ordered: 11/11/26
Sampled: 11/11/26
Completed: 11/15/26

PASSED

Microbial — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4571, 4892, 3379, 1440
Extraction date: 11/12/26 11:28:40
Extracted by: 4892,4520

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103669MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-171 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 11/12/26 09:00:24
Analyzed Date : 11/14/26 14:26:22

Reagent : 072026.06; 072026.09; 110226.R14; 092526.05; 101926.R36; 110926.R12; 090326.02
Consumables : 7506501249
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 5008, 3379, 1440
Extraction date: 11/12/26 11:36:19
Extracted by: 4520

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103670TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 11/12/26 09:01:31
Analyzed Date : 11/14/26 16:51:36

Reagent : 022626.12; 030326.57; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0023 g	25 ml	10 x	0.02	0.00200	0.00998	<0.00200	ppm		PASS
AFLATOXIN B1	1.0023 g	25 ml	10 x	0.02	0.00200	0.00998	<0.00200	ppm		PASS
AFLATOXIN B2	1.0023 g	25 ml	10 x	0.02	0.00200	0.00998	<0.00200	ppm		PASS
AFLATOXIN G1	1.0023 g	25 ml	10 x	0.02	0.00200	0.00998	<0.00200	ppm		PASS
AFLATOXIN G2	1.0023 g	25 ml	10 x	0.02	0.00200	0.00998	<0.00200	ppm		PASS
OCHRATOXIN A	1.0023 g	25 ml	10 x	0.02	0.00200	0.00998	<0.00200	ppm		PASS

Analyzed by: 4451, 3379, 1440
Extraction date: 11/12/26 12:20:17
Extracted by: 4451,5072

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103684MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 11/12/26 10:26:19
Analyzed Date : 11/13/26 01:37:00

Reagent : 110926.R02; 082426.12; 111126.R03; 111026.R04; 111226.R01; 092326.R12; 111126.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.355 g			0.85	0.010	0.10	0.55	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/15/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sweater Weather Cartridge Concentrate 900mg
Strain: Sweater Weather
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Distillate

Certificate of Analysis

FLUENT
5540 W. Executive Drive
Tampa, FL, 33609, US
License # : M00021CULPROTampa001

Sample: MI61112001-007
Batch #: 6485826236613721
Harvest/Lot ID: 8491587349173251
Seed to sale: 1535939936451542

Expires: 11/11/27
Ordered: 11/11/26
Sampled: 11/11/26
Completed: 11/15/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 3379, 1440
Extraction date: 11/12/26 19:02:49
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103710WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/12/26 14:02:15
Analyzed Date : 11/13/26 10:46:59

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2539 g	50 ml	1 x	5	0.0197	0.0985	<0.0197	ppm		PASS
ARSENIC	0.2539 g	50 ml	1 x	0.2	0.0197	0.0985	<0.0197	ppm		PASS
CADMIUM	0.2539 g	50 ml	1 x	0.2	0.0197	0.0985	<0.0197	ppm		PASS
LEAD	0.2539 g	50 ml	1 x	0.5	0.0492	0.246	<0.0492	ppm		PASS
MERCURY	0.2539 g	50 ml	1 x	0.2	0.0197	0.0985	<0.0197	ppm		PASS
NICKEL	0.2539 g	50 ml	1 x	0.5	0.0492	0.246	<0.0492	ppm		PASS
TIN	0.2539 g	50 ml	1 x	4	0.394	1.97	<0.394	ppm		PASS

Analyzed by: 1022, 3379, 1440
Extraction date: 11/12/26 13:12:25
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103674HEA
Instrument Used : DA-ICPMS-004
Batch Date : 11/12/26 09:23:09
Analyzed Date : 11/12/26 21:51:00

Reagent : 101526.R04; 110626.R07; 102826.R19; 110226.R15; 110926.R15; 110926.R14; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 3379, 1440
Extraction date: 11/12/26 13:18:18
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103707FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/12/26 13:13:33
Analyzed Date : 11/12/26 15:23:56

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/15/26
Laboratory License #: 900013