3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GSSH Live Resin Disposable Vaporizer 1.0 g
Strain: Gassy Sherb
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 060526-GSSH-LR-FF
Retail Batch #: HLB-136-GSSH-DSP1
Batch Date: 11/12/26
Harvest Date: 06/05/26
Production Method: Other - Not Listed
Total Amount: 565 units (565 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 1 gram
Servings: 1
Seed To Sale #: 2323370083647791

Lab ID: MI61117002-002
Sampled: 11/16/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/20/26
Expires: 11/16/27
Manifest #: 1030901217372530
Source Facility: Lake Wales

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

GrowHealthy

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
74.9%
Total THC/Container : 749 mg

Total CBD
0.202%
Total CBD/Container : 2.02 mg

Total Cannabinoids
78.8%
Total Cannabinoids/Container : 788 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	58.4	18.8	0.100	0.116	<0.0182	0.167	0.310	0.296	0.253	<0.0182	0.194	0.170
mg/unit	584	188	1.00	1.16	<0.0182	1.67	3.10	2.96	2.53	<0.0182	1.94	1.70
Qualifier			J	J		J						J
LOD (%)	0.0182	0.0182	0.0182	0.0182	0.0182	0.0182	0.0182	0.0182	0.0182	0.0182	0.0182	0.0182
LOQ (%)	0.182	0.182	0.182	0.182	0.182	0.182	0.182	0.182	0.182	0.182	0.182	0.182
Weight	0.1099 g	0.1099 g	0.1099 g	0.1099 g	0.1099 g	0.1099 g	0.1099 g	0.1099 g	0.1099 g	0.1099 g	0.1099 g	0.1099 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 5150, 1665, 585, 1440
Extraction date: 11/17/26 12:49:59
Extracted by: 5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103809POT
Instrument Used : DA-LC-003
Analyzed Date : 11/17/26 22:35:00
Batch Date : 11/17/26 09:32:04

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R18; 102026.33; 110326.R17
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/20/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GSSH Live Resin Disposable Vaporizer 1.0 g
Strain: Gassy Sherb
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61117002-002
Batch #: HLB-136-GSSH-DSP1
Harvest/Lot ID: 060526-GSSH-LR-FF
Seed to sale: 2323370083647791

Expires: 11/16/27
Ordered: 11/16/26
Sampled: 11/16/26
Completed: 11/20/26

PASSED

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/18/26 16:13:58

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.217 g	10 ml	1 x		0.0323	0.0922	6.39	63.9		TESTED
LIMONENE	0.217 g	10 ml	1 x		0.0323	0.0922	1.60	16.0		TESTED
BETA-CARYOPHYLLENE	0.217 g	10 ml	1 x		0.0323	0.0922	1.16	11.6		TESTED
BETA-MYRCENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.938	9.38		TESTED
ALPHA-HUMULENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.443	4.43		TESTED
LINALOOL	0.217 g	10 ml	1 x		0.0323	0.0922	0.336	3.36		TESTED
ALPHA-PINENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.325	3.25		TESTED
TRANS-NEROLIDOL	0.217 g	10 ml	1 x		0.0230	0.0737	0.286	2.86		TESTED
FENCHYL ALCOHOL	0.217 g	10 ml	1 x		0.0323	0.0922	0.277	2.77		TESTED
OCIMENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.199	1.99		TESTED
ALPHA-BISABOLOL	0.217 g	10 ml	1 x		0.0323	0.0922	0.197	1.97		TESTED
ALPHA-TERPINEOL	0.217 g	10 ml	1 x		0.0323	0.0507	0.0813	0.813		TESTED
ALPHA-TERPINOLENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.0797	0.797	J	TESTED
CAMPHENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.0790	0.790	J	TESTED
BORNEOL	0.217 g	10 ml	1 x		0.0599	0.184	0.0719	0.719	J	TESTED
CARYOPHYLLENE OXIDE	0.217 g	10 ml	1 x		0.0323	0.0922	0.0469	0.469	J	TESTED
GAMMA-TERPINENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.0435	0.435	J	TESTED
ISOBORNEOL	0.217 g	10 ml	1 x		0.0323	0.0922	0.0427	0.427	J	TESTED
FENCHONE	0.217 g	10 ml	1 x		0.0323	0.0922	0.0395	0.395	J	TESTED
GUAIOL	0.217 g	10 ml	1 x		0.0323	0.0922	0.0353	0.353	J	TESTED
BETA-PINENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.0345	0.345	J	TESTED
ALPHA-TERPINENE	0.217 g	10 ml	1 x		0.0323	0.0922	0.0337	0.337	J	TESTED
EUCALYPTOL	0.217 g	10 ml	1 x		0.0323	0.0922	0.0329	0.329	J	TESTED
ALPHA-PHELLANDRENE	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
3-CARENE	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
CAMPHOR	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
CEDROL	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
FARNESENE	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
GERANIOL	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
GERANYL ACETATE	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
HEXAHYDROTHYMOL	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
ISOPULEGOL	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
NEROL	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
PULEGONE	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
SABINENE	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
SABINENE HYDRATE	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
VALENCENE	0.217 g	10 ml	1 x		0.0323	0.0922	<0.0323	<0.922		TESTED
ALPHA-CEDRENE	0.217 g	10 ml	1 x		0.0230	0.0737	<0.0230	<0.737		TESTED
CIS-NEROLIDOL	0.217 g	10 ml	1 x		0.0138	0.0369	<0.0138	<0.369		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/20/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GSSH Live Resin Disposable Vaporizer 1.0 g
Strain: Gassy Sherb
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61117002-002
Batch #: HLB-136-GSSH-DSP1
Harvest/Lot ID: 060526-GSSH-LR-FF
Seed to sale: 2323370083647791

Expires: 11/16/27
Ordered: 11/16/26
Sampled: 11/16/26
Completed: 11/20/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 1440
Extraction date: 11/17/26 14:02:41
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103811TER
Instrument Used : DA-GCMS-004
Batch Date : 11/17/26 10:25:07
Analyzed Date : 11/17/26 20:31:00

Reagent : 063026.02; 102026.33
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0443 g	25 ml	10 x	5	0.00958	0.0479	0.0201	ppm	J	PASS
TOTAL DIMETHOMORPH	1.0443 g	25 ml	10 x	0.2	0.00938	0.0469	<0.00938	ppm		PASS
TOTAL PERMETHRIN	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
TOTAL PYRETHRINS	1.0443 g	25 ml	10 x	0.5	0.0288	0.144	<0.0288	ppm		PASS
TOTAL SPINETORAM	1.0443 g	25 ml	10 x	0.2	0.00938	0.0469	<0.00938	ppm		PASS
TOTAL SPINOSAD	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
ABAMECTIN B1A	1.0443 g	25 ml	10 x	0.1	0.00919	0.0460	<0.00919	ppm		PASS
ACEPHATE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
ACEQUINOCYL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
ACETAMIPRID	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
ALDICARB	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
AZOXYSTROBIN	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
BIFENAZATE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
BIFENTHRIN	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	0.0201	ppm	J	PASS
BOSCALID	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
CHLORPYRIFOS	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
CARBARYL	1.0443 g	25 ml	10 x	0.5	0.00958	0.0479	<0.00958	ppm		PASS
CLOFENTEZINE	1.0443 g	25 ml	10 x	0.2	0.00958	0.0479	<0.00958	ppm		PASS
CARBOFURAN	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
COUMAPHOS	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
CHLORANTRANILIPROLE	1.0443 g	25 ml	10 x	1	0.0958	0.479	<0.0958	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0443 g	25 ml	10 x	1	0.0958	0.479	<0.0958	ppm		PASS
DAMINOZIDE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
DIAZINON	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
DICHLORVOS	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
DIMETHOATE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
ETHOPROPHOS	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
ETOFENPROX	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
ETOXAZOLE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
FENHEXAMID	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
FENOXYCARB	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
FENPYROXIMATE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
FIPRONIL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
FLONICAMID	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
FLUDIOXONIL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
HEXYTHIAZOX	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
IMAZALIL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
IMIDACLOPRID	1.0443 g	25 ml	10 x	0.4	0.00958	0.0479	<0.00958	ppm		PASS
KRESOXIM-METHYL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/20/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GSSH Live Resin Disposable Vaporizer 1.0 g
Strain: Gassy Sherb
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61117002-002
Batch #: HLB-136-GSSH-DSP1
Harvest/Lot ID: 060526-GSSH-LR-FF
Seed to sale: 2323370083647791

Expires: 11/16/27
Ordered: 11/16/26
Sampled: 11/16/26
Completed: 11/20/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0443 g	25 ml	10 x	0.2	0.00958	0.0479	<0.00958	ppm		PASS
METALAXYL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
METHIOCARB	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
METHOMYL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
MEVINPHOS	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
MYCLOBUTANIL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
NALED	1.0443 g	25 ml	10 x	0.25	0.00958	0.0479	<0.00958	ppm		PASS
OXAMYL	1.0443 g	25 ml	10 x	0.5	0.00958	0.0479	<0.00958	ppm		PASS
PACLOBUTRAZOL	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
PHOSMET	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
PIPERONYL BUTOXIDE	1.0443 g	25 ml	10 x	3	0.0958	0.479	<0.0958	ppm		PASS
PRALLETHRIN	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
PROPICONAZOLE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
PROPOXUR	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
PYRIDABEN	1.0443 g	25 ml	10 x	0.2	0.00958	0.0479	<0.00958	ppm		PASS
SPIROMESIFEN	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
SPIROTETRAMAT	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
SPIROXAMINE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
TEBUCONAZOLE	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
THIACLOPRID	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
THIAMETHOXAM	1.0443 g	25 ml	10 x	0.5	0.00958	0.0479	<0.00958	ppm		PASS
TRIFLOXYSTROBIN	1.0443 g	25 ml	10 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0443 g	25 ml	5 x	0.15	0.00958	0.0718	<0.00958	ppm		PASS
TOTAL CHLORDANE	1.0443 g	25 ml	5 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
PARATHION-METHYL	1.0443 g	25 ml	5 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
CAPTAN	1.0443 g	25 ml	5 x	0.7	0.0670	0.335	<0.0670	ppm		PASS
CHLORFENAPYR	1.0443 g	25 ml	5 x	0.1	0.00958	0.0479	<0.00958	ppm		PASS
CYFLUTHRIN	1.0443 g	25 ml	5 x	0.5	0.0479	0.239	<0.0479	ppm		PASS
CYPERMETHRIN	1.0443 g	25 ml	5 x	0.5	0.0479	0.239	<0.0479	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/17/26 12:08:03
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103795PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/17/26 08:36:32
Analyzed Date : 11/17/26 19:55:00

Reagent : 111326.R01; 082426.12; 111126.R03; 111726.R12; 111626.R09; 092326.R12; 111126.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 585, 1440
Extraction date: 11/17/26 12:08:03
Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103797VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/17/26 08:37:29
Analyzed Date : 11/18/26 03:24:00

Reagent : 111326.R01; 082426.12; 110626.R15; 090426.R12; 102626.R01
Consumables : 242011899; DMAX06D26S; 6002573-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/20/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GSSH Live Resin Disposable Vaporizer 1.0 g
Strain: Gassy Sherb
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61117002-002
Batch #: HLB-136-GSSH-DSP1
Harvest/Lot ID: 060526-GSSH-LR-FF
Seed to sale: 2323370083647791

Expires: 11/16/27
Ordered: 11/16/26
Sampled: 11/16/26
Completed: 11/20/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0224 g	1 ml	1 x	8	0.714	3.57	<0.714	ppm		PASS
1,2-DICHLOROETHANE	0.0224 g	1 ml	1 x	2	0.179	0.893	<0.179	ppm		PASS
2-PROPANOL	0.0224 g	1 ml	1 x	500	44.6	223	<44.6	ppm		PASS
ACETONE	0.0224 g	1 ml	1 x	750	67.0	335	<67.0	ppm		PASS
ACETONITRILE	0.0224 g	1 ml	1 x	60	5.36	26.8	<5.36	ppm		PASS
BENZENE	0.0224 g	1 ml	1 x	1	0.0893	0.446	0.434	ppm	J	PASS
BUTANES (N-BUTANE)	0.0224 g	1 ml	1 x	5000	446	2230	<446	ppm		PASS
CHLOROFORM	0.0224 g	1 ml	1 x	2	0.179	0.893	<0.179	ppm		PASS
DICHLOROMETHANE	0.0224 g	1 ml	1 x	125	11.2	55.8	<11.2	ppm		PASS
ETHANOL	0.0224 g	1 ml	1 x	5000	446	2230	<446	ppm		PASS
ETHYL ACETATE	0.0224 g	1 ml	1 x	400	35.7	179	<35.7	ppm		PASS
ETHYL ETHER	0.0224 g	1 ml	1 x	500	44.6	223	<44.6	ppm		PASS
ETHYLENE OXIDE	0.0224 g	1 ml	1 x	5	0.446	2.23	<0.446	ppm		PASS
HEPTANE	0.0224 g	1 ml	1 x	5000	446	2230	<446	ppm		PASS
METHANOL	0.0224 g	1 ml	1 x	250	22.3	112	<22.3	ppm		PASS
N-HEXANE	0.0224 g	1 ml	1 x	250	22.3	112	<22.3	ppm		PASS
PENTANES (N-PENTANE)	0.0224 g	1 ml	1 x	750	67.0	335	<67.0	ppm		PASS
PROPANE	0.0224 g	1 ml	1 x	5000	446	964	<446	ppm		PASS
TOLUENE	0.0224 g	1 ml	1 x	150	13.4	67.0	<13.4	ppm		PASS
TOTAL XYLENES	0.0224 g	1 ml	1 x	150	13.4	67.0	<13.4	ppm		PASS
TRICHLOROETHYLENE	0.0224 g	1 ml	1 x	25	2.23	11.2	<2.23	ppm		PASS

Analyzed by:
4444, 585, 1440

Extraction date:
11/17/26 13:11:52

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103812SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 11/19/26 07:19:00

Batch Date : 11/17/26 11:40:08

Reagent : 061323.06; 110226.R04; 110226.R05; 110226.R06
Consumables : 433241; 349074
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.057 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.057 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.057 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.057 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.057 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.057 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.156 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/20/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GSSH Live Resin Disposable Vaporizer 1.0 g
Strain: Gassy Sherb
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61117002-002
Batch #: HLB-136-GSSH-DSP1
Harvest/Lot ID: 060526-GSSH-LR-FF
Seed to sale: 2323370083647791

Expires: 11/16/27
Ordered: 11/16/26
Sampled: 11/16/26
Completed: 11/20/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4520, 585, 1440
Extraction date: 11/17/26 10:56:29
Extracted by: 4892

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103805MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 11/17/26 08:46:20
Analyzed Date : 11/19/26 13:07:46

Reagent : 071526.04; 072026.17; 111026.R20; 092526.05; 101926.R36; 110926.R12; 090326.02
Consumables : 7590007064
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 585, 1440
Extraction date: 11/17/26 10:54:02
Extracted by: 4892

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103806TYM
Instrument Used : DA-096 (25°C Incubator)
Batch Date : 11/17/26 08:46:24
Analyzed Date : 11/19/26 15:15:44

Reagent : 030326.60; 070626.13; 111226.34; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0443 g	25 ml	10 x	0.02	0.00192	0.00958	<0.00192	ppm		PASS
AFLATOXIN B1	1.0443 g	25 ml	10 x	0.02	0.00192	0.00958	<0.00192	ppm		PASS
AFLATOXIN B2	1.0443 g	25 ml	10 x	0.02	0.00192	0.00958	<0.00192	ppm		PASS
AFLATOXIN G1	1.0443 g	25 ml	10 x	0.02	0.00192	0.00958	<0.00192	ppm		PASS
AFLATOXIN G2	1.0443 g	25 ml	10 x	0.02	0.00192	0.00958	<0.00192	ppm		PASS
OCHRATOXIN A	1.0443 g	25 ml	10 x	0.02	0.00192	0.00958	<0.00192	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/17/26 12:08:03
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103796MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 11/17/26 08:37:25
Analyzed Date : 11/17/26 19:55:00

Reagent : 111326.R01; 082426.12; 111126.R03; 111726.R12; 111626.R09; 092326.R12; 111126.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.324 g			0.85	0.010	0.10	0.58	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature
11/20/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GSSH Live Resin Disposable Vaporizer 1.0 g
Strain: Gassy Sherb
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61117002-002
Batch #: HLB-136-GSSH-DSP1
Harvest/Lot ID: 060526-GSSH-LR-FF
Seed to sale: 2323370083647791

Expires: 11/16/27
Ordered: 11/16/26
Sampled: 11/16/26
Completed: 11/20/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585, 1440
Extraction date: 11/17/26 17:21:57
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103819WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/17/26 14:10:20
Analyzed Date : 11/18/26 10:05:28

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2507 g	50 ml	1 x	5	0.0199	0.0997	<0.0199	ppm		PASS
ARSENIC	0.2507 g	50 ml	1 x	0.2	0.0199	0.0997	<0.0199	ppm		PASS
CADMIUM	0.2507 g	50 ml	1 x	0.2	0.0199	0.0997	<0.0199	ppm		PASS
LEAD	0.2507 g	50 ml	1 x	0.5	0.0499	0.249	<0.0499	ppm		PASS
MERCURY	0.2507 g	50 ml	1 x	0.2	0.0199	0.0997	<0.0199	ppm		PASS
NICKEL	0.2507 g	50 ml	1 x	0.5	0.0499	0.249	<0.0499	ppm		PASS
TIN	0.2507 g	50 ml	1 x	4	0.399	1.99	<0.399	ppm		PASS

Analyzed by: 1022, 585, 1440
Extraction date: 11/17/26 12:38:24
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103808HEA
Instrument Used : DA-ICPMS-004
Batch Date : 11/17/26 09:31:46
Analyzed Date : 11/17/26 20:49:00

Reagent : 101526.R04; 110626.R07; 102826.R19; 111626.R01; 111626.R15; 111626.R14; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 1440
Extraction date: 11/18/26 11:49:14
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103846FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/18/26 11:45:42
Analyzed Date : 11/18/26 12:46:06

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/20/26
Laboratory License #: 900013