3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX SHCH Bubble Hash Temple Ball 1.0 g
Strain: Sharp Chedder
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 090126-SHCH-LR-FF
Retail Batch #: B1281-LR-SHCH-TB1
Batch Date: 11/10/26
Harvest Date: 09/01/26
Production Method: Other - Not Listed
Total Amount: 426 units (426 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 9278199479176737

Lab ID: MI61119001-004
Sampled: 11/18/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/22/26
Expires: 11/18/27
Manifest #: 6307227380911815
Source Facility: Lake Wales

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED	TESTED

Cannabinoid — TESTED

Total THC
64.3%
Total THC/Container : 643 mg

Total CBD J
0.188%
Total CBD/Container : 1.88 mg

Total Cannabinoids
74.7%
Total Cannabinoids/Container : 747 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	1.49	71.5	<0.0196	0.214	0.0998	0.166	0.380	<0.0196	<0.0196	0.0591	0.136	0.676
mg/unit	14.9	715	<0.0196	2.14	0.998	1.66	3.80	<0.0196	<0.0196	0.591	1.36	6.76
Qualifier					J	J				J	J	
LOD (%)	0.0196	0.0196	0.0196	0.0196	0.0196	0.0196	0.0196	0.0196	0.0196	0.0196	0.0196	0.0196
LOQ (%)	0.196	0.196	0.196	0.196	0.196	0.196	0.196	0.196	0.196	0.196	0.196	0.196
Weight	0.1022 g	0.1022 g	0.1022 g	0.1022 g	0.1022 g	0.1022 g	0.1022 g	0.1022 g	0.1022 g	0.1022 g	0.1022 g	0.1022 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4640, 1665, 585, 1440
Extraction date: 11/19/26 13:37:07
Extracted by: 5150,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103887POT
Instrument Used : DA-LC-003
Analyzed Date : 11/19/26 18:13:00
Batch Date : 11/19/26 11:52:44

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R18; 102026.33; 110326.R17
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX SHCH Bubble Hash Temple Ball 1.0 g
Strain: Sharp Chedder
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-004
Batch #: B1281-LR-SHCH-TB1
Harvest/Lot ID: 090126-SHCH-LR-FF
Seed to sale: 9278199479176737

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/20/26 10:57:27

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.209 g	10 ml	1 x		0.0335	0.0957	5.43	54.3		TESTED
BETA-MYRCENE	0.209 g	10 ml	1 x		0.0335	0.0957	1.81	18.1		TESTED
BETA-CARYOPHYLLENE	0.209 g	10 ml	1 x		0.0335	0.0957	1.28	12.8		TESTED
LIMONENE	0.209 g	10 ml	1 x		0.0335	0.0957	0.896	8.96		TESTED
ALPHA-HUMULENE	0.209 g	10 ml	1 x		0.0335	0.0957	0.553	5.53		TESTED
BETA-PINENE	0.209 g	10 ml	1 x		0.0335	0.0957	0.212	2.12		TESTED
LINALOOL	0.209 g	10 ml	1 x		0.0335	0.0957	0.138	1.38		TESTED
TRANS-NEROLIDOL	0.209 g	10 ml	1 x		0.0239	0.0766	0.131	1.31		TESTED
ALPHA-PINENE	0.209 g	10 ml	1 x		0.0335	0.0957	0.112	1.12		TESTED
CARYOPHYLLENE OXIDE	0.209 g	10 ml	1 x		0.0335	0.0957	0.112	1.12		TESTED
ALPHA-TERPINEOL	0.209 g	10 ml	1 x		0.0335	0.0957	0.0594	0.594	J	TESTED
FENCHYL ALCOHOL	0.209 g	10 ml	1 x		0.0335	0.0957	0.0562	0.562	J	TESTED
GUAIOL	0.209 g	10 ml	1 x		0.0335	0.0957	0.0415	0.415	J	TESTED
CAMPHENE	0.209 g	10 ml	1 x		0.0335	0.0957	0.0355	0.355	J	TESTED
EUCALYPTOL	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
OCIMENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
SABINENE HYDRATE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
ALPHA-BISABOLOL	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
ALPHA-TERPINOLENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
GAMMA-TERPINENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
3-CARENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
BORNEOL	0.209 g	10 ml	1 x		0.0622	0.191	<0.0622	<1.91		TESTED
CAMPHOR	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
CEDROL	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
FARNESENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
FENCHONE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
GERANIOL	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
GERANYL ACETATE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
HEXAHYDROTHYMOL	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
ISOBORNEOL	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
ISOPULEGOL	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
NEROL	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
PULEGONE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
SABINENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
VALENCENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
ALPHA-CEDRENE	0.209 g	10 ml	1 x		0.0239	0.0766	<0.0239	<0.766		TESTED
ALPHA-PHELLANDRENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
ALPHA-TERPINENE	0.209 g	10 ml	1 x		0.0335	0.0957	<0.0335	<0.957		TESTED
CIS-NEROLIDOL	0.209 g	10 ml	1 x		0.0144	0.0383	<0.0144	<0.383		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX SHCH Bubble Hash Temple Ball 1.0 g
Strain: Sharp Chedder
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-004
Batch #: B1281-LR-SHCH-TB1
Harvest/Lot ID: 090126-SHCH-LR-FF
Seed to sale: 9278199479176737

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 3379, 585, 1440
Extraction date: 11/19/26 13:39:36
Extracted by: 3379

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103872TER
Instrument Used : DA-GCMS-009
Batch Date : 11/19/26 10:14:49
Analyzed Date : 11/19/26 21:31:00

Reagent : 063026.02; 102026.33
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0462 g	25 ml	10 x	5	0.00956	0.0478	<0.00956	ppm		PASS
TOTAL DIMETHOMORPH	1.0462 g	25 ml	10 x	0.2	0.00937	0.0468	<0.00937	ppm		PASS
TOTAL PERMETHRIN	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
TOTAL PYRETHRINS	1.0462 g	25 ml	10 x	0.5	0.0288	0.144	<0.0288	ppm		PASS
TOTAL SPINETORAM	1.0462 g	25 ml	10 x	0.2	0.00937	0.0468	<0.00937	ppm		PASS
TOTAL SPINOSAD	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
ABAMECTIN B1A	1.0462 g	25 ml	10 x	0.1	0.00918	0.0459	<0.00918	ppm		PASS
ACEPHATE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
ACEQUINOCYL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
ACETAMIPRID	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
ALDICARB	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
AZOXYSTROBIN	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
BIFENAZATE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
BIFENTHRIN	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
BOSCALID	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
CHLORPYRIFOS	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
CARBARYL	1.0462 g	25 ml	10 x	0.5	0.00956	0.0478	<0.00956	ppm		PASS
CLOFENTEZINE	1.0462 g	25 ml	10 x	0.2	0.00956	0.0478	<0.00956	ppm		PASS
CARBOFURAN	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
COUMAPHOS	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
CHLORANTRANILIPROLE	1.0462 g	25 ml	10 x	1	0.0956	0.478	<0.0956	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0462 g	25 ml	10 x	1	0.0956	0.478	<0.0956	ppm		PASS
DAMINOZIDE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
DIAZINON	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
DICHLORVOS	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
DIMETHOATE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
ETHOPROPHOS	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
ETOFENPROX	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
ETOXAZOLE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
FENHEXAMID	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
FENOXYCARB	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
FENPYROXIMATE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
FIPRONIL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
FLONICAMID	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
FLUDIOXONIL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
HEXYTHIAZOX	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
IMAZALIL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
IMIDACLOPRID	1.0462 g	25 ml	10 x	0.4	0.00956	0.0478	<0.00956	ppm		PASS
KRESOXIM-METHYL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX SHCH Bubble Hash Temple Ball 1.0 g
Strain: Sharp Chedder
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-004
Batch #: B1281-LR-SHCH-TB1
Harvest/Lot ID: 090126-SHCH-LR-FF
Seed to sale: 9278199479176737

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0462 g	25 ml	10 x	0.2	0.00956	0.0478	<0.00956	ppm		PASS
METALAXYL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
METHIOCARB	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
METHOMYL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
MEVINPHOS	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
MYCLOBUTANIL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
NALED	1.0462 g	25 ml	10 x	0.25	0.00956	0.0478	<0.00956	ppm		PASS
OXAMYL	1.0462 g	25 ml	10 x	0.5	0.00956	0.0478	<0.00956	ppm		PASS
PACLOBUTRAZOL	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
PHOSMET	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
PIPERONYL BUTOXIDE	1.0462 g	25 ml	10 x	3	0.0956	0.478	<0.0956	ppm		PASS
PRALLETHRIN	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
PROPICONAZOLE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
PROPOXUR	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
PYRIDABEN	1.0462 g	25 ml	10 x	0.2	0.00956	0.0478	<0.00956	ppm		PASS
SPIROMESIFEN	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
SPIROTETRAMAT	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
SPIROXAMINE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
TEBUCONAZOLE	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
THIACLOPRID	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
THIAMETHOXAM	1.0462 g	25 ml	10 x	0.5	0.00956	0.0478	<0.00956	ppm		PASS
TRIFLOXYSTROBIN	1.0462 g	25 ml	10 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0462 g	25 ml	5 x	0.15	0.00956	0.0717	<0.00956	ppm		PASS
TOTAL CHLORDANE	1.0462 g	25 ml	5 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
PARATHION-METHYL	1.0462 g	25 ml	5 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
CAPTAN	1.0462 g	25 ml	5 x	0.7	0.0669	0.335	<0.0669	ppm		PASS
CHLORFENAPYR	1.0462 g	25 ml	5 x	0.1	0.00956	0.0478	<0.00956	ppm		PASS
CYFLUTHRIN	1.0462 g	25 ml	5 x	0.5	0.0478	0.239	<0.0478	ppm		PASS
CYPERMETHRIN	1.0462 g	25 ml	5 x	0.5	0.0478	0.239	<0.0478	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/19/26 13:09:47
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103874PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/19/26 10:34:22
Analyzed Date : 11/19/26 20:29:00

Reagent : 111726.R10; 082426.12; 111826.R03; 111726.R12; 111826.R26; 092326.R12; 111826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 5072, 585, 1440
Extraction date: 11/19/26 13:09:47
Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103876VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/19/26 10:36:47
Analyzed Date : 11/19/26 21:03:06

Reagent : 111726.R10; 082426.12; 102626.R01; 110626.R15; 111726.R41
Consumables : 242011899; DMAX06D26S; 6002573-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX SHCH Bubble Hash Temple Ball 1.0 g
Strain: Sharp Chedder
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-004
Batch #: B1281-LR-SHCH-TB1
Harvest/Lot ID: 090126-SHCH-LR-FF
Seed to sale: 9278199479176737

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Microbial — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.9481 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.9481 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.9481 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.9481 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.9481 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	0.9481 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.9481 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.8421 g	1 ml	10 x	100000	10.0	10.0	182	CFU/g		PASS

Analyzed by: 4571, 4520, 4892, 585, 1440
Extraction date: 11/19/26 12:38:35
Extracted by: 4892,4520

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103866MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 11/21/26 15:53:42
Batch Date : 11/19/26 08:56:28

Reagent : 071526.05; 071526.09; 071526.15; 111026.R20; 092526.05; 112026.R11; 110926.R12; 102326.02
Consumables : N/A
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4571, 4892, 585, 1440
Extraction date: 11/19/26 12:35:38
Extracted by: 4892,4520

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103867TYM
Instrument Used : DA-096 (25°C Incubator)
Analyzed Date : 11/21/26 15:58:32
Batch Date : 11/19/26 08:56:31

Reagent : 030326.60; 111226.34; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0462 g	25 ml	10 x	0.02	0.00191	0.00956	<0.00191	ppm		PASS
AFLATOXIN B1	1.0462 g	25 ml	10 x	0.02	0.00191	0.00956	<0.00191	ppm		PASS
AFLATOXIN B2	1.0462 g	25 ml	10 x	0.02	0.00191	0.00956	<0.00191	ppm		PASS
AFLATOXIN G1	1.0462 g	25 ml	10 x	0.02	0.00191	0.00956	<0.00191	ppm		PASS
AFLATOXIN G2	1.0462 g	25 ml	10 x	0.02	0.00191	0.00956	<0.00191	ppm		PASS
OCHRATOXIN A	1.0462 g	25 ml	10 x	0.02	0.00191	0.00956	<0.00191	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/19/26 13:09:47
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103875MYC
Instrument Used : DA-LCMS-004 (MYC)
Analyzed Date : 11/19/26 20:29:00
Batch Date : 11/19/26 10:36:37

Reagent : 111726.R10; 082426.12; 111826.R03; 111726.R12; 111826.R26; 092326.R12; 111826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX SHCH Bubble Hash Temple Ball 1.0 g
Strain: Sharp Chedder
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-004
Batch #: B1281-LR-SHCH-TB1
Harvest/Lot ID: 090126-SHCH-LR-FF
Seed to sale: 9278199479176737

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Water Activity — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.48 g			0.85	0.010	0.10	0.56	aw		PASS

Analyzed by: 5412, 585, 1440
Extraction date: 11/19/26 18:56:25
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103893WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/19/26 13:54:22
Analyzed Date : 11/20/26 10:04:09

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Moisture Content — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.503 g			15		0.1	1.2	%		PASS

Analyzed by: 5412, 585, 1440
Extraction date: 11/19/26 18:26:39
Extracted by: 5412

Analysis Method : SOP.T.40.021.FL
Analytical Batch : MI103892MOI
Instrument Used : DA-003 Moisture Analyzer
Batch Date : 11/19/26 13:53:30
Analyzed Date : 11/20/26 10:01:21

Reagent : 071626.12; 110426.01
Consumables : N/A
Pipette : DA-066

Heavy Metals — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2859 g	50 ml	1 x	5	0.0175	0.0874	0.198	ppm		PASS
ARSENIC	0.2859 g	50 ml	1 x	0.2	0.0175	0.0874	<0.0175	ppm		PASS
CADMIUM	0.2859 g	50 ml	1 x	0.2	0.0175	0.0874	<0.0175	ppm		PASS
LEAD	0.2859 g	50 ml	1 x	0.5	0.0437	0.219	0.0883	ppm	J	PASS
MERCURY	0.2859 g	50 ml	1 x	0.2	0.0175	0.0874	<0.0175	ppm		PASS
NICKEL	0.2859 g	50 ml	1 x	0.5	0.0437	0.219	0.109	ppm	J	PASS
TIN	0.2859 g	50 ml	1 x	4	0.350	1.75	<0.350	ppm		PASS

Analyzed by: 1022, 585, 1440
Extraction date: 11/19/26 15:41:56
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103870HEA
Instrument Used : DA-ICPMS-004
Batch Date : 11/19/26 09:53:54
Analyzed Date : 11/20/26 02:36:00

Reagent : 111926.R03; 110626.R07; 102826.R19; 111626.R01; 111626.R15; 111626.R14; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

MPX SHCH Bubble Hash Temple Ball 1.0 g
Strain: Sharp Chedder
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-004
Batch #: B1281-LR-SHCH-TB1
Harvest/Lot ID: 090126-SHCH-LR-FF
Seed to sale: 9278199479176737

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by:
4571, 585, 1440

Extraction date:
11/19/26 16:02:59

Extracted by:
4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103895FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/19/26 16:00:40
Analyzed Date : 11/20/26 11:10:49

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013