3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

DDSL Live Resin Disposable Vaporizer 2.0 g
Strain: Durban Diesel
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 101626-DBFK-LR-FF
Retail Batch #: HLB-140-DDSL-DSP2
Batch Date: 11/18/26
Harvest Date: 10/16/26
Production Method: Other - Not Listed
Total Amount: 543 units (1,086 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 2 gram
Retail Serving Size: 2 gram
Servings: 1
Seed To Sale #: 7595591805148564

Lab ID: MI61119001-005
Sampled: 11/18/26
Sampling Method: SOP.T.20.010
Sample Size: 9 units
Completed: 11/22/26
Expires: 11/18/27
Manifest #: 6307227380911815
Source Facility: Lake Wales

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

GrowHealthy

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
61.5%
Total THC/Container : 1230 mg

Total CBD
0.213%
Total CBD/Container : 4.25 mg

Total Cannabinoids
69.3%
Total Cannabinoids/Container : 1390 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	35.6	29.5	0.0941	0.135	<0.0195	0.320	0.950	0.0793	1.28	<0.0195	0.132	1.14
mg/unit	712	591	1.88	2.70	<0.0195	6.40	19.0	1.59	25.5	<0.0195	2.64	22.8
Qualifier			J	J				J			J	
LOD (%)	0.0195	0.0195	0.0195	0.0195	0.0195	0.0195	0.0195	0.0195	0.0195	0.0195	0.0195	0.0195
LOQ (%)	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195	0.195
Weight	0.1024 g	0.1024 g	0.1024 g	0.1024 g	0.1024 g	0.1024 g	0.1024 g	0.1024 g	0.1024 g	0.1024 g	0.1024 g	0.1024 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 585, 1440

Extraction date:
11/19/26 13:37:07

Extracted by:
5150,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103887POT
Instrument Used : DA-LC-003
Analyzed Date : 11/19/26 18:23:00
Batch Date : 11/19/26 11:52:44

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R18; 102026.33; 110326.R17
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

DDSL Live Resin Disposable Vaporizer 2.0 g
Strain: Durban Diesel
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-005
Batch #: HLB-140-DDSL-DSP2
Harvest/Lot ID: 101626-DBFK-LR-FF
Seed to sale: 7595591805148564

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/20/26 10:57:33

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2371 g	10 ml	1 x		0.0295	0.0844	11.7	234		TESTED
ALPHA-TERPINOLENE	0.2371 g	10 ml	1 x		0.0295	0.0844	2.94	58.8		TESTED
BETA-CARYOPHYLLENE	0.2371 g	10 ml	1 x		0.0295	0.0844	1.99	39.7		TESTED
OCIMENE	0.2371 g	10 ml	1 x		0.0295	0.0844	1.55	30.9		TESTED
BETA-MYRCENE	0.2371 g	10 ml	1 x		0.0295	0.0844	1.42	28.3		TESTED
ALPHA-HUMULENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.866	17.3		TESTED
LIMONENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.803	16.1		TESTED
FARNESENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.442	8.84		TESTED
GUAIOL	0.2371 g	10 ml	1 x		0.0295	0.0844	0.350	7.00		TESTED
ALPHA-PINENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.287	5.73		TESTED
ALPHA-BISABOLOL	0.2371 g	10 ml	1 x		0.0295	0.0844	0.211	4.21		TESTED
ALPHA-TERPINENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.143	2.85		TESTED
ALPHA-PHELLANDRENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.118	2.35		TESTED
GAMMA-TERPINENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.101	2.02		TESTED
3-CARENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.0865	1.73		TESTED
ALPHA-TERPINEOL	0.2371 g	10 ml	1 x		0.0295	0.0844	0.0833	1.67	J	TESTED
BETA-PINENE	0.2371 g	10 ml	1 x		0.0295	0.0844	0.0831	1.66	J	TESTED
LINALOOL	0.2371 g	10 ml	1 x		0.0295	0.0844	0.0819	1.64	J	TESTED
FENCHYL ALCOHOL	0.2371 g	10 ml	1 x		0.0295	0.0844	0.0773	1.55	J	TESTED
TRANS-NEROLIDOL	0.2371 g	10 ml	1 x		0.0211	0.0675	0.0687	1.37		TESTED
CAMPHENE	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
EUCALYPTOL	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
BORNEOL	0.2371 g	10 ml	1 x		0.0548	0.169	<0.0548	<1.69		TESTED
CAMPHOR	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
CARYOPHYLLENE OXIDE	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
CEDROL	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
FENCHONE	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
GERANIOL	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
GERANYL ACETATE	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
HEXAHYDROTHYMOL	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
ISOBORNEOL	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
ISOPULEGOL	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
NEROL	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
PULEGONE	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
SABINENE	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
SABINENE HYDRATE	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
VALENCENE	0.2371 g	10 ml	1 x		0.0295	0.0844	<0.0295	<0.844		TESTED
ALPHA-CEDRENE	0.2371 g	10 ml	1 x		0.0211	0.0675	<0.0211	<0.675		TESTED
CIS-NEROLIDOL	0.2371 g	10 ml	1 x		0.0127	0.0337	<0.0127	<0.337		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

DDSL Live Resin Disposable Vaporizer 2.0 g
Strain: Durban Diesel
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-005
Batch #: HLB-140-DDSL-DSP2
Harvest/Lot ID: 101626-DBFK-LR-FF
Seed to sale: 7595591805148564

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 3379, 585, 1440
Extraction date: 11/19/26 13:39:36
Extracted by: 3379

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103872TER
Instrument Used : DA-GCMS-009
Analyzed Date : 11/19/26 21:58:00
Batch Date : 11/19/26 10:14:49

Reagent : 063026.02; 102026.33
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.1214 g	25 ml	10 x	5	0.00892	0.0446	0.0214	ppm	J	PASS
TOTAL DIMETHOMORPH	1.1214 g	25 ml	10 x	0.2	0.00874	0.0437	<0.00874	ppm		PASS
TOTAL PERMETHRIN	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
TOTAL PYRETHRINS	1.1214 g	25 ml	10 x	0.5	0.0268	0.134	<0.0268	ppm		PASS
TOTAL SPINETORAM	1.1214 g	25 ml	10 x	0.2	0.00874	0.0437	<0.00874	ppm		PASS
TOTAL SPINOSAD	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
ABAMECTIN B1A	1.1214 g	25 ml	10 x	0.1	0.00856	0.0428	<0.00856	ppm		PASS
ACEPHATE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
ACEQUINOCYL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
ACETAMIPRID	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
ALDICARB	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
AZOXYSTROBIN	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
BIFENAZATE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
BIFENTHRIN	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	0.0214	ppm	J	PASS
BOSCALID	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
CHLORPYRIFOS	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
CARBARYL	1.1214 g	25 ml	10 x	0.5	0.00892	0.0446	<0.00892	ppm		PASS
CLOFENTEZINE	1.1214 g	25 ml	10 x	0.2	0.00892	0.0446	<0.00892	ppm		PASS
CARBOFURAN	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
COUMAPHOS	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
CHLORANTRANILIPROLE	1.1214 g	25 ml	10 x	1	0.0892	0.446	<0.0892	ppm		PASS
CHLORMEQUAT CHLORIDE	1.1214 g	25 ml	10 x	1	0.0892	0.446	<0.0892	ppm		PASS
DAMINOZIDE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
DIAZINON	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
DICHLORVOS	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
DIMETHOATE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
ETHOPROPHOS	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
ETOFENPROX	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
ETOXAZOLE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
FENHEXAMID	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
FENOXYCARB	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
FENPYROXIMATE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
FIPRONIL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
FLONICAMID	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
FLUDIOXONIL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
HEXYTHIAZOX	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
IMAZALIL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
IMIDACLOPRID	1.1214 g	25 ml	10 x	0.4	0.00892	0.0446	<0.00892	ppm		PASS
KRESOXIM-METHYL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

DDSL Live Resin Disposable Vaporizer 2.0 g
Strain: Durban Diesel
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-005
Batch #: HLB-140-DDSL-DSP2
Harvest/Lot ID: 101626-DBFK-LR-FF
Seed to sale: 7595591805148564

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.1214 g	25 ml	10 x	0.2	0.00892	0.0446	<0.00892	ppm		PASS
METALAXYL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
METHIOCARB	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
METHOMYL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
MEVINPHOS	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
MYCLOBUTANIL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
NALED	1.1214 g	25 ml	10 x	0.25	0.00892	0.0446	<0.00892	ppm		PASS
OXAMYL	1.1214 g	25 ml	10 x	0.5	0.00892	0.0446	<0.00892	ppm		PASS
PACLOBUTRAZOL	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
PHOSMET	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
PIPERONYL BUTOXIDE	1.1214 g	25 ml	10 x	3	0.0892	0.446	<0.0892	ppm		PASS
PRALLETHRIN	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
PROPICONAZOLE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
PROPOXUR	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
PYRIDABEN	1.1214 g	25 ml	10 x	0.2	0.00892	0.0446	<0.00892	ppm		PASS
SPIROMESIFEN	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
SPIROTETRAMAT	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
SPIROXAMINE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
TEBUCONAZOLE	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
THIACLOPRID	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
THIAMETHOXAM	1.1214 g	25 ml	10 x	0.5	0.00892	0.0446	<0.00892	ppm		PASS
TRIFLOXYSTROBIN	1.1214 g	25 ml	10 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.1214 g	25 ml	5 x	0.15	0.00892	0.0669	<0.00892	ppm		PASS
TOTAL CHLORDANE	1.1214 g	25 ml	5 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
PARATHION-METHYL	1.1214 g	25 ml	5 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
CAPTAN	1.1214 g	25 ml	5 x	0.7	0.0624	0.312	<0.0624	ppm		PASS
CHLORFENAPYR	1.1214 g	25 ml	5 x	0.1	0.00892	0.0446	<0.00892	ppm		PASS
CYFLUTHRIN	1.1214 g	25 ml	5 x	0.5	0.0446	0.223	<0.0446	ppm		PASS
CYPERMETHRIN	1.1214 g	25 ml	5 x	0.5	0.0446	0.223	<0.0446	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/19/26 13:09:47
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103874PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/19/26 10:34:22
Analyzed Date : 11/19/26 20:42:00

Reagent : 111726.R10; 082426.12; 111826.R03; 111726.R12; 111826.R26; 092326.R12; 111826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 5072, 585, 1440
Extraction date: 11/19/26 13:09:47
Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103876VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/19/26 10:36:47
Analyzed Date : 11/19/26 21:18:36

Reagent : 111726.R10; 082426.12; 102626.R01; 110626.R15; 111726.R41
Consumables : 242011899; DMAX06D26S; 6002573-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

DDSL Live Resin Disposable Vaporizer 2.0 g
Strain: Durban Diesel
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-005
Batch #: HLB-140-DDSL-DSP2
Harvest/Lot ID: 101626-DBFK-LR-FF
Seed to sale: 7595591805148564

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.025 g	1 ml	1 x	8	0.640	3.20	<0.640	ppm		PASS
1,2-DICHLOROETHANE	0.025 g	1 ml	1 x	2	0.160	0.800	<0.160	ppm		PASS
2-PROPANOL	0.025 g	1 ml	1 x	500	40.0	200	<40.0	ppm		PASS
ACETONE	0.025 g	1 ml	1 x	750	60.0	300	<60.0	ppm		PASS
ACETONITRILE	0.025 g	1 ml	1 x	60	4.80	24.0	<4.80	ppm		PASS
BENZENE	0.025 g	1 ml	1 x	1	0.0800	0.400	<0.0800	ppm		PASS
BUTANES (N-BUTANE)	0.025 g	1 ml	1 x	5000	400	2000	<400	ppm		PASS
CHLOROFORM	0.025 g	1 ml	1 x	2	0.160	0.800	<0.160	ppm		PASS
DICHLOROMETHANE	0.025 g	1 ml	1 x	125	10.0	50.0	<10.0	ppm		PASS
ETHANOL	0.025 g	1 ml	1 x	5000	400	2000	<400	ppm		PASS
ETHYL ACETATE	0.025 g	1 ml	1 x	400	32.0	160	<32.0	ppm		PASS
ETHYL ETHER	0.025 g	1 ml	1 x	500	40.0	200	<40.0	ppm		PASS
ETHYLENE OXIDE	0.025 g	1 ml	1 x	5	0.400	2.00	<0.400	ppm		PASS
HEPTANE	0.025 g	1 ml	1 x	5000	400	2000	<400	ppm		PASS
METHANOL	0.025 g	1 ml	1 x	250	20.0	100	<20.0	ppm		PASS
N-HEXANE	0.025 g	1 ml	1 x	250	20.0	100	<20.0	ppm		PASS
PENTANES (N-PENTANE)	0.025 g	1 ml	1 x	750	60.0	300	<60.0	ppm		PASS
PROPANE	0.025 g	1 ml	1 x	5000	400	864	<400	ppm		PASS
TOLUENE	0.025 g	1 ml	1 x	150	12.0	60.0	<12.0	ppm		PASS
TOTAL XYLENES	0.025 g	1 ml	1 x	150	12.0	60.0	<12.0	ppm		PASS
TRICHLOROETHYLENE	0.025 g	1 ml	1 x	25	2.00	10.0	<2.00	ppm		PASS

Analyzed by:
4444, 585, 1440

Extraction date:
11/19/26 13:55:34

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103890SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 11/20/26 04:17:15

Batch Date : 11/19/26 13:43:54

Reagent : 061323.06; 110226.R04; 110226.R05; 110226.R06
Consumables : 433241; 349074
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.995 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.995 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.995 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.995 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.995 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.995 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.959 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

DDSL Live Resin Disposable Vaporizer 2.0 g
Strain: Durban Diesel
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-005
Batch #: HLB-140-DDSL-DSP2
Harvest/Lot ID: 101626-DBFK-LR-FF
Seed to sale: 7595591805148564

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4571, 4520, 4892, 585, 1440
Extraction date: 11/19/26 12:38:35
Extracted by: 4892,4520

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103866MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 11/19/26 08:56:28
Analyzed Date : 11/21/26 15:53:43

Reagent : 071526.05; 071526.09; 071526.15; 111026.R20; 092526.05; 112026.R11; 110926.R12; 102326.02
Consumables : N/A
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4571, 4892, 585, 1440
Extraction date: 11/19/26 12:35:38
Extracted by: 4892,4520

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103867TYM
Instrument Used : DA-096 (25°C Incubator)
Batch Date : 11/19/26 08:56:31
Analyzed Date : 11/21/26 15:58:33

Reagent : 030326.60; 111226.34; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.1214 g	25 ml	10 x	0.02	0.00178	0.00892	<0.00178	ppm		PASS
AFLATOXIN B1	1.1214 g	25 ml	10 x	0.02	0.00178	0.00892	<0.00178	ppm		PASS
AFLATOXIN B2	1.1214 g	25 ml	10 x	0.02	0.00178	0.00892	<0.00178	ppm		PASS
AFLATOXIN G1	1.1214 g	25 ml	10 x	0.02	0.00178	0.00892	<0.00178	ppm		PASS
AFLATOXIN G2	1.1214 g	25 ml	10 x	0.02	0.00178	0.00892	<0.00178	ppm		PASS
OCHRATOXIN A	1.1214 g	25 ml	10 x	0.02	0.00178	0.00892	<0.00178	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/19/26 13:09:47
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103875MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 11/19/26 10:36:37
Analyzed Date : 11/19/26 20:42:00

Reagent : 111726.R10; 082426.12; 111826.R03; 111726.R12; 111826.R26; 092326.R12; 111826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.362 g			0.85	0.010	0.10	0.53	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature
11/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

DDSL Live Resin Disposable Vaporizer 2.0 g
Strain: Durban Diesel
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61119001-005
Batch #: HLB-140-DDSL-DSP2
Harvest/Lot ID: 101626-DBFK-LR-FF
Seed to sale: 7595591805148564

Expires: 11/18/27
Ordered: 11/18/26
Sampled: 11/18/26
Completed: 11/22/26

PASSED

Water Activity — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585, 1440
Extraction date: 11/19/26 18:56:25
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103893WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/19/26 13:54:22
Analyzed Date : 11/20/26 10:04:11

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2593 g	50 ml	1 x	5	0.0193	0.0964	<0.0193	ppm		PASS
ARSENIC	0.2593 g	50 ml	1 x	0.2	0.0193	0.0964	<0.0193	ppm		PASS
CADMIUM	0.2593 g	50 ml	1 x	0.2	0.0193	0.0964	<0.0193	ppm		PASS
LEAD	0.2593 g	50 ml	1 x	0.5	0.0482	0.241	<0.0482	ppm		PASS
MERCURY	0.2593 g	50 ml	1 x	0.2	0.0193	0.0964	<0.0193	ppm		PASS
NICKEL	0.2593 g	50 ml	1 x	0.5	0.0482	0.241	<0.0482	ppm		PASS
TIN	0.2593 g	50 ml	1 x	4	0.386	1.93	<0.386	ppm		PASS

Analyzed by: 1022, 585, 1440
Extraction date: 11/19/26 15:42:53
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103870HEA
Instrument Used : DA-ICPMS-004
Batch Date : 11/19/26 09:53:54
Analyzed Date : 11/20/26 02:41:00

Reagent : 111926.R03; 110626.R07; 102826.R19; 111626.R01; 111626.R15; 111626.R14; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 1440
Extraction date: 11/19/26 16:02:59
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103895FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/19/26 16:00:40
Analyzed Date : 11/20/26 10:55:05

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/22/26
Laboratory License #: 900013