kaycha LABS
3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GrowHealthy GUGA Kief 1.0 g
Strain: Guava Gas
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Kief

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 100326-GUGA
Retail Batch #: KF-110426-GUGA-1-KF1
Batch Date: 11/17/26
Harvest Date: 10/03/26
Production Method: Dry Sift
Total Amount: 328 units (328 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 3535670003660153

Lab ID: MI61120003-005
Sampled: 11/19/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/23/26
Expires: 11/19/27
Manifest #: 1770695694735019
Source Facility: Lake Wales

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

GrowHealthy

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED	TESTED

Cannabinoid — TESTED

Total THC
54.7%
Total THC/Container : 547 mg

Total CBD
0.239%
Total CBD/Container : 2.39 mg

Total Cannabinoids
64.6%
Total Cannabinoids/Container : 646 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	2.19	59.8	<0.0191	0.272	0.0808	0.772	0.943	<0.0191	<0.0191	<0.0191	0.120	0.375
mg/unit	21.9	598	<0.0191	2.72	0.808	7.72	9.43	<0.0191	<0.0191	<0.0191	1.20	3.75
Qualifier					J						J	
LOD (%)	0.0191	0.0191	0.0191	0.0191	0.0191	0.0191	0.0191	0.0191	0.0191	0.0191	0.0191	0.0191
LOQ (%)	0.191	0.191	0.191	0.191	0.191	0.191	0.191	0.191	0.191	0.191	0.191	0.191
Weight	0.1049 g	0.1049 g	0.1049 g	0.1049 g	0.1049 g	0.1049 g	0.1049 g	0.1049 g	0.1049 g	0.1049 g	0.1049 g	0.1049 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4640, 1665, 585, 1440
Extraction date: 11/20/26 12:12:26
Extracted by: 4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103917POT
Instrument Used : DA-LC-003
Analyzed Date : 11/20/26 21:57:00
Batch Date : 11/20/26 10:12:14

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R18; 102026.33; 110326.R17
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/23/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GrowHealthy GUGA Kief 1.0 g
Strain: Guava Gas
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Kief

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61120003-005
Batch #: KF-110426-GUGA-1-KF1
Harvest/Lot ID: 100326-GUGA
Seed to sale: 3535670003660153

Expires: 11/19/27
Ordered: 11/19/26
Sampled: 11/19/26
Completed: 11/23/26

PASSED

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/23/26 10:40:49

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2093 g	10 ml	1 x		0.0334	0.0956	2.34	23.4		TESTED
BETA-CARYOPHYLLENE	0.2093 g	10 ml	1 x		0.0334	0.0956	0.483	4.83		TESTED
BETA-MYRCENE	0.2093 g	10 ml	1 x		0.0334	0.0956	0.434	4.34		TESTED
LIMONENE	0.2093 g	10 ml	1 x		0.0334	0.0956	0.419	4.19		TESTED
LINALOOL	0.2093 g	10 ml	1 x		0.0334	0.0956	0.213	2.13		TESTED
GUAIOL	0.2093 g	10 ml	1 x		0.0334	0.0956	0.196	1.96		TESTED
ALPHA-HUMULENE	0.2093 g	10 ml	1 x		0.0334	0.0956	0.164	1.64		TESTED
ALPHA-TERPINEOL	0.2093 g	10 ml	1 x		0.0334	0.0956	0.0979	0.979		TESTED
FENCHYL ALCOHOL	0.2093 g	10 ml	1 x		0.0334	0.0956	0.0905	0.905	J	TESTED
ALPHA-BISABOLOL	0.2093 g	10 ml	1 x		0.0334	0.0956	0.0805	0.805	J	TESTED
CARYOPHYLLENE OXIDE	0.2093 g	10 ml	1 x		0.0334	0.0956	0.0744	0.744	J	TESTED
TRANS-NEROLIDOL	0.2093 g	10 ml	1 x		0.0239	0.0764	0.0566	0.566	J	TESTED
BETA-PINENE	0.2093 g	10 ml	1 x		0.0334	0.0956	0.0371	0.371	J	TESTED
FARNESENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
GERANIOL	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
OCIMENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
ALPHA-PINENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
ALPHA-TERPINOLENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
3-CARENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
BORNEOL	0.2093 g	10 ml	1 x		0.0621	0.191	<0.0621	<1.91		TESTED
CAMPHENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
CAMPHOR	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
CEDROL	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
EUCALYPTOL	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
FENCHONE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
GERANYL ACETATE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
HEXAHYDROTHYMOL	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
ISOBORNEOL	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
ISOPULEGOL	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
NEROL	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
PULEGONE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
SABINENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
SABINENE HYDRATE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
VALENCENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
ALPHA-CEDRENE	0.2093 g	10 ml	1 x		0.0239	0.0764	<0.0239	<0.764		TESTED
ALPHA-PHELLANDRENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
ALPHA-TERPINENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED
CIS-NEROLIDOL	0.2093 g	10 ml	1 x		0.0143	0.0382	<0.0143	<0.382		TESTED
GAMMA-TERPINENE	0.2093 g	10 ml	1 x		0.0334	0.0956	<0.0334	<0.956		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/23/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GrowHealthy GUGA Kief 1.0 g
Strain: Guava Gas
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Kief

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61120003-005
Batch #: KF-110426-GUGA-1-KF1
Harvest/Lot ID: 100326-GUGA
Seed to sale: 3535670003660153

Expires: 11/19/27
Ordered: 11/19/26
Sampled: 11/19/26
Completed: 11/23/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 3379, 4531, 585, 1440
Extraction date: 11/20/26 11:14:19
Extracted by: 4531,3379

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103915TER
Instrument Used : DA-GCMS-009
Batch Date : 11/20/26 10:01:11
Analyzed Date : 11/20/26 23:25:00

Reagent : 063026.02; 102026.33
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0966 g	25 ml	10 x	5	0.00912	0.0456	<0.00912	ppm		PASS
TOTAL DIMETHOMORPH	1.0966 g	25 ml	10 x	0.2	0.00894	0.0447	<0.00894	ppm		PASS
TOTAL PERMETHRIN	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
TOTAL PYRETHRINS	1.0966 g	25 ml	10 x	0.5	0.0274	0.137	<0.0274	ppm		PASS
TOTAL SPINETORAM	1.0966 g	25 ml	10 x	0.2	0.00894	0.0447	<0.00894	ppm		PASS
TOTAL SPINOSAD	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
ABAMECTIN B1A	1.0966 g	25 ml	10 x	0.1	0.00875	0.0438	<0.00875	ppm		PASS
ACEPHATE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
ACEQUINOCYL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
ACETAMIPRID	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
ALDICARB	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
AZOXYSTROBIN	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
BIFENAZATE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
BIFENTHRIN	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
BOSCALID	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
CHLORPYRIFOS	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
CARBARYL	1.0966 g	25 ml	10 x	0.5	0.00912	0.0456	<0.00912	ppm		PASS
CLOFENTEZINE	1.0966 g	25 ml	10 x	0.2	0.00912	0.0456	<0.00912	ppm		PASS
CARBOFURAN	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
COUMAPHOS	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
CHLORANTRANILIPROLE	1.0966 g	25 ml	10 x	1	0.0912	0.456	<0.0912	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0966 g	25 ml	10 x	1	0.0912	0.456	<0.0912	ppm		PASS
DAMINOZIDE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
DIAZINON	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
DICHLORVOS	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
DIMETHOATE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
ETHOPROPHOS	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
ETOFENPROX	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
ETOXAZOLE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
FENHEXAMID	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
FENOXYCARB	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
FENPYROXIMATE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
FIPRONIL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
FLONICAMID	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
FLUDIOXONIL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
HEXYTHIAZOX	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
IMAZALIL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
IMIDACLOPRID	1.0966 g	25 ml	10 x	0.4	0.00912	0.0456	<0.00912	ppm		PASS
KRESOXIM-METHYL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/23/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GrowHealthy GUGA Kief 1.0 g
Strain: Guava Gas
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Kief

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61120003-005
Batch #: KF-110426-GUGA-1-KF1
Harvest/Lot ID: 100326-GUGA
Seed to sale: 3535670003660153

Expires: 11/19/27
Ordered: 11/19/26
Sampled: 11/19/26
Completed: 11/23/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0966 g	25 ml	10 x	0.2	0.00912	0.0456	<0.00912	ppm		PASS
METALAXYL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
METHIOCARB	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
METHOMYL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
MEVINPHOS	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
MYCLOBUTANIL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
NALED	1.0966 g	25 ml	10 x	0.25	0.00912	0.0456	<0.00912	ppm		PASS
OXAMYL	1.0966 g	25 ml	10 x	0.5	0.00912	0.0456	<0.00912	ppm		PASS
PACLOBUTRAZOL	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
PHOSMET	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
PIPERONYL BUTOXIDE	1.0966 g	25 ml	10 x	3	0.0912	0.456	<0.0912	ppm		PASS
PRALLETHRIN	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
PROPICONAZOLE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
PROPOXUR	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
PYRIDABEN	1.0966 g	25 ml	10 x	0.2	0.00912	0.0456	<0.00912	ppm		PASS
SPIROMESIFEN	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
SPIROTETRAMAT	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
SPIROXAMINE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
TEBUCONAZOLE	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
THIACLOPRID	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
THIAMETHOXAM	1.0966 g	25 ml	10 x	0.5	0.00912	0.0456	<0.00912	ppm		PASS
TRIFLOXYSTROBIN	1.0966 g	25 ml	10 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0966 g	25 ml	5 x	0.15	0.00912	0.0684	<0.00912	ppm		PASS
TOTAL CHLORDANE	1.0966 g	25 ml	5 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
PARATHION-METHYL	1.0966 g	25 ml	5 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
CAPTAN	1.0966 g	25 ml	5 x	0.7	0.0638	0.319	<0.0638	ppm		PASS
CHLORFENAPYR	1.0966 g	25 ml	5 x	0.1	0.00912	0.0456	<0.00912	ppm		PASS
CYFLUTHRIN	1.0966 g	25 ml	5 x	0.5	0.0456	0.228	<0.0456	ppm		PASS
CYPERMETHRIN	1.0966 g	25 ml	5 x	0.5	0.0456	0.228	<0.0456	ppm		PASS

Analyzed by:
4451, 585, 1440

Extraction date:
11/20/26 10:57:05

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103907PES
Instrument Used : DA-LCMS-003 (PES)
Batch Date : 11/20/26 09:20:15
Analyzed Date : 11/20/26 19:04:00

Reagent : 111726.R10; 082426.12; 111826.R03; 111726.R11; 111726.R13; 092326.R12; 111826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 585, 1440

Extraction date:
11/20/26 10:57:05

Extracted by:
4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103909VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/20/26 09:22:59
Analyzed Date : 11/20/26 19:19:00

Reagent : 111726.R10; 082426.12; 102626.R01; 110626.R15; 111726.R41
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/23/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GrowHealthy GUGA Kief 1.0 g
Strain: Guava Gas
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Kief

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61120003-005
Batch #: KF-110426-GUGA-1-KF1
Harvest/Lot ID: 100326-GUGA
Seed to sale: 3535670003660153

Expires: 11/19/27
Ordered: 11/19/26
Sampled: 11/19/26
Completed: 11/23/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.881 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.881 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.881 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.881 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.881 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	0.881 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.881 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.999 g	1 ml	10 x	100000	10.0	10.0	115	CFU/g		PASS

Analyzed by: 4520, 585, 1440
Extraction date: 11/20/26 10:23:08
Extracted by: 4892,4520

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103905MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 11/23/26 11:38:21
Batch Date : 11/20/26 09:00:30

Reagent : 071526.09; 111026.R20; 092526.05; 071526.07; 071526.14; 112026.R11; 110926.R12; 090326.02
Consumables : 7590007037
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 4571, 585, 1440
Extraction date: 11/20/26 10:24:04
Extracted by: 4892

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103906TYM
Instrument Used : DA-096 (25°C Incubator)
Analyzed Date : 11/23/26 10:40:22
Batch Date : 11/20/26 09:01:16

Reagent : 022626.07; 030326.68; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0966 g	25 ml	10 x	0.02	0.00182	0.00912	<0.00182	ppm		PASS
AFLATOXIN B1	1.0966 g	25 ml	10 x	0.02	0.00182	0.00912	<0.00182	ppm		PASS
AFLATOXIN B2	1.0966 g	25 ml	10 x	0.02	0.00182	0.00912	<0.00182	ppm		PASS
AFLATOXIN G1	1.0966 g	25 ml	10 x	0.02	0.00182	0.00912	<0.00182	ppm		PASS
AFLATOXIN G2	1.0966 g	25 ml	10 x	0.02	0.00182	0.00912	<0.00182	ppm		PASS
OCHRATOXIN A	1.0966 g	25 ml	10 x	0.02	0.00182	0.00912	<0.00182	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/20/26 10:57:05
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103908MYC
Instrument Used : DA-LCMS-003 (MYC)
Analyzed Date : 11/20/26 19:04:00
Batch Date : 11/20/26 09:22:52

Reagent : 111726.R10; 082426.12; 111826.R03; 111726.R11; 111726.R13; 092326.R12; 111826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/23/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GrowHealthy GUGA Kief 1.0 g
Strain: Guava Gas
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Kief

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61120003-005
Batch #: KF-110426-GUGA-1-KF1
Harvest/Lot ID: 100326-GUGA
Seed to sale: 3535670003660153

Expires: 11/19/27
Ordered: 11/19/26
Sampled: 11/19/26
Completed: 11/23/26

PASSED

Water Activity — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.307 g			0.85	0.010	0.10	0.56	aw		PASS

Analyzed by: 5412, 585, 1440
Extraction date: 11/20/26 16:50:37
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103927WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/20/26 14:09:53
Analyzed Date : 11/23/26 10:38:01

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Moisture Content — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.505 g			15		0.1	4.4	%		PASS

Analyzed by: 5412, 585, 1440
Extraction date: 11/20/26 16:34:10
Extracted by: 5412

Analysis Method : SOP.T.40.021.FL
Analytical Batch : MI103926MOI
Instrument Used : DA-003 Moisture Analyzer
Batch Date : 11/20/26 14:08:55
Analyzed Date : 11/23/26 09:57:08

Reagent : 071626.12; 110426.01
Consumables : N/A
Pipette : DA-066

Heavy Metals — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2532 g	50 ml	1 x	5	0.0197	0.0987	0.0683	ppm	J	PASS
ARSENIC	0.2532 g	50 ml	1 x	0.2	0.0197	0.0987	<0.0197	ppm		PASS
CADMIUM	0.2532 g	50 ml	1 x	0.2	0.0197	0.0987	<0.0197	ppm		PASS
LEAD	0.2532 g	50 ml	1 x	0.5	0.0494	0.247	<0.0494	ppm		PASS
MERCURY	0.2532 g	50 ml	1 x	0.2	0.0197	0.0987	<0.0197	ppm		PASS
NICKEL	0.2532 g	50 ml	1 x	0.5	0.0494	0.247	0.0683	ppm	J	PASS
TIN	0.2532 g	50 ml	1 x	4	0.395	1.97	<0.395	ppm		PASS

Analyzed by: 1022, 585, 1440
Extraction date: 11/20/26 11:50:58
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103916HEA
Instrument Used : DA-ICPMS-004
Batch Date : 11/20/26 10:01:15
Analyzed Date : 11/20/26 18:53:00

Reagent : 111926.R03; 112026.R10; 102826.R19; 050126.02; 111626.R01; 111626.R15; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/23/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

GrowHealthy GUGA Kief 1.0 g
Strain: Guava Gas
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Kief

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61120003-005
Batch #: KF-110426-GUGA-1-KF1
Harvest/Lot ID: 100326-GUGA
Seed to sale: 3535670003660153

Expires: 11/19/27
Ordered: 11/19/26
Sampled: 11/19/26
Completed: 11/23/26

PASSED

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by:
4571, 585, 1440

Extraction date:
11/20/26 12:17:31

Extracted by:
4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103924FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/20/26 12:12:21
Analyzed Date : 11/23/26 10:34:51

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/23/26
Laboratory License #: 900013