



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED



Harvest Batch #: 1169124042731952
Retail Batch #: 260708.ISOG.1bubh
Batch Date: 07/08/26
Harvest Date: 06/01/26
Production Method: Other - Not Listed
Total Amount: 345 units
Cultivation Facility: Auburndale
Processing Facility: Auburndale
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 4564370667562076

Lab ID: MI60710003-001
Sampled: 07/09/26
Sample Size: 16 units
Completed: 07/13/26
Expires: 07/10/27
Manifest #: 7340245903299039
Source Facility: Auburndale

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US

License #: M00016CULPROAuburndale001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture Content
TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
62.7%

Total THC/Container : 627 mg



Total CBD
0.222%

Total CBD/Container : 2.22 mg



Total Cannabinoids
73.5%

Total Cannabinoids/Container : 735 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.761	70.7	<0.00200	0.253	<0.00200	0.211	1.19	<0.00200	<0.00200	<0.00200	<0.00200	0.434
mg/unit	7.61	707	<0.00200	2.53	<0.00200	2.11	11.9	<0.00200	<0.00200	<0.00200	<0.00200	4.34
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Analyzed by:
5150, 1665, 585, 4571

Weight:
0.1041g

Extraction date:
07/10/26 12:44:27

Extracted by:
5150,5072

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100493POT

Instrument Used : DA-LC-008 (Derivative)

Analyzed Date : 07/13/26 10:21:18

Batch Date : 07/10/26 12:15:24

Dilution : 400

Reagent : 061226.R31; 042926.43; 061226.R30

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
07/13/26
Laboratory License #: 900013



HASH-Insa OG-1G
 Strain: HASH-Insa OG-1G
 Matrix: Derivative
 Classification: Derivative Product Intended for Inhalation
 Type: Bubble Hash

**Pages 2 of 7**

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60710003-001
Batch #: 260708.ISOG.1bubh
Harvest/Lot ID: 1169124042731952
Seed to sale: 4564370667562076

Expires: 07/10/27
Ordered: 07/09/26
Sampled: 07/09/26
Completed: 07/13/26

PASSED



Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
Analyzed by: Analysis Method : N/A Analytical Batch : N/A Instrument Used : N/A Analyzed Date : 07/13/26 10:21:17	Weight:	Extraction date:				Extracted by:	
				Batch Date : N/A			



Terpenes

TESTED

ANALYTES		LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
TOTAL TERPENES		0.00700	0.0200		TESTED	4.25	42.5
BETA-CARYOPHYLLENE		0.00700	0.0200		TESTED	1.05	10.5
LIMONENE		0.00700	0.0200		TESTED	0.974	9.74
BETA-MYRCENE		0.00700	0.0200		TESTED	0.680	6.80
LINALOOL		0.00700	0.0200		TESTED	0.310	3.10
BETA-PINENE		0.00700	0.0200		TESTED	0.226	2.26
ALPHA-PINENE		0.00700	0.0200		TESTED	0.213	2.13
ALPHA-HUMULENE		0.00700	0.0200		TESTED	0.158	1.58
ALPHA-BISABOLOL		0.00700	0.0200		TESTED	0.149	1.49
VALENCENE		0.00700	0.0200		TESTED	0.145	1.45
FENCHYL ALCOHOL		0.00700	0.0200		TESTED	0.104	1.04
ALPHA-TERPINEOL		0.00700	0.0200		TESTED	0.0720	0.720
FARNESENE		0.00700	0.0200		TESTED	0.0695	0.695
CARYOPHYLLENE OXIDE		0.00700	0.0200		TESTED	0.0538	0.538
CAMPHENE		0.00700	0.0200		TESTED	0.0276	0.276
TRANS-NEROLIDOL		0.00500	0.0160		TESTED	0.0227	0.227
3-CARENE		0.00700	0.0200		TESTED	<0.0200	<0.200
GERANIOL		0.00700	0.0200		TESTED	<0.0200	<0.200
OCIMENE		0.00700	0.0200		TESTED	<0.0200	<0.200
ALPHA-TERPINOLENE		0.00700	0.0200		TESTED	<0.0200	<0.200
BORNEOL		0.0130	0.0400		TESTED	<0.0130	<0.400
CAMPHOR		0.00700	0.0200		TESTED	<0.00700	<0.200
CEDROL		0.00700	0.0200		TESTED	<0.00700	<0.200
EUCALYPTOL		0.00700	0.0200		TESTED	<0.00700	<0.200
FENCHONE		0.00700	0.0200		TESTED	<0.00700	<0.200
GERANYL ACETATE		0.00700	0.0200		TESTED	<0.00700	<0.200
GUAIOL		0.00700	0.0200		TESTED	<0.00700	<0.200
HEXAHYDROTHYMOL		0.00700	0.0200		TESTED	<0.00700	<0.200
ISOBORNEOL		0.00700	0.0200		TESTED	<0.00700	<0.200
ISOPULEGOL		0.00700	0.0200		TESTED	<0.00700	<0.200
NEROL		0.00700	0.0200		TESTED	<0.00700	<0.200
PULEGONE		0.00700	0.0200		TESTED	<0.00700	<0.200
SABINENE		0.00700	0.0200		TESTED	<0.00700	<0.200
SABINENE HYDRATE		0.00700	0.0200		TESTED	<0.00700	<0.200
ALPHA-CEDRENE		0.00500	0.0160		TESTED	<0.00500	<0.160
ALPHA-PHELLANDRENE		0.00700	0.0200		TESTED	<0.00700	<0.200
ALPHA-TERPINENE		0.00700	0.0200		TESTED	<0.00700	<0.200
CIS-NEROLIDOL		0.00300	0.00800		TESTED	<0.00300	<0.0800
GAMMA-TERPINENE		0.00700	0.0200		TESTED	<0.00700	<0.200

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
07/13/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33823, US
(954) 368-7664

Kaycha Labs

.....
HASH-Insa OG-1G
Strain: HASH-Insa OG-1G
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 3 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60710003-001

Batch #: 260708.ISOG.1bubh
Harvest/Lot ID: 1169124042731952
Seed to sale: 4564370667562076

Expires: 07/10/27

Ordered: 07/09/26
Sampled: 07/09/26
Completed: 07/13/26

PASSED



Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT) QUALIFIER
Analyzed by: 4531, 585, 4571	Weight: 0.2066g	Extraction date: 07/10/26 11:22:02			Extracted by: 4531	
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL						
Analytical Batch : MI100489TER						
Instrument Used : DA-GCMS-009						
Analyzed Date : 07/13/26 10:21:21						
Batch Date : 07/10/26 10:05:37						
Dilution : 10						
Reagent : 041326.42						
Consumables : 947.110; 04312111; 2240626; 0000355309						
Pipette : DA-065						
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.						



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	<0.0100	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	<0.0100	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/13/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
HASH-Insa OG-1G
Strain: HASH-Insa OG-1G
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 4 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60710003-001

Batch #: 260708.ISOG.1bubh
Harvest/Lot ID: 1169124042731952
Seed to sale: 4564370667562076

Expires: 07/10/27

Ordered: 07/09/26
Sampled: 07/09/26
Completed: 07/13/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.25	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0750	0.15	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CAPTAN	ppm	0.0700	0.350	0.7	PASS	<0.0700	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	

Analyzed by: 4451, 585, 4571	Weight: 0.2245g	Extraction date: 07/10/26 11:15:15	Extracted by: 4640
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100481PES

Instrument Used : DA-LCMS-004 (PES)

Analyzed Date : 07/13/26 10:10:12

Batch Date : 07/10/26 09:41:35

Dilution : 250

Reagent : 070926.R01; 012026.01; 070826.R03; 070826.R33; 071026.R02; 061626.R24; 070826.R01

Consumables : 947.110; 030125CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 4571	Weight: 0.2245g	Extraction date: 07/10/26 11:15:15	Extracted by: 4640
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100483VOL

Instrument Used : DA-GCMS-011

Analyzed Date : 07/13/26 10:08:30

Batch Date : 07/10/26 09:42:34

Dilution : 250

Reagent : 070926.R01; 012026.01; 070826.R43; 070826.R44

Consumables : 947.110; 030125CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/13/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
HASH-Insa OG-1G
Strain: HASH-Insa OG-1G
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 5 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60710003-001

Batch #: 260708.ISOG.1bubh
Harvest/Lot ID: 1169124042731952
Seed to sale: 4564370667562076

Expires: 07/10/27

Ordered: 07/09/26
Sampled: 07/09/26
Completed: 07/13/26

PASSED



Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS FUMIGATUS	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS NIGER	RFU	10000	10000	10000	PASS	Not Present	
ASPERGILLUS TERREUS	RFU	10000	10000	10000	PASS	Not Present	
ECOLI - SHIGELLA	RFU	1900	1900	1949	PASS	Not Present	
SALMONELLA SPECIFIC GENE	RFU	10000	10000	10000	PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

Analyzed by: 4520, 585, 4571 Weight: 1.008g Extraction date: 07/10/26 10:02:28 Extracted by: 4520

Analysis Method : SOP.T.40.056C
Analytical Batch : MI100475MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 07/13/26 12:38:56 Batch Date : 07/10/26 08:23:25
Dilution : 10
Reagent : 041326.04; 051326.R45; 031026.15
Consumables : 7590002013
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4520, 5008, 585, 4571 Weight: 0.927g Extraction date: 07/10/26 10:05:57 Extracted by: 4520

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI100476TYM
Instrument Used : DA-328 (25°C Incubator) Batch Date : 07/10/26 08:24:09
Analyzed Date : 07/13/26 10:19:33
Dilution : 10
Reagent : 022626.119; 022626.120; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	

Analyzed by: 4451, 585, 4571 Weight: 0.2245g Extraction date: 07/10/26 11:15:15 Extracted by: 4640

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100482MYC
Instrument Used : DA-LCMS-004 (MYC) Batch Date : 07/10/26 09:42:28
Analyzed Date : 07/13/26 10:11:08
Dilution : 250
Reagent : 070926.R01; 012026.01; 070826.R03; 070826.R32; 071026.R01; 061626.R24; 070826.R01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/13/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
HASH-Insa OG-1G
Strain: HASH-Insa OG-1G
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 6 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60710003-001

Batch #: 260708.ISOG.1bubh
Harvest/Lot ID: 1169124042731952
Seed to sale: 4564370667562076

Expires: 07/10/27

Ordered: 07/09/26
Sampled: 07/09/26
Completed: 07/13/26

PASSED



Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.59	
Analyzed by: 4056, 585, 4571	Weight: 0.925g	Extraction date: 07/10/26 16:26:33				Extracted by: 4056	
Analysis Method : SOP.T.40.019 Analytical Batch : MI100497WAT Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 07/13/26 09:43:50 Batch Date : 07/10/26 15:11:18							
Dilution : N/A Reagent : 050726.03 Consumables : PS-14 Pipette : N/A							



Moisture Content

TESTED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
MOISTURE CONTENT	%	1.00	1.00		TESTED	2.52	
Analyzed by: 4056, 585, 4571	Weight: 0.515g	Extraction date: 07/10/26 16:45:36				Extracted by: 4056	
Analysis Method : SOP.T.40.021.FL Analytical Batch : MI100495MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 07/13/26 09:46:23 Batch Date : 07/10/26 15:10:58							
Dilution : N/A Reagent : 070626.02; 031523.19 Consumables : N/A Pipette : DA-066							



Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	<0.0800	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	<0.0200	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	<0.0200	
LEAD	ppm	0.0200	0.100	0.5	PASS	<0.0200	
MERCURY	ppm	0.0200	0.100	0.2	PASS	<0.0200	
Analyzed by: 1022, 585, 4571	Weight: 0.246g	Extraction date: 07/10/26 11:24:55				Extracted by: 1022,5122	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI100478HEA Instrument Used : DA-ICPMS-005 Analyzed Date : 07/13/26 10:12:30 Batch Date : 07/10/26 08:59:11							
Dilution : 50 Reagent : 070826.R29; 070826.R34; 062426.R44; 070626.R51; 070626.R48; 070626.R49; 070626.R50; 070626.02; 052826.R08; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-191; DA-215; DA-435							

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/13/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
HASH-Insa OG-1G
Strain: HASH-Insa OG-1G
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Bubble Hash



Certificate of Analysis

Pages 7 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60710003-001

Batch #: 260708.ISOG.1bubh
Harvest/Lot ID: 1169124042731952
Seed to sale: 4564370667562076

Expires: 07/10/27

Ordered: 07/09/26
Sampled: 07/09/26
Completed: 07/13/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

FILTH AND FOREIGN MATERIAL

UNIT

LOD

LOQ

LIMIT

PASS/FAIL

RESULT

QUALIFIER

	%	0.100	0.500	1	PASS	<0.100	
Analyzed by: 4571, 585	Weight: 1g	Extraction date: 07/10/26 13:25:50				Extracted by: 4571	

Analysis Method : SOP.T.40.090

Analytical Batch : MI100494FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/13/26 10:15:55

Batch Date : 07/10/26 13:24:35

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian
Celestino**

Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/13/26
Laboratory License #: 900013