



Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED




Harvest Batch #: 6454555851547001
Retail Batch #: 260715.LRLEM.0200
Batch Date: 07/24/26
Harvest Date: 07/09/24
Production Method: Other - Not Listed
Total Amount: 1,325 units (81,617.2175 grams)
Cultivation Facility: Auburndale
Processing Facility: Auburndale
Retail Product Size: 61.5979 gram
Retail Serving Size: 3 gram
Servings: 20
Seed To Sale #: 6952247574428788

Lab ID: MI60725004-005
Sampled: 07/24/26
Sample Size: 8 units
Completed: 07/30/26
Expires: 07/25/27
Manifest #: 1962295438274938
Source Facility: Auburndale

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.314%

Total THC/Container : 193 mg



Total CBD
0.000769%

Total CBD/Container : 0.474 mg



Total Cannabinoids
0.335%

Total Cannabinoids/Container : 206 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.312	0.00225	0.000769	<0.0000670	<0.0000670	0.0112	0.00114	0.00129	0.00148	<0.0000670	0.00371	0.000814
mg/unit	192	1.38	0.474	<0.0000670	<0.0000670	6.88	0.701	0.795	0.911	<0.0000670	2.29	0.501
Qualifier												
LOD (%)	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670
LOQ (%)	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
Weight	2.7616 g	2.7616 g	2.7616 g	2.7616 g	2.7616 g	2.7616 g	2.7616 g	2.7616 g	2.7616 g	2.7616 g	2.7616 g	2.7616 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x

Analyzed by:
4640, 1665, 585, 1440

Extraction date:
07/27/26 13:05:41

Extracted by:
5150,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100853POT

Instrument Used : DA-LC-008 (Edible)

Analyzed Date : 07/27/26 21:44:00

Batch Date : 07/27/26 06:37:08

Reagent : 070626.02; 072126.R02; 010825.18; 102725.04; 072126.R01

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-055; DA-063; DA-067

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LRCHEW-Lemon-200mg
Strain: LRCHEW-Lemon-200mg
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 2 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License #: M00016CULPROAuburndale001

Sample: MI60725004-005

Batch #: 260715.LRLEM.0200
Harvest/Lot ID: 6454555851547001
Seed to sale: 6952247574428788

Expires: 07/25/27

Ordered: 07/24/26
Sampled: 07/24/26
Completed: 07/30/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.



Label Claim Verification

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

PACKAGE LABEL DEVIATION (THC)

-100 -100 -3.33 % TESTED

Analyzed by:

Extraction date:

Extracted by:

Analysis Method : N/A

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : 07/28/26 12:19:12

Batch Date : N/A



Pesticide

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

TOTAL CONTAMINANT LOAD (PESTICIDES)	0.9559 g	25 ml	10 x	30	0.0100	0.0500	<0.0100	ppm	PASS
TOTAL DIMETHOMORPH	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
TOTAL PERMETHRIN	0.9559 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm	PASS
TOTAL PYRETHRINS	0.9559 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm	PASS
TOTAL SPINETORAM	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
TOTAL SPINOSAD	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
ABAMECTIN B1A	0.9559 g	25 ml	10 x	0.3	0.0100	0.0500	<0.0100	ppm	PASS
ACEPHATE	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
ACEQUINOCYL	0.9559 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm	PASS
ACETAMIPRID	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
ALDICARB	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
AZOXYSTROBIN	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
BIFENAZATE	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
CHLORPYRIFOS	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
BIFENTHRIN	0.9559 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS
BOSCALID	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
CARBARYL	0.9559 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS
CLOFENTEZINE	0.9559 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm	PASS
CARBOFURAN	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
COUMAPHOS	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
CHLORANTRANILIPROLE	0.9559 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm	PASS
CHLORMEQUAT CHLORIDE	0.9559 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm	PASS
DAMINOZIDE	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
DIAZINON	0.9559 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm	PASS
DICHLORVOS	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
DIMETHOATE	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
ETHOPROPHOS	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
ETOFENPROX	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
ETOXAZOLE	0.9559 g	25 ml	10 x	1.5	0.0100	0.0500	<0.0100	ppm	PASS
FENHEXAMID	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
FENOXYCARB	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
FENPYROXIMATE	0.9559 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm	PASS
FIPRONIL	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
FLONICAMID	0.9559 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm	PASS
FLUDIOXONIL	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS
HEXYTHIAZOX	0.9559 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm	PASS
IMAZALIL	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm	PASS
IMIDACLOPRID	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm	PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
LRCHEW-Lemon-200mg
Strain: LRCHEW-Lemon-200mg
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 3 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60725004-005

Batch #: 260715.LRLEM.0200
Harvest/Lot ID: 6454555851547001
Seed to sale: 6952247574428788

Expires: 07/25/27

Ordered: 07/24/26
Sampled: 07/24/26
Completed: 07/30/26

PASSED



Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	0.9559 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
MALATHION	0.9559 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.9559 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.9559 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.9559 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.9559 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.9559 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS
PROCONAZOLE	0.9559 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.9559 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.9559 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.9559 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.9559 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.9559 g	25 ml	1 x	0.2	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.9559 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.9559 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.9559 g	25 ml	1 x	3	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.9559 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.9559 g	25 ml	1 x	1	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.9559 g	25 ml	1 x	1	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by:
4451, 585, 1440

Extraction date:
07/27/26 13:20:41

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100862PES

Instrument Used : DA-LCMS-005 (PES)

Batch Date : 07/27/26 07:16:17

Analyzed Date : 07/28/26 06:03:00

Reagent : 072426.R02; 012026.01; 072226.R03; 072426.R01; 072726.R05; 061626.R24; 072226.R01

Consumables : 947.110; 040724CH01; 6822423-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
4451, 3335, 585, 1440

Extraction date:
07/27/26 13:20:41

Extracted by:
4451,3335

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI100864VOL

Instrument Used : DA-GCMS-001

Analyzed Date : 07/28/26 03:37:00

Batch Date : 07/27/26 07:18:37

Reagent : 072426.R02; 012026.01; 072226.R26; 072226.R27

Consumables : 947.110; 040724CH01; 6822423-02; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
LRCHEW-Lemon-200mg
Strain: LRCHEW-Lemon-200mg
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 4 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60725004-005

Batch #: 260715.LRLEM.0200
Harvest/Lot ID: 6454555851547001
Seed to sale: 6952247574428788

Expires: 07/25/27

Ordered: 07/24/26
Sampled: 07/24/26
Completed: 07/30/26

PASSED



Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0287 g	1 ml	1 x	8	0.800	4.00	<0.800	ppm		PASS
1,2-DICHLOROETHANE	0.0287 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
2-PROPANOL	0.0287 g	1 ml	1 x	5000	50.0	250	<50.0	ppm		PASS
ACETONE	0.0287 g	1 ml	1 x	5000	75.0	375	<75.0	ppm		PASS
ACETONITRILE	0.0287 g	1 ml	1 x	410	6.00	30.0	<6.00	ppm		PASS
BENZENE	0.0287 g	1 ml	1 x	1	0.100	0.500	<0.100	ppm		PASS
BUTANES (N-BUTANE)	0.0287 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
CHLOROFORM	0.0287 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
DICHLOROMETHANE	0.0287 g	1 ml	1 x	125	12.5	62.5	<12.5	ppm		PASS
ETHANOL	0.0287 g	1 ml	1 x	5000	500	2500	1170	ppm	J	PASS
ETHYL ACETATE	0.0287 g	1 ml	1 x	5000	40.0	200	<40.0	ppm		PASS
ETHYL ETHER	0.0287 g	1 ml	1 x	5000	50.0	250	<50.0	ppm		PASS
ETHYLENE OXIDE	0.0287 g	1 ml	1 x	5	0.500	2.50	<0.500	ppm		PASS
HEPTANE	0.0287 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
METHANOL	0.0287 g	1 ml	1 x	3000	25.0	125	25.6	ppm	J	PASS
N-HEXANE	0.0287 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
PENTANES (N-PENTANE)	0.0287 g	1 ml	1 x	5000	75.0	375	<75.0	ppm		PASS
PROPANE	0.0287 g	1 ml	1 x	5000	500	1080	<500	ppm		PASS
TOLUENE	0.0287 g	1 ml	1 x	890	15.0	75.0	<15.0	ppm		PASS
TOTAL XYLENES	0.0287 g	1 ml	1 x	2170	15.0	75.0	<15.0	ppm		PASS
TRICHLOROETHYLENE	0.0287 g	1 ml	1 x	25	2.50	12.5	<2.50	ppm		PASS

Analyzed by:
4571, 4444, 585, 1440

Extraction date:
07/26/26 09:02:35

Extracted by:
4571

Analysis Method : SOP.T.40.041.FL

Analytical Batch : MI100840SOL

Instrument Used : DA-GCMS-003

Batch Date : 07/25/26 15:20:39

Analyzed Date : 07/27/26 02:30:00

Reagent : 061323.06

Consumables : 431526; 325202

Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
SALMONELLA SPECIFIC GENE	0.9393 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.9393 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.9393 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.9393 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.9393 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FLAVUS	0.9393 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	0.9393 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.9733 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
LRCHEW-Lemon-200mg
Strain: LRCHEW-Lemon-200mg
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 5 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60725004-005

Batch #: 260715.LRLEM.0200
Harvest/Lot ID: 6454555851547001
Seed to sale: 6952247574428788

Expires: 07/25/27

Ordered: 07/24/26
Sampled: 07/24/26
Completed: 07/30/26

PASSED



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 5008, 4892, 3379, 1440 Extraction date: 07/25/26 14:43:15 Extracted by: 5008										
Analysis Method : SOP.T.40.056C Analytical Batch : MI100836MIC Instrument Used : DA-111 (PathogenDx Scanner), DA-171 (Thermocycler), DA-188 (36.5°C Incubator), DA-049 (95°C Heat Block), DA-402 (55°C Heat Block) Analyzed Date : 07/28/26 14:20:03 Reagent : 041326.19; 051326.R45; 031026.13; 031026.15 Consumables : 7591001004 Pipette : N/A Batch Date : 07/25/26 11:28:40										
Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.										
Analyzed by: 5008, 585, 1440 Extraction date: 07/25/26 14:53:02 Extracted by: 5008										
Analysis Method : SOP.T.40.209.FL Analytical Batch : MI100837TYM Instrument Used : DA-328 (25°C Incubator) Analyzed Date : 07/28/26 11:52:17 Batch Date : 07/25/26 11:31:57 Reagent : 022626.125; 022626.126; 041526.R47; 070726.R01 Consumables : N/A Pipette : N/A										
Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.										



Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.9559 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.9559 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.9559 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.9559 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.9559 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
Analyzed by: 4451, 585, 1440 Extraction date: 07/27/26 13:20:41 Extracted by: 4451										
Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL Analytical Batch : MI100863MYC Instrument Used : DA-LCMS-005 (MYC) Analyzed Date : 07/28/26 06:03:00 Batch Date : 07/27/26 07:18:31 Reagent : 072426.R02; 012026.01; 072226.R03; 072426.R01; 072726.R05; 061626.R24; 072226.R01 Consumables : 947.110; 040724CH01; 6822423-02 Pipette : DA-093; DA-094; DA-219										
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	4.2696 g			0.85	0.010	0.10	0.55	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013



Certificate of Analysis

Pages 6 of 7

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60725004-005
Batch #: 260715.LRLEM.0200
Harvest/Lot ID: 6454555851547001
Seed to sale: 6952247574428788

Expires: 07/25/27
Ordered: 07/24/26
Sampled: 07/24/26
Completed: 07/30/26

PASSED



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
Analyzed by: 4056, 585, 1440 Extraction date: 07/27/26 15:44:25 Extracted by: 4056 Analysis Method : SOP.T.40.019 Analytical Batch : MI100850WAT Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe) Analyzed Date : 07/28/26 12:15:13 Reagent : 050726.03 Consumables : PS-14 Pipette : N/A Batch Date : 07/26/26 16:29:24										



Homogeneity Testing

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL THC - HOMOGENEITY (RSD)	3.0102 g	40 ml	1 x	25	0.00100	0.00100	1.05	%		PASS
Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL Analytical Batch : MI100821HOM Instrument Used : DA-LC-006 Analyzed Date : 07/25/26 06:59:35 Reagent : 070626.02; 052226.06; 071026.R09; 063026.R06 Consumables : 947.110; 04312111; 031425CH01; 1009429049; 1009468945; 0000214700 Pipette : DA-108; DA-421										

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2767 g	50 ml	1 x	5	0.0200	0.100	<0.0200	ppm		PASS
ARSENIC	0.2767 g	50 ml	1 x	1.5	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2767 g	50 ml	1 x	0.5	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2767 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2767 g	50 ml	1 x	3	0.0200	0.100	<0.0200	ppm		PASS
NICKEL	0.2767 g	50 ml	1 x	3	0.0500	0.250	<0.0500	ppm		PASS
TIN	0.2767 g	50 ml	1 x	4	0.400	2.00	<0.400	ppm		PASS
Analyzed by: 1022, 585, 1440 Extraction date: 07/27/26 14:38:55 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : MI100876HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 07/28/26 15:19:00 Reagent : 070826.R29; 071726.R13; 071626.R10; 072026.R09; 072026.R08; 070626.02; 071726.R12; 032326.01 Consumables : 030125CH01; J609879-0193; 179436 Pipette : DA-191; DA-215; DA-435										

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164



Signature
07/30/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs
.....
LRCHEW-Lemon-200mg
Strain: LRCHEW-Lemon-200mg
Matrix: Edible
Type: Soft Chew



Certificate of Analysis

Pages 7 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60725004-005

Batch #: 260715.LRLEM.0200
Harvest/Lot ID: 6454555851547001
Seed to sale: 6952247574428788

Expires: 07/25/27

Ordered: 07/24/26
Sampled: 07/24/26
Completed: 07/30/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100 0.500

<0.100 %

PASS

Analyzed by:
4571, 585, 1440

Extraction date:
07/26/26 16:33:30

Extracted by:
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI100852FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/27/26 12:23:24

Batch Date : 07/26/26 16:31:26

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
07/30/26
Laboratory License #: 900013