




Certificate of Analysis

Pages 1 of 7

COMPLIANCE FOR RETAIL

PASSED




Harvest Batch #: 7736408359547344
Retail Batch #: 260728.LAZO.1LRCC
Batch Date: 07/28/26
Harvest Date: 05/20/23
Production Method: Other - Not Listed
Total Amount: 637 units (637 grams)
Cultivation Facility: Auburndale
Processing Facility: Auburndale
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 6083572936097998

Lab ID: MI60801006-009
Sampled: 07/31/26
Sample Size: 16 units
Completed: 08/04/26
Expires: 08/01/27
Manifest #: 5357344387013604
Source Facility: Auburndale

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US

License #: M00016CULPROAuburndale001



SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
NOT TESTED



Filtration/Foreign
Material
PASSED



Water Activity
PASSED



Moisture
Content
TESTED



Terpenes
TESTED



Cannabinoid

TESTED



Total THC
75.6%

Total THC/Container : 756 mg



Total CBD
0.208%

Total CBD/Container : 2.08 mg



Total Cannabinoids
88.8%

Total Cannabinoids/Container : 888 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	3.75	81.9	<0.00200	0.237	0.0930	0.257	1.96	<0.00200	<0.00200	<0.00200	0.145	0.485
mg/unit	37.5	819	<0.00200	2.37	0.930	2.57	19.6	<0.00200	<0.00200	<0.00200	1.45	4.85
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.0998 g	0.0998 g	0.0998 g	0.0998 g	0.0998 g	0.0998 g	0.0998 g	0.0998 g	0.0998 g	0.0998 g	0.0998 g	0.0998 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 3379, 1440

Extraction date:
08/01/26 14:24:35

Extracted by:
5150,5155

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031

Analytical Batch : MI100996POT

Instrument Used : DA-LC-003 (Derivative)

Analyzed Date : 08/03/26 17:13:51

Batch Date : 08/01/26 10:56:32

Reagent : 072126.R02; 071326.29; 072126.R01

Consumables : 947.110; 04312111; 030125CH01; 0000355309

Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
08/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LRCC-Larry Zonka-1G
Strain: Larry Zonka
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Cold Cure



Certificate of Analysis

Pages 2 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License #: M00016CULPROAuburndale001

Sample: MI60801006-009

Batch #: 260728.LAZO.1LRCC
Harvest/Lot ID: 7736408359547344
Seed to sale: 6083572936097998

Expires: 08/01/27

Ordered: 07/31/26
Sampled: 07/31/26
Completed: 08/04/26

PASSED



Label Claim Verification

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

Analyzed by:	Extraction date:	Extracted by:
Analysis Method : N/A		
Analytical Batch : N/A		
Instrument Used : N/A	Batch Date : N/A	
Analyzed Date : 08/04/26 12:47:05		



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

TOTAL TERPENES	0.2087 g	10 ml	1 x	0.00700	0.0200	4.61	46.1		TESTED
LIMONENE	0.2087 g	10 ml	1 x	0.00700	0.0200	1.22	12.2		TESTED
BETA-CARYOPHYLLENE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.779	7.79		TESTED
LINALOOL	0.2087 g	10 ml	1 x	0.00700	0.0200	0.710	7.10		TESTED
BETA-MYRCENE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.566	5.66		TESTED
ALPHA-HUMULENE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.246	2.46		TESTED
BETA-PINENE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.239	2.39		TESTED
FENCHYL ALCOHOL	0.2087 g	10 ml	1 x	0.00700	0.0200	0.163	1.63		TESTED
ALPHA-PINENE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.147	1.47		TESTED
ALPHA-TERPINEOL	0.2087 g	10 ml	1 x	0.00700	0.0200	0.145	1.45		TESTED
TRANS-NEROLIDOL	0.2087 g	10 ml	1 x	0.00500	0.0160	0.125	1.25		TESTED
FARNESENE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.121	1.21		TESTED
BORNEOL	0.2087 g	10 ml	1 x	0.0130	0.0400	0.0420	0.420		TESTED
CAMPHENE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.0413	0.413		TESTED
ALPHA-BISABOLOL	0.2087 g	10 ml	1 x	0.00700	0.0200	0.0371	0.371		TESTED
CARYOPHYLLENE OXIDE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.0167	0.167	J	TESTED
ALPHA-TERPINOLENE	0.2087 g	10 ml	1 x	0.00700	0.0200	0.0130	0.130	J	TESTED
3-CARENE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
CAMPHOR	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
CEDROL	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
EUCALYPTOL	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
FENCHONE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
GERANIOL	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
GUAIOL	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
HEXAHYDROTHYMOL	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ISOBORNEOL	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
NEROL	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
OCIMENE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE HYDRATE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
VALENCENE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-CEDRENE	0.2087 g	10 ml	1 x	0.00500	0.0160	<0.00500	<0.160		TESTED
ALPHA-PHELLANDRENE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-TERPINENE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED
CIS-NEROLIDOL	0.2087 g	10 ml	1 x	0.00300	0.00800	<0.00300	<0.0800		TESTED
GAMMA-TERPINENE	0.2087 g	10 ml	1 x	0.00700	0.0200	<0.00700	<0.200		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017
Accreditation P/LA-Testing 97164

Signature 08/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33823, US
(954) 368-7664

Kaycha Labs

.....
LRCC-Larry Zonka-1G
Strain: Larry Zonka
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Cold Cure



Certificate of Analysis

Pages 3 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60801006-009

Batch #: 260728.LAZO.1LRCC
Harvest/Lot ID: 7736408359547344
Seed to sale: 6083572936097998

Expires: 08/01/27

Ordered: 07/31/26
Sampled: 07/31/26
Completed: 08/04/26

PASSED



Terpenes

TESTED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT(%) (MG/UNIT) QUALIFIER PASS/FAIL

Analyzed by:
4531, 3379, 1440

Extraction date:
08/03/26 13:27:48

Extracted by:
4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI101022TER
Instrument Used : DA-GCMS-009
Analyzed Date : 08/03/26 23:43:00

Batch Date : 08/03/26 09:41:41

Reagent : 041326.43
Consumables : 947.110; 04312111; 2240626; 0000214700
Pipette : DA-465 (MIC) Dispenser

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.



Pesticide

PASSED

ANALYTES

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.2578 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL DIMETHOMORPH	0.2578 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PERMETHRIN	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PYRETHRINS	0.2578 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINETORAM	0.2578 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINOSAD	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ABAMECTIN B1A	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEPHATE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEQUINOCYL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACETAMIPRID	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ALDICARB	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
AZOXYSTROBIN	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENAZATE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORPYRIFOS	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENTHRIN	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BOSCALID	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CARBARYL	0.2578 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CLOFENTEZINE	0.2578 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
CARBOFURAN	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
COUMAPHOS	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORANTRANILIPROLE	0.2578 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
CHLORMEQUAT CHLORIDE	0.2578 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
DAMINOZIDE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIAZINON	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DICHLORVOS	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIMETHOATE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETHOPROPHOS	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOFENPROX	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOXAZOLE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENHEXAMID	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENOXYCARB	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENPYROXIMATE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FIPRONIL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLONICAMID	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLUDIOXONIL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
HEXYTHIAZOX	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMAZALIL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMIDACLOPRID	0.2578 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS
KRESOXIM-METHYL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
08/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LRCC-Larry Zonka-1G
Strain: Larry Zonka
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Cold Cure



Certificate of Analysis

Pages 4 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33023, US
License # : M00016CULPROAuburndale001

Sample: MI60801006-009

Batch #: 260728.LAZO.1LRCC
Harvest/Lot ID: 7736408359547344
Seed to sale: 6083572936097998

Expires: 08/01/27

Ordered: 07/31/26
Sampled: 07/31/26
Completed: 08/04/26

PASSED

	Pesticide	PASSED
--	------------------	---------------

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	0.2578 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.2578 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.2578 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.2578 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.2578 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.2578 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.2578 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.2578 g	25 ml	1 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.2578 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.2578 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.2578 g	25 ml	1 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.2578 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.2578 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.2578 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by: 4451, 585, 1440	Extraction date: 08/03/26 08:19:02	Extracted by: 3335,4451
---------------------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL

Analytical Batch : MI100999PES

Instrument Used : DA-LCMS-005 (PES)

Batch Date : 08/01/26 11:27:51

Analyzed Date : 08/03/26 18:42:00

Reagent : 072826.R16; 073126.R05; 072926.R26; 072926.R25; 061626.R24; 072926.R01; 012026.01

Consumables : 947.110; 030125CH01; 6894944-01

Pipette : DA-093; DA-094; DA-488

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 1440	Extraction date: 08/03/26 08:19:02	Extracted by: 3335,4451
---------------------------------	---------------------------------------	----------------------------

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL

Analytical Batch : MI101002VOL

Instrument Used : DA-GCMS-010

Batch Date : 08/01/26 11:33:40

Analyzed Date : 08/03/26 19:35:00

Reagent : 073126.R05; 012026.01; 072926.R29; 072926.R28

Consumables : 947.110; 040724CH01; 6894944-01; 17473601

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation P/LA-Testing
97164

Signature
08/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
LRCC-Larry Zonka-1G
Strain: Larry Zonka
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Cold Cure



Certificate of Analysis

Pages 5 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60801006-009

Batch #: 260728.LAZO.1LRCC
Harvest/Lot ID: 7736408359547344
Seed to sale: 6083572936097998

Expires: 08/01/27

Ordered: 07/31/26
Sampled: 07/31/26
Completed: 08/04/26

PASSED



Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.841 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.841 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.841 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.841 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.841 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	0.841 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.841 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.909 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by: 4892, 4520, 3379, 1440 Extraction date: 08/01/26 12:39:41 Extracted by: 3621

Analysis Method : SOP.T.40.056C
Analytical Batch : MI100997MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block) Batch Date : 08/01/26 11:11:24
Analyzed Date : 08/04/26 12:21:00

Reagent : 041326.18; 041326.35; 061226.R05; 031026.13
Consumables : 7591001023
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 5008, 3379, 1440 Extraction date: 08/01/26 12:46:12 Extracted by: 3621

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI100998TYM
Instrument Used : DA-328 (25°C Incubator) Batch Date : 08/01/26 11:11:28
Analyzed Date : 08/04/26 12:37:05

Reagent : 022626.73; 022626.74; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.2578 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.2578 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.2578 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.2578 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.2578 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS

Analyzed by: 4451, 585, 1440 Extraction date: 08/03/26 08:19:02 Extracted by: 3335,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI101000MYC
Instrument Used : DA-LCMS-005 (MYC) Batch Date : 08/01/26 11:32:03
Analyzed Date : 08/03/26 18:42:00

Reagent : 072826.R16; 073126.R05; 072926.R26; 072926.R25; 061626.R24; 072926.R01; 012026.01
Consumables : 947.110; 030125CH01; 6894944-01
Pipette : DA-093; DA-094; DA-488

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017
Accreditation PJLA-Testing 97164

Signature 08/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33023, US
(954) 368-7664

Kaycha Labs

LRCC-Larry Zonka-1G
Strain: Larry Zonka
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Cold Cure



Certificate of Analysis

Pages 6 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60801006-009

Batch #: 260728.LAZO.1LRCC
Harvest/Lot ID: 7736408359547344
Seed to sale: 6083572936097998

Expires: 08/01/27

Ordered: 07/31/26
Sampled: 07/31/26
Completed: 08/04/26

PASSED



Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.53 g			0.85	0.010	0.10	0.59	aw		PASS
Analyzed by: 4571, 585, 1440		Extraction date: 08/02/26 12:44:35				Extracted by: 4571				
Analysis Method : SOP.T.40.019										
Analytical Batch : MI101013WAT										
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)										
Analyzed Date : 08/03/26 10:13:08										
Batch Date : 08/01/26 13:17:18										
Reagent : 050726.03										
Consumables : PS-14										
Pipette : N/A										



Moisture Content

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.506 g				1.00	1.00	2.17	%		TESTED
Analyzed by: 4571, 585, 1440		Extraction date: 08/02/26 13:35:22					Extracted by: 4571			
Analysis Method : SOP.T.40.021.FL										
Analytical Batch : MI101011MOI										
Instrument Used : DA-003 Moisture Analyzer										
Analyzed Date : 08/03/26 10:10:07										
Batch Date : 08/01/26 13:13:15										
Reagent : 071626.12; 070626.02										
Consumables : N/A										
Pipette : DA-066										



Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2457 g	50 ml	1 x	1.1	0.0200	0.100	<0.0200	ppm		PASS
ARSENIC	0.2457 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2457 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2457 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2457 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
NICKEL	0.2457 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
TIN	0.2457 g	50 ml	1 x	4	0.400	2.00	<0.400	ppm		PASS
Analyzed by: 1022, 3379, 1440		Extraction date: 08/01/26 13:57:24					Extracted by: 5122			
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL										
Analytical Batch : MI100994HEA										
Instrument Used : DA-ICPMS-005					Batch Date : 08/01/26 10:50:17					
Analyzed Date : 08/03/26 19:59:00										
Reagent : 070826.R29; 071726.R13; 073026.R05; 072826.R02; 072826.R21; 070626.02; 071726.R12; 032326.01										
Consumables : 030125CH01; J609879-0193; 179436										
Pipette : DA-191; DA-215; DA-435										
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017
Accreditation PJLA-Testing 97164

Signature 08/04/26
Laboratory License #: 900013



3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

.....
LRCC-Larry Zonka-1G
Strain: Larry Zonka
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Cold Cure



Certificate of Analysis

Pages 7 of 7

INSA

1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI60801006-009

Batch #: 260728.LAZO.1LRCC
Harvest/Lot ID: 7736408359547344
Seed to sale: 6083572936097998

Expires: 08/01/27

Ordered: 07/31/26
Sampled: 07/31/26
Completed: 08/04/26

PASSED



Filth/Foreign Material

PASSED

ANALYTES

WEIGHT VOLUME DILUTION LIMIT LOD LOQ RESULT UNIT QUALIFIER PASS/FAIL

FILTH AND FOREIGN MATERIAL

1 g

1

0.100 0.500

<0.100 %

PASS

Analyzed by:
4571, 585, 1440

Extraction date:
08/02/26 14:42:01

Extracted by:
4571

Analysis Method : SOP.T.40.090

Analytical Batch : MI101019FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/03/26 10:15:57

Batch Date : 08/02/26 14:38:29

Reagent : N/A

Consumables : N/A

Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
08/04/26
Laboratory License #: 900013