3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LDISP-Pi Head-500mg
Strain: LDISP-Pi Head-500mg
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 4749768556335284
Retail Batch #: 261014.PIHE.5LDISP
Batch Date: 10/14/26
Harvest Date: 05/29/26
Production Method: Other - Not Listed
Total Amount: 745 units (372.5 grams)
Cultivation Facility: Auburndale
Processing Facility: Auburndale
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 0010282398452139

Lab ID: MI61031001-010
Sampled: 10/30/26
Sample Size: 31 units
Completed: 11/04/26
Expires: 10/30/27
Manifest #: 9517982834721337
Source Facility: Auburndale

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
80.3%
Total THC/Container : 401 mg

Total CBD
0.196%
Total CBD/Container : 0.982 mg

Total Cannabinoids
84.8%
Total Cannabinoids/Container : 424 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	80.2	0.0758	0.196	<0.0184	<0.0184	2.74	<0.0184	0.176	0.472	<0.0184	0.817	0.0637
mg/unit	401	0.379	0.982	<0.0184	<0.0184	13.7	<0.0184	0.878	2.36	<0.0184	4.09	0.318
Qualifier								J				J
LOD (%)	0.00184	0.00184	0.00184	0.0184	0.0184	0.0184	0.0184	0.0184	0.0184	0.0184	0.00184	0.0184
LOQ (%)	0.0184	0.0184	0.0184	0.184	0.184	0.184	0.184	0.184	0.184	0.184	0.0184	0.184
Weight	0.1018 g	0.1018 g	0.1018 g	0.1018 g	0.1018 g	0.1018 g	0.1018 g	0.1018 g	0.1018 g	0.1018 g	0.1018 g	0.1018 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4640, 1665, 585, 1440
Extraction date: 11/02/26 20:32:25
Extracted by: 4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103407POT
Instrument Used : DA-LC-008
Analyzed Date : 11/03/26 20:53:00
Batch Date : 11/02/26 10:00:06

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.08; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LDISP-Pi Head-500mg
Strain: LDISP-Pi Head-500mg
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI61031001-010
Batch #: 261014.PIHE.5LDISP
Harvest/Lot ID: 4749768556335284
Seed to sale: 0010282398452139

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/04/26 10:50:05

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2107 g	10 ml	1 x		0.0332	0.0949	8.00	40.0		TESTED
BETA-MYRCENE	0.2107 g	10 ml	1 x		0.0332	0.0949	3.75	18.8		TESTED
OCIMENE	0.2107 g	10 ml	1 x		0.0332	0.0949	1.00	5.00		TESTED
ALPHA-PINENE	0.2107 g	10 ml	1 x		0.0332	0.0949	0.915	4.57		TESTED
LINALOOL	0.2107 g	10 ml	1 x		0.0332	0.0949	0.692	3.46		TESTED
BETA-CARYOPHYLLENE	0.2107 g	10 ml	1 x		0.0332	0.0949	0.343	1.72		TESTED
LIMONENE	0.2107 g	10 ml	1 x		0.0332	0.0949	0.329	1.65		TESTED
GUAIOL	0.2107 g	10 ml	1 x		0.0332	0.0949	0.222	1.11		TESTED
BETA-PINENE	0.2107 g	10 ml	1 x		0.0332	0.0949	0.196	0.978		TESTED
ALPHA-HUMULENE	0.2107 g	10 ml	1 x		0.0332	0.0949	0.121	0.604		TESTED
TRANS-NEROLIDOL	0.2107 g	10 ml	1 x		0.0237	0.0759	0.0909	0.455		TESTED
ALPHA-TERPINEOL	0.2107 g	10 ml	1 x		0.0332	0.0949	0.0737	0.368	J	TESTED
BORNEOL	0.2107 g	10 ml	1 x		0.0617	0.190	0.0641	0.321	J	TESTED
ALPHA-BISABOLOL	0.2107 g	10 ml	1 x		0.0332	0.0949	0.0606	0.303	J	TESTED
CARYOPHYLLENE OXIDE	0.2107 g	10 ml	1 x		0.0332	0.0949	0.0566	0.283	J	TESTED
FENCHYL ALCOHOL	0.2107 g	10 ml	1 x		0.0332	0.0949	0.0535	0.268	J	TESTED
CAMPHENE	0.2107 g	10 ml	1 x		0.0332	0.0949	0.0334	0.167	J	TESTED
FENCHONE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
ALPHA-PHELLANDRENE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
ALPHA-TERPINENE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
ALPHA-TERPINOLENE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
GAMMA-TERPINENE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
3-CARENE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
CAMPHOR	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
CEDROL	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
EUCALYPTOL	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
FARNESENE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
GERANIOL	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
GERANYL ACETATE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
HEXAHYDROTHYMOL	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
ISOBORNEOL	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
ISOPULEGOL	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
NEROL	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
PULEGONE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
SABINENE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
SABINENE HYDRATE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
VALENCENE	0.2107 g	10 ml	1 x		0.0332	0.0949	<0.0332	<0.949		TESTED
ALPHA-CEDRENE	0.2107 g	10 ml	1 x		0.0237	0.0759	<0.0237	<0.759		TESTED
CIS-NEROLIDOL	0.2107 g	10 ml	1 x		0.0142	0.0380	<0.0142	<0.380		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LDISP-Pi Head-500mg
Strain: LDISP-Pi Head-500mg
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI61031001-010
Batch #: 261014.PIHE.5LDISP
Harvest/Lot ID: 4749768556335284
Seed to sale: 0010282398452139

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 1440
Extraction date: 11/02/26 13:31:10
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103413TER
Instrument Used : DA-GCMS-014
Analyzed Date : 11/03/26 19:00:00
Batch Date : 11/02/26 10:36:56

Reagent : 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0339 g	25 ml	10 x	5	0.00967	0.0484	<0.00967	ppm		PASS
TOTAL DIMETHOMORPH	1.0339 g	25 ml	10 x	0.2	0.00948	0.0474	<0.00948	ppm		PASS
TOTAL PERMETHRIN	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
TOTAL PYRETHRINS	1.0339 g	25 ml	10 x	0.5	0.0291	0.146	<0.0291	ppm		PASS
TOTAL SPINETORAM	1.0339 g	25 ml	10 x	0.2	0.00948	0.0474	<0.00948	ppm		PASS
TOTAL SPINOSAD	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
ABAMECTIN B1A	1.0339 g	25 ml	10 x	0.1	0.00929	0.0464	<0.00929	ppm		PASS
ACEPHATE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
ACEQUINOCYL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
ACETAMIPRID	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
ALDICARB	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
AZOXYSTROBIN	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
BIFENAZATE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
BIFENTHRIN	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
BOSCALID	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
CHLORPYRIFOS	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
CARBARYL	1.0339 g	25 ml	10 x	0.5	0.00967	0.0484	<0.00967	ppm		PASS
CLOFENTEZINE	1.0339 g	25 ml	10 x	0.2	0.00967	0.0484	<0.00967	ppm		PASS
CARBOFURAN	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
COUMAPHOS	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
CHLORANTRANILIPROLE	1.0339 g	25 ml	10 x	1	0.0967	0.484	<0.0967	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0339 g	25 ml	10 x	1	0.0967	0.484	<0.0967	ppm		PASS
DAMINOZIDE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
DIAZINON	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
DICHLORVOS	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
DIMETHOATE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
ETHOPROPHOS	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
ETOFENPROX	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
ETOXAZOLE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
FENHEXAMID	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
FENOXYCARB	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
FENPYROXIMATE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
FIPRONIL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
FLONICAMID	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
FLUDIOXONIL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
HEXYTHIAZOX	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
IMAZALIL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
IMIDACLOPRID	1.0339 g	25 ml	10 x	0.4	0.00967	0.0484	<0.00967	ppm		PASS
KRESOXIM-METHYL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LDISP-Pi Head-500mg
Strain: LDISP-Pi Head-500mg
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI61031001-010
Batch #: 261014.PIHE.5LDISP
Harvest/Lot ID: 4749768556335284
Seed to sale: 0010282398452139

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0339 g	25 ml	10 x	0.2	0.00967	0.0484	<0.00967	ppm		PASS
METALAXYL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
METHIOCARB	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
METHOMYL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
MEVINPHOS	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
MYCLOBUTANIL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
NALED	1.0339 g	25 ml	10 x	0.25	0.00967	0.0484	<0.00967	ppm		PASS
OXAMYL	1.0339 g	25 ml	10 x	0.5	0.00967	0.0484	<0.00967	ppm		PASS
PACLOBUTRAZOL	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
PHOSMET	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
PIPERONYL BUTOXIDE	1.0339 g	25 ml	10 x	3	0.0967	0.484	<0.0967	ppm		PASS
PRALLETHRIN	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
PROPICONAZOLE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
PROPOXUR	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
PYRIDABEN	1.0339 g	25 ml	10 x	0.2	0.00967	0.0484	<0.00967	ppm		PASS
SPIROMESIFEN	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
SPIROTETRAMAT	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
SPIROXAMINE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
TEBUCONAZOLE	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
THIACLOPRID	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
THIAMETHOXAM	1.0339 g	25 ml	10 x	0.5	0.00967	0.0484	<0.00967	ppm		PASS
TRIFLOXYSTROBIN	1.0339 g	25 ml	10 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0339 g	25 ml	5 x	0.15	0.00967	0.0725	<0.00967	ppm		PASS
TOTAL CHLORDANE	1.0339 g	25 ml	5 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
PARATHION-METHYL	1.0339 g	25 ml	5 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
CAPTAN	1.0339 g	25 ml	5 x	0.7	0.0677	0.339	<0.0677	ppm		PASS
CHLORFENAPYR	1.0339 g	25 ml	5 x	0.1	0.00967	0.0484	<0.00967	ppm		PASS
CYFLUTHRIN	1.0339 g	25 ml	5 x	0.5	0.0484	0.242	<0.0484	ppm		PASS
CYPERMETHRIN	1.0339 g	25 ml	5 x	0.5	0.0484	0.242	<0.0484	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/02/26 10:58:56
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103395PES
Instrument Used : DA-LCMS-003 (PES)
Batch Date : 11/02/26 07:38:11
Analyzed Date : 11/02/26 18:31:00

Reagent : 103026.R04; 082426.12; 102826.R03; 103026.R01; 103026.R02; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5072, 585, 1440
Extraction date: 11/02/26 10:58:56
Extracted by: 5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103397VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/02/26 07:46:17
Analyzed Date : 11/02/26 20:03:00

Reagent : 103026.R04; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LDISP-Pi Head-500mg
Strain: LDISP-Pi Head-500mg
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI61031001-010
Batch #: 261014.PIHE.5LDISP
Harvest/Lot ID: 4749768556335284
Seed to sale: 0010282398452139

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0201 g	1 ml	1 x	8	0.796	3.98	<0.796	ppm		PASS
1,2-DICHLOROETHANE	0.0201 g	1 ml	1 x	2	0.199	0.995	<0.199	ppm		PASS
2-PROPANOL	0.0201 g	1 ml	1 x	500	49.8	249	<49.8	ppm		PASS
ACETONE	0.0201 g	1 ml	1 x	750	74.6	373	<74.6	ppm		PASS
ACETONITRILE	0.0201 g	1 ml	1 x	60	5.97	29.9	<5.97	ppm		PASS
BENZENE	0.0201 g	1 ml	1 x	1	0.0995	0.498	<0.0995	ppm		PASS
BUTANES (N-BUTANE)	0.0201 g	1 ml	1 x	5000	498	2490	<498	ppm		PASS
CHLOROFORM	0.0201 g	1 ml	1 x	2	0.199	0.995	<0.199	ppm		PASS
DICHLOROMETHANE	0.0201 g	1 ml	1 x	125	12.4	62.2	<12.4	ppm		PASS
ETHANOL	0.0201 g	1 ml	1 x	5000	498	2490	<498	ppm		PASS
ETHYL ACETATE	0.0201 g	1 ml	1 x	400	39.8	199	<39.8	ppm		PASS
ETHYL ETHER	0.0201 g	1 ml	1 x	500	49.8	249	<49.8	ppm		PASS
ETHYLENE OXIDE	0.0201 g	1 ml	1 x	5	0.498	2.49	<0.498	ppm		PASS
HEPTANE	0.0201 g	1 ml	1 x	5000	498	2490	<498	ppm		PASS
METHANOL	0.0201 g	1 ml	1 x	250	24.9	124	<24.9	ppm		PASS
N-HEXANE	0.0201 g	1 ml	1 x	250	24.9	124	<24.9	ppm		PASS
PENTANES (N-PENTANE)	0.0201 g	1 ml	1 x	750	74.6	373	<74.6	ppm		PASS
PROPANE	0.0201 g	1 ml	1 x	5000	498	1070	<498	ppm		PASS
TOLUENE	0.0201 g	1 ml	1 x	150	14.9	74.6	<14.9	ppm		PASS
TOTAL XYLENES	0.0201 g	1 ml	1 x	150	14.9	74.6	<14.9	ppm		PASS
TRICHLOROETHYLENE	0.0201 g	1 ml	1 x	25	2.49	12.4	<2.49	ppm		PASS

Analyzed by:
4444, 585

Extraction date:
11/03/26 13:23:41

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103435SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 11/03/26 23:41:29

Batch Date : 11/03/26 11:15:57

Reagent : 061323.06; 110226.R04; 110226.R05; 110226.R06
Consumables : 432860; 344274
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.194 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.194 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.194 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.194 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.194 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.194 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.98 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LDISP-Pi Head-500mg
Strain: LDISP-Pi Head-500mg
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI61031001-010
Batch #: 261014.PIHE.5LDISP
Harvest/Lot ID: 4749768556335284
Seed to sale: 0010282398452139

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Microbial — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4892, 4520, 585, 1440
Extraction date: 10/31/26 13:04:25
Extracted by: 4892

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103378MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 10/31/26 09:56:04
Analyzed Date : 11/03/26 19:41:30

Reagent : 071526.18; 071526.20; 101426.R26; 092526.06; 101926.R36; 101926.R37; 090326.01
Consumables : 7590006076
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 585, 1440
Extraction date: 10/31/26 13:08:05
Extracted by: 4892,5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103379TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 10/31/26 09:56:08
Analyzed Date : 11/03/26 10:53:07

Reagent : 022626.03; 022626.26; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0339 g	25 ml	10 x	0.02	0.00193	0.00967	<0.00193	ppm		PASS
AFLATOXIN B1	1.0339 g	25 ml	10 x	0.02	0.00193	0.00967	<0.00193	ppm		PASS
AFLATOXIN B2	1.0339 g	25 ml	10 x	0.02	0.00193	0.00967	<0.00193	ppm		PASS
AFLATOXIN G1	1.0339 g	25 ml	10 x	0.02	0.00193	0.00967	<0.00193	ppm		PASS
AFLATOXIN G2	1.0339 g	25 ml	10 x	0.02	0.00193	0.00967	<0.00193	ppm		PASS
OCHRATOXIN A	1.0339 g	25 ml	10 x	0.02	0.00193	0.00967	<0.00193	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 11/02/26 10:58:56
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103396MYC
Instrument Used : DA-LCMS-003 (MYC)
Batch Date : 11/02/26 07:46:06
Analyzed Date : 11/02/26 18:31:00

Reagent : 103026.R04; 082426.12; 102826.R03; 103026.R01; 103026.R02; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.329 g			0.85	0.010	0.10	0.57	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

LDISP-Pi Head-500mg
Strain: LDISP-Pi Head-500mg
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

INSA
1250 Hobbs Rd
Auburndale, FL, 33823, US
License # : M00016CULPROAuburndale001

Sample: MI61031001-010
Batch #: 261014.PIHE.5LDISP
Harvest/Lot ID: 4749768556335284
Seed to sale: 0010282398452139

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585, 1440
Extraction date: 11/02/26 18:01:55
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103419WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/02/26 13:49:30
Analyzed Date : 11/03/26 09:35:20

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2555 g	50 ml	1 x	5	0.0196	0.0978	0.906	ppm		PASS
ARSENIC	0.2555 g	50 ml	1 x	0.2	0.0196	0.0978	<0.0196	ppm		PASS
CADMIUM	0.2555 g	50 ml	1 x	0.2	0.0196	0.0978	<0.0196	ppm		PASS
LEAD	0.2555 g	50 ml	1 x	0.5	0.0489	0.245	<0.0489	ppm		PASS
MERCURY	0.2555 g	50 ml	1 x	0.2	0.0196	0.0978	<0.0196	ppm		PASS
NICKEL	0.2555 g	50 ml	1 x	0.5	0.0489	0.245	0.0869	ppm	J	PASS
TIN	0.2555 g	50 ml	1 x	4	0.391	1.96	0.819	ppm	J	PASS

Analyzed by: 1022, 585, 1440
Extraction date: 11/02/26 10:38:23
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103383HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/31/26 10:01:14
Analyzed Date : 11/02/26 20:00:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 110226.R15; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 1440
Extraction date: 11/01/26 13:01:50
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103391FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/01/26 12:59:53
Analyzed Date : 11/03/26 11:19:15

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013