



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA00128006-001
Harvest/Lot ID: EC 01-1219
Batch#: EC 01-1219
Sample Size Received: 30 ml
Total Amount: 30 ml
Retail Product Size: 30 ml
Ordered: 01/23/20
Sampled: 01/23/20
Completed: 02/11/20
Sampling Method: SOP.T.20.010.FL

PASSED

Feb 11, 2020 | Carolina Cannabinoids LLC.

5104 Reagan Drive
Charlotte, NC, 28206, US



Pages 1 of 1

PRODUCT IMAGE




Dropper Bottle

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

0%

/Container : 0 mg



Total CBD

0%

CBD/Container : 1,009.20 mg



Total Cannabinoids

0%

Total Cannabinoids / Container : 0

	TOTAL CANNABINOIDS	TOTAL CBD	TOTAL THC	CBC	CBGA	CBG	THCV	D8-THC	CBDV	CBN	CBDA	CBD	D9-THC	THCA
%	0	0	0	0	0	0	0	0	0.007	0	0	3.364	0	0
mg/ml														
LOD		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1224

Weight:
3.1783g

Extraction date:
02/04/20 10:02:45

Extracted by:
965

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : N/A

Instrument Used : DA-LC-003

Analyzed Date : N/A

Reviewed On : N/A

Batch Date : 01/28/20 10:15:10

Dilution : 400

Reagent : 123019.R09; 011020.R11; 020320.R09; 020320.R10

Consumables : SFN-BX-1025; 849C4-849AK; 840C6-840H

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
02/11/20