



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA00304014-001  
**Harvest/Lot ID:** 9/17/19 Supply Room Test  
**Batch#:** 9/17/19 Supply Room Test  
**Processing Facility :** Homestead Processing  
**Seed to Sale#** 9/17/19 Supply Room Test  
**Batch Date:** 03/03/20  
**Sample Size Received:** 30 ml  
**Total Amount:** 30 ml  
**Sample Density:** 1.0 g/mL  
**Ordered:** 03/04/20  
**Sampled:** 03/04/20  
**Completed:** 03/09/20  
**Sampling Method:** SOP.T.20.010

**PASSED**

Mar 09, 2020 | CURALEAF FLORIDA LLC

19000 SW 192 STREET  
MIAMI, FL, 33187, US


Pages 1 of 1

## PRODUCT IMAGE



Bottle

## SAFETY RESULTS

Pesticides  
NOT TESTEDHeavy Metals  
**PASSED**Microbials  
NOT TESTEDMycotoxins  
NOT TESTEDResiduals Solvents  
NOT TESTEDFiltration  
NOT TESTEDWater Activity  
NOT TESTEDMoisture  
NOT TESTEDTerpenes  
NOT TESTED

## MISC.