



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA00309001-008
Harvest/Lot ID: 3-2-20 HS Harvest Sample
Batch#: 0016 2143 1671 8074
Processing Facility : Homestead Processing
Seed to Sale# 0016 2143 1671 8074
Batch Date: 03/02/20
Sample Size Received: 2 gram
Total Amount: 2 gram
Ordered: 03/06/20
Sampled: 03/06/20
Completed: 03/10/20
Sampling Method: SOP.T.20.010

PASSED

Mar 10, 2020 | CURALEAF FLORIDA LLC

19000 SW 192 STREET
MIAMI, FL, 33187, US




Pages 1 of 1

PRODUCT IMAGE




bag

SAFETY RESULTS

 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED
---	---	---	---	---	--	---	---	---

MISC.

 **Cannabinoid** **PASSED**



Analyzed by: 450 Weight: 0.2150g Extraction date: 03/09/20 12:03:29 Extracted by: 574

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA010793POT
Instrument Used : DA-LC-002
Analyzed Date : N/A
Reviewed On : 03/10/20 11:31:14
Batch Date : 03/09/20 08:50:23

Dilution : 400
Reagent : 022720.R12; 030420.R07; 030420.R06
Consumables : 180111; 280653964; 914C4-914AK; 929C6-929H
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/10/20