



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA00323005-002
Harvest/Lot ID: 1825
Batch#: 1825 0206 2102 9930
Seed to Sale# Biotrack
Batch Date: 03/20/20
Sample Size Received: 2 gram
Total Amount: 2 gram
Retail Product Size: 1 gram
Ordered: 03/23/20
Sampled: 03/23/20
Completed: 03/24/20
Sampling Method: SOP.T.20.010

PASSED

Mar 24, 2020 | One Plant

22205 Sw Martin Hwy
indiantown, FL, 34956, US

Sunnyside*


Pages 1 of 1

PRODUCT IMAGE



clear jar

SAFETY RESULTS



MISC.



Cannabinoid

PASSED



Total THC
0%



Total CBD
0%



Total Cannabinoids
0%



	TOTAL CANNABINOIDS	TOTAL CBD	TOTAL THC	CBC	CBGA	CBG	THCV	D8-THC	CBDV	CBN	CBDA	CBD	D9-THC	THCA
%	0	0	0	0.084	0.539	0.326	0	0	0	0	0.206	0	1.071	62.21
mg/g														
LOD		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001			0.001
	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analysis by: 1224 Weight: 0.1171g Extraction date: 03/23/20 10:03:56 Extracted by: 965

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA011141POT Reviewed On : 03/24/20 10:31:30
Instrument Used : DA-LC-003 Batch Date : 03/23/20 09:49:45
Analyzed Date : N/A

Dilution : 400
Reagent : N/A
Consumables : 180111; 280653964; 914C4-914AK; 929C6-929H
Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/24/20