



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA00409006-002
Harvest/Lot ID: 600-001
Batch#: 600-001

Sample Size Received: 10 gram
Total Amount: 30 ml
Retail Product Size: 30 ml
Sample Density: 0.96 g/mL
Ordered: 04/06/20
Sampled: 04/06/20
Completed: 04/13/20
Sampling Method: SOP.T.20.010.FL

Apr 13, 2020 | Manifest Wellness


794 Seneca Meadows Rd.
Winter Springs, FL, 32708, US



PASSED

Pages 1 of 1

PRODUCT IMAGE




1oz/30ml Amber Glass Dropper Bottle

SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0%

/Container : 19.584 mg




Total CBD
0%

CBD/Container : 541.899 mg



Total Cannabinoids
0%

Total Cannabinoids/Container : 625.536 mg



Analyzed by:
450

Weight:
3.0604g

Extraction date:
04/09/20 09:04:07

Extracted by:
965

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA011541POT

Instrument Used : DA-LC-003

Analyzed Date : N/A

Reviewed On : 04/10/20 10:48:12

Batch Date : 04/09/20 08:27:57

Dilution : 400

Reagent : 032320.30; 040720.R18; 040720.R17

Consumables : 180111; 914C4-914AK; 929C6-929H

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
04/13/20